

LLOY	SIZE	WEIGHT
CURRENT SHEET INVENTORY		
Alloy 625 Low Cycle Fatigue	0.010 X 36.000 X 120.000 0.254MM X 914.4 X 3048	3690 LBS 1674 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 12-25-23	0.010 X 36.000 X 120.000 0.254MM X 914.4 X 3048	5500 LBS 2495 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 05-30-23	0.012 X 34.000 X 120.000 0.3048MM X 863.6 X 3048	5000 LBS 2268 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 12-25-23	0.012 X 36.000 X 120.000 0.3048MM X 914.4 X 3048	10500 LBS 4763 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 07-05-23	0.016 X 36.000 X 120.000 0.4064MM X 914.4 X 3048	12000 LBS 5443 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 12-20-23	0.016 X 36.001 X 120.000 0.4064MM X 914.4254 X 3048	6000 LBS 2722 KG
Alloy 625 Low Cycle Fatigue	0.020 X 36.000 X 120.000 0.508MM X 914.4 X 3048	6855 LBS 3109 KG
Alloy 625 Low Cycle Fatigue	0.020 X 48.000 X 120.000 0.508MM X 1219.2 X 3048	3128 LBS 1419 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 09-02-23	0.020 X 48.000 X 120.000 0.508MM X 1219.2 X 3048	11330 LBS 5139 KG
Alloy 625 Low Cycle Fatigue	0.025 X 36.000 X 120.000 0.635MM X 914.4 X 3048	5703 LBS 2587 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 08-16-23	0.025 X 36.000 X 120.000 0.635MM X 914.4 X 3048	6000 LBS 2722 KG
Alloy 625 Low Cycle Fatigue	0.025 X 48.000 X 120.000 0.635MM X 1219.2 X 3048	6914 LBS 3136 KG
Alloy 625 Low Cycle Fatigue	0.032 X 36.000 X 18.130 0.8128MM X 914.4 X 460.502	43 LBS 20 KG

Alloy 625 Low Cycle Fatigue	0.032 X 36.000 X 120.000	9191 LBS
	0.8128MM X 914.4 X 3048	4169 KG
Alloy 625 Low Cycle Fatigue	0.032 X 48.000 X 120.000	6899 LBS
	0.8128MM X 1219.2 X 3048	3129 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 07-15-23	0.032 X 48.000 X 120.000	8000 LBS
	0.8128MM X 1219.2 X 3048	3629 KG
Alloy 625 Low Cycle Fatigue	0.040 X 36.000 X 120.000	362 LBS
	1.016MM X 914.4 X 3048	164 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 12-20-23	0.040 X 36.000 X 120.000	12000 LBS
	1.016MM X 914.4 X 3048	5443 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 12-20-23	0.040 X 48.000 X 120.000	10000 LBS
	1.016MM X 1219.2 X 3048	4536 KG
Alloy 625 Low Cycle Fatigue	0.040 X 48.001 X 120.000	8311 LBS
	1.016MM X 1219.2254 X 3048	3770 KG
Alloy 625 Low Cycle Fatigue	0.050 X 36.000 X 120.000	184 LBS
	1.27MM X 914.4 X 3048	83 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 12-04-23	0.050 X 36.000 X 120.010	6000 LBS
	1.27MM X 914.4 X 3048.254	2722 KG
Alloy 625 Low Cycle Fatigue	0.050 X 48.000 X 120.000	12967 LBS
	1.27MM X 1219.2 X 3048	5882 KG
Alloy 625 Low Cycle Fatigue	0.063 X 36.000 X 120.000	8339 LBS
	1.6002MM X 914.4 X 3048	3783 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 12-04-23	0.063 X 36.000 X 120.000	6000 LBS
	1.6002MM X 914.4 X 3048	2722 KG
Alloy 625 Low Cycle Fatigue	0.063 X 48.000 X 47.000	61 LBS
	1.6002MM X 1219.2 X 1193.8	28 KG
Alloy 625 Low Cycle Fatigue	0.063 X 48.000 X 120.000	5911 LBS
	1.6002MM X 1219.2 X 3048	2681 KG

Alloy 625 Low Cycle Fatigue - DUE DATE: 02-10-24	0.063 X 48.000 X 120.000 1.6002MM X 1219.2 X 3048	10000 LBS 4536 KG
Alloy 625 Low Cycle Fatigue	0.066 X 48.000 X 120.000 1.6764MM X 1219.2 X 3048	115 LBS 52 KG
Alloy 625 Low Cycle Fatigue	0.073 X 48.000 X 120.000 1.8542MM X 1219.2 X 3048	894 LBS 406 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 02-05-24	0.073 X 48.000 X 120.000 1.8542MM X 1219.2 X 3048	10000 LBS 4536 KG
Alloy 625 Low Cycle Fatigue	0.080 X 36.000 X 120.000 2.032MM X 914.4 X 3048	13346 LBS 6054 KG
Alloy 625 Low Cycle Fatigue	0.080 X 48.000 X 120.000 2.032MM X 1219.2 X 3048	11242 LBS 5099 KG
Alloy 625 Low Cycle Fatigue	0.093 X 36.000 X 120.000 2.3622MM X 914.4 X 3048	882 LBS 400 KG
Alloy 625 Low Cycle Fatigue	0.093 X 48.000 X 49.125 2.3622MM X 1219.2 X 1247.775	69 LBS 31 KG
Alloy 625 Low Cycle Fatigue	0.093 X 48.000 X 120.000 2.3622MM X 1219.2 X 3048	10879 LBS 4935 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 11-16-23	0.093 X 48.000 X 120.000 2.3622MM X 1219.2 X 3048	12000 LBS 5443 KG
Alloy 625 Low Cycle Fatigue	0.100 X 37.500 X 8.750 2.54MM X 952.5 X 222.25	10 LBS 5 KG
Alloy 625 Low Cycle Fatigue	0.100 X 48.000 X 120.000 2.54MM X 1219.2 X 3048	15757 LBS 7147 KG
Alloy 625 Low Cycle Fatigue - DUE DATE: 12-04-23	0.100 X 48.000 X 120.000 2.54MM X 1219.2 X 3048	12000 LBS 5443 KG
Alloy 625 Low Cycle Fatigue	0.125 X 48.000 X 120.000 3.175MM X 1219.2 X 3048	9732 LBS 4414 KG

Alloy 625 Low Cycle Fatigue	0.140 X 36.000 X 4.750	8 LBS
	3.556MM X 914.4 X 120.65	4 KG
Alloy 625 Low Cycle Fatigue	0.156 X 36.000 X 59.750	113 LBS
	3.9624MM X 914.4 X 1517.65	51 KG
Alloy 625 Low Cycle Fatigue	0.159 X 48.000 X 120.000	5669 LBS
	4.0386MM X 1219.2 X 3048	2571 KG