

CURRENT PLATE INVENTORY		
Alloy 625	0.187 X 48.000 X 120.000 4.7498MM X 1219.2 X 3048	8277 LBS 3754 KG
Alloy 625	0.250 X 48.000 X 120.000 6.35MM X 1219.2 X 3048	11736 LBS 5323 KG
Alloy 625	0.250 X 48.000 X 192.000 6.35MM X 1219.2 X 4876.8	1756 LBS 797 KG
Alloy 625	0.312 X 48.000 X 6.000 7.9248MM X 1219.2 X 152.4	49 LBS 22 KG
Alloy 625	0.312 X 48.000 X 200.000 7.9248MM X 1219.2 X 5080	1120 LBS 508 KG
Alloy 625	0.312 X 48.000 X 200.250 7.9248MM X 1219.2 X 5086.35	8240 LBS 3738 KG
Alloy 625	0.375 X 48.000 X 200.000 9.525MM X 1219.2 X 5080	8838 LBS 4009 KG
Alloy 625	0.500 X 48.000 X 200.000 12.7MM X 1219.2 X 5080	15208 LBS 6898 KG
Alloy 625	0.625 X 60.000 X 200.000 15.875MM X 1524 X 5080	10126 LBS 4593 KG
Alloy 625	0.625 X 60.000 X 200.250 15.875MM X 1524 X 5086.35	5091 LBS 2309 KG
Alloy 625	0.750 X 60.000 X 193.875 19.05MM X 1524 X 4924.425	3573 LBS 1621 KG
Alloy 625	0.750 X 60.000 X 200.000 19.05MM X 1524 X 5080	12374 LBS 5613 KG
Alloy 625	0.875 X 48.000 X 174.000 22.225MM X 1219.2 X 4419.6	2433 LBS 1104 KG
Alloy 625	0.875 X 49.000 X 200.000 22.225MM X 1244.6 X 5080	5762 LBS 2614 KG
Alloy 625	0.875 X 60.000 X 200.000 22.225MM X 1524 X 5080	3516 LBS 1595 KG
Alloy 625	1.000 X 59.937 X 86.750 25.4MM X 1522.3998 X 2203.45	1804 LBS 818 KG
Alloy 625	1.000 X 59.937 X 199.880 25.4MM X 1522.3998 X 5076.952	3883 LBS 1761 KG
Alloy 625	1.000 X 60.000 X 199.880 25.4MM X 1524 X 5076.952	3990 LBS 1810 KG
Alloy 625	1.000 X 60.000 X 200.000 25.4MM X 1524 X 5080	12260 LBS 5561 KG
Alloy 625	1.000 X 60.020 X 199.880 25.4MM X 1524.508 X 5076.952	4038 LBS 1832 KG
Alloy 625	1.125 X 4.000 X 59.000 28.575MM X 101.6 X 1498.6	102 LBS 46 KG
Alloy 625 - DUE DATE: 07-20-24	1.125 X 60.001 X 200.000 28.575MM X 1524.0254 X 5080	4299 LBS 1950 KG
Alloy 625	1.125 X 60.125 X 170.250 28.575MM X 1527.175 X 4324.35	3820 LBS 1733 KG
Alloy 625	1.250 X 13.000 X 44.000 31.75MM X 330.2 X 1117.6	343 LBS 156 KG
Alloy 625	1.250 X 60.000 X 151.375 31.75MM X 1524 X 3844.925	3811 LBS 1729 KG

Alloy 625	1.250 X 60.000 X 199.750 31.75MM X 1524 X 5073.65	10053 LBS 4560 KG
Alloy 625	1.500 X 60.000 X 58.000 38.1MM X 1524 X 1473.2	1905 LBS 864 KG
Alloy 625	1.500 X 60.000 X 199.875 38.1MM X 1524 X 5076.825	11771 LBS 5339 KG
Alloy 625	1.500 X 60.000 X 200.125 38.1MM X 1524 X 5083.175	5807 LBS 2634 KG
Alloy 625	1.500 X 60.250 X 200.125 38.1MM X 1530.35 X 5083.175	5860 LBS 2658 KG
Alloy 625	1.750 X 60.000 X 7.880 44.45MM X 1524 X 200.152	316 LBS 143 KG
Alloy 625	1.750 X 60.000 X 109.000 44.45MM X 1524 X 2768.6	3707 LBS 1681 KG
Alloy 625 - DUE DATE: 06-20-24	1.750 X 60.000 X 200.000 44.45MM X 1524 X 5080	6663 LBS 3022 KG
Alloy 625	1.750 X 60.010 X 200.010 44.45MM X 1524.254 X 5080.254	6847 LBS 3106 KG
Alloy 625	1.750 X 60.250 X 200.125 44.45MM X 1530.35 X 5083.175	6757 LBS 3065 KG
Alloy 625	2.000 X 49.000 X 98.500 50.8MM X 1244.6 X 2501.9	3224 LBS 1462 KG
Alloy 625	2.000 X 59.875 X 42.750 50.8MM X 1520.825 X 1085.85	1663 LBS 754 KG
Alloy 625	2.000 X 60.000 X 200.000 50.8MM X 1524 X 5080	7810 LBS 3543 KG
Alloy 625 - DUE DATE: 08-23-24	2.000 X 60.001 X 200.000 50.8MM X 1524.0254 X 5080	7599 LBS 3447 KG
Alloy 625	2.500 X 8.000 X 8.000 63.5MM X 203.2 X 203.2	164 LBS 74 KG
Alloy 625	2.500 X 60.000 X 117.125 63.5MM X 1524 X 2974.975	7072 LBS 3208 KG
Alloy 625	2.500 X 60.000 X 199.875 63.5MM X 1524 X 5076.825	9685 LBS 4393 KG
Alloy 625	2.500 X 60.000 X 200.000 63.5MM X 1524 X 5080	19213 LBS 8715 KG
Alloy 625	3.000 X 20.375 X 21.750 76.2MM X 517.525 X 552.45	714 LBS 324 KG
Alloy 625	3.000 X 60.000 X 24.000 76.2MM X 1524 X 609.6	1674 LBS 759 KG
Alloy 625	3.000 X 60.000 X 159.870 76.2MM X 1524 X 4060.698	9221 LBS 4183 KG
Alloy 625	3.000 X 60.000 X 160.000 76.2MM X 1524 X 4064	9497 LBS 4308 KG
Alloy 625	3.500 X 28.875 X 3.875 88.9MM X 733.425 X 98.425	367 LBS 166 KG
Alloy 625	3.500 X 49.000 X 65.875 88.9MM X 1244.6 X 1673.225	4583 LBS 2079 KG
Alloy 625	3.500 X 49.000 X 144.000 88.9MM X 1244.6 X 3657.6	7966 LBS 3613 KG
Alloy 625	4.000 X 8.250 X 11.750	320 LBS

Alloy 625	101.6MM X 209.55 X 298.45	145 KG
Alloy 625	4.000 X 24.125 X 12.625	530 LBS
	101.6MM X 612.775 X 320.675	240 KG
Alloy 625	4.000 X 53.125 X 129.870	7144 LBS
	101.6MM X 1349.375 X 3298.698	3240 KG
Alloy 625	4.000 X 53.250 X 130.000	8882 LBS
	101.6MM X 1352.55 X 3302	4029 KG
CURRENT BAR INVENTORY		
Alloy 625 - DUE DATE: 03-15-25	0.188 DIA X 160 RL 4.7752MM DIA	1853 LBS 841 KG
Alloy 625	0.188 DIA X 164 RL 4.7752MM DIA	429 LBS 195 KG
Alloy 625	0.250 DIA X 144 RL 6.35MM DIA	1494 LBS 678 KG
Alloy 625 - DUE DATE: 06-25-24	0.250 DIA X 144" RL 6.35MM DIA	2361 LBS 1071 KG
Alloy 625	0.250 DIA X 144RL 138 6.35MM DIA	1891 LBS 858 KG
Alloy 625	0.250 DIA X 147" RL 6.35MM DIA	1948 LBS 884 KG
Alloy 625	0.250 DIA X 150" RL 6.35MM DIA	753 LBS 342 KG
Alloy 625	0.312 DIA X 144 RL 7.9248MM DIA	1857 LBS 842 KG
Alloy 625	0.312 DIA X 144" RL 7.9248MM DIA	1923 LBS 872 KG
Alloy 625 - DUE DATE: 02-20-25	0.375 DIA X 144 RL 9.525MM DIA	5697 LBS 2584 KG
Alloy 625 - DUE DATE: 05-15-25	0.375 DIA X 161 9.525MM DIA	1899 LBS 861 KG
Alloy 625 - DUE DATE: 11-15-24	0.385 DIA X 120-144"RL 9.779MM DIA	1899 LBS 861 KG
Alloy 625 - DUE DATE: 05-30-25	0.385 DIA X 144 RL 9.779MM DIA	5709 LBS 2590 KG
Alloy 625	0.393 DIA X 142 RL 9.9822MM DIA	2029 LBS 920 KG
Alloy 625 - DUE DATE: 05-30-25	0.393 DIA X 160 RL 9.9822MM DIA	3778 LBS 1714 KG
Alloy 625	0.510 DIA X 138 RL 12.954MM DIA	1813 LBS 822 KG
Alloy 625	0.510 DIA X 144-168RL 12.954MM DIA	1931 LBS 876 KG
Alloy 625 - DUE DATE: 12-05-24	0.510 DIA X 162" RL 12.954MM DIA	2250 LBS 1021 KG
Alloy 625 - DUE DATE: 06-15-26	0.510 DIA X 163 RL 12.954MM DIA	3000 LBS 1361 KG
Alloy 625	0.635 DIA X 144" RL 16.129MM DIA	1878 LBS 852 KG
Alloy 625 - DUE DATE: 10-19-24	0.635 DIA X 160"RL 16.129MM DIA	1215 LBS 551 KG
Alloy 625 - DUE	0.635 DIA X 162 RL	3750 LBS

DATE: 12-25-25	16.129MM DIA	1701 KG
Alloy 625	0.635 DIA X 168RL 16.129MM DIA	391 LBS 177 KG
Alloy 625 - DUE DATE: 09-07-24	0.760 DIA X 160 RL 19.304MM DIA	2250 LBS 1021 KG
Alloy 625 - DUE DATE: 07-10-25	0.760 DIA X 160" RL 19.304MM DIA	5203 LBS 2360 KG
Alloy 625 - DUE DATE: 01-15-26	0.760 DIA X 161 RL 19.304MM DIA	3750 LBS 1701 KG
Alloy 625	0.760 DIA X 167.625RL 19.304MM DIA	68 LBS 31 KG
Alloy 625	0.797 DIA X 122-162" RL 20.2438MM DIA	590 LBS 268 KG
Alloy 625 - DUE DATE: 01-15-25	0.797 DIA X 160" RL 20.2438MM DIA	5250 LBS 2381 KG
Alloy 625 - DUE DATE: 01-15-25	0.822 DIA X 160" RL 20.8788MM DIA	3000 LBS 1361 KG
Alloy 625	0.822 DIA X 168-184" RL 20.8788MM DIA	1619 LBS 734 KG
Alloy 625	0.885 DIA X 138.375 22.479MM DIA	26 LBS 12 KG
Alloy 625 - DUE DATE: 11-01-24	0.885 DIA X 160" RL 22.479MM DIA	2250 LBS 1021 KG
Alloy 625 - DUE DATE: 01-15-25	0.885 DIA X 161 RL 22.479MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 01-15-25	0.885 DIA X 162 RL 22.479MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 01-15-25	1.010 DIA X 161" RL 25.654MM DIA	2250 LBS 1021 KG
Alloy 625 - DUE DATE: 09-25-25	1.010 DIA X 162 RL 25.654MM DIA	3750 LBS 1701 KG
Alloy 625	1.010 DIA X 170 RL 25.654MM DIA	2387 LBS 1083 KG
Alloy 625	1.010 DIA X 178"RL 25.654MM DIA	1257 LBS 570 KG
Alloy 625	1.125 DIA X 132 RL 28.575MM DIA	481 LBS 218 KG
Alloy 625 - DUE DATE: 01-10-25	1.135 DIA X 160" RL 28.829MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 01-15-26	1.135 DIA X 161 RL 28.829MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 01-15-25	1.260 DIA X 159 RL 32.004MM DIA	2250 LBS 1021 KG
Alloy 625 - DUE DATE: 01-10-25	1.260 DIA X 162 RL 32.004MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 01-15-26	1.260 DIA X 163 RL 32.004MM DIA	3750 LBS 1701 KG
Alloy 625	1.260 DIA X 170 RL 32.004MM DIA	2182 LBS 990 KG
Alloy 625	1.260 DIA X 172"RL 32.004MM DIA	1761 LBS 799 KG

Alloy 625	1.385 DIA X 144" RL + 77 35.179MM DIA	2105 LBS 955 KG
Alloy 625 - DUE DATE: 01-10-25	1.385 DIA X 160" RL 35.179MM DIA	3000 LBS 1361 KG
Alloy 625	1.510 DIA X 136-168RL 38.354MM DIA	1533 LBS 695 KG
Alloy 625 - DUE DATE: 01-15-25	1.510 DIA X 158" RL 38.354MM DIA	2250 LBS 1021 KG
Alloy 625 - DUE DATE: 01-10-25	1.510 DIA X 160" RL 38.354MM DIA	3000 LBS 1361 KG
Alloy 625	1.510 DIA X 172" RL 38.354MM DIA	2160 LBS 980 KG
Alloy 625	1.510 DIA X 175RL + 88.125 38.354MM DIA	746 LBS 338 KG
Alloy 625	1.635 DIA X 156 RL 41.529MM DIA	2097 LBS 951 KG
Alloy 625 - DUE DATE: 01-15-25	1.635 DIA X 162 RL 41.529MM DIA	3000 LBS 1361 KG
Alloy 625	1.635 DIA X 174 RL 41.529MM DIA	4374 LBS 1984 KG
Alloy 625	1.760 DIA X 150-180RL 44.704MM DIA	2104 LBS 954 KG
Alloy 625 - DUE DATE: 01-16-25	1.760 DIA X 163" RL 44.704MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 11-15-24	1.760 DIA X 164" RL 44.704MM DIA	2250 LBS 1021 KG
Alloy 625	1.760 DIA X 170" RL 44.704MM DIA	2053 LBS 931 KG
Alloy 625	1.760 DIA X 174RL+50.875 44.704MM DIA	1404 LBS 637 KG
Alloy 625	2.010 DIA X 138-168RL 51.054MM DIA	3854 LBS 1748 KG
Alloy 625	2.010 DIA X 150RL + 28.50 51.054MM DIA	899 LBS 408 KG
Alloy 625 - DUE DATE: 01-15-25	2.010 DIA X 159" RL 51.054MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 11-05-24	2.010 DIA X 161" RL 51.054MM DIA	2250 LBS 1021 KG
Alloy 625 - DUE DATE: 01-15-26	2.010 DIA X 163 RL 51.054MM DIA	3750 LBS 1701 KG
Alloy 625	2.010 DIA X 174 RL 51.054MM DIA	2128 LBS 965 KG
Alloy 625 - DUE DATE: 01-10-26	2.135 DIA X 160" RL 54.229MM DIA	3000 LBS 1361 KG
Alloy 625	2.260 DIA X 140-174RL 57.404MM DIA	1152 LBS 523 KG
Alloy 625	2.260 DIA X 143-184RL 57.404MM DIA	614 LBS 279 KG
Alloy 625 - DUE DATE: 01-20-25	2.260 DIA X 160" RL 57.404MM DIA	3000 LBS 1361 KG
Alloy 625	2.260 DIA X 171" RL	1781 LBS

Alloy 625	57.404MM DIA	808 KG
Alloy 625	2.260 DIA X 183+146+24.750 57.404MM DIA	434 LBS 197 KG
Alloy 625	2.510 DIA X 122-130"RL 63.754MM DIA	1357 LBS 616 KG
Alloy 625	2.510 DIA X 140/157"RL 63.754MM DIA	669 LBS 303 KG
Alloy 625 - DUE DATE: 01-15-25	2.510 DIA X 159 RL 63.754MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 12-09-24	2.510 DIA X 160 RL 63.754MM DIA	1837 LBS 833 KG
Alloy 625 - DUE DATE: 01-15-26	2.510 DIA X 161 RL 63.754MM DIA	6000 LBS 2722 KG
Alloy 625	2.760 DIA X 150 RL 70.104MM DIA	1563 LBS 709 KG
Alloy 625 - DUE DATE: 12-15-24	2.760 DIA X 161 RL 70.104MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 01-20-26	2.760 DIA X 162 RL 70.104MM DIA	3000 LBS 1361 KG
Alloy 625	3.020 DIA X 132 + 100.500 76.708MM DIA	508 LBS 230 KG
Alloy 625	3.020 DIA X 144/184"RL 76.708MM DIA	3377 LBS 1532 KG
Alloy 625 - DUE DATE: 01-15-25	3.020 DIA X 160" RL 76.708MM DIA	3750 LBS 1701 KG
Alloy 625 - DUE DATE: 01-20-26	3.020 DIA X 161 RL 76.708MM DIA	3750 LBS 1701 KG
Alloy 625	3.020 DIA X 184 + 123.375 76.708MM DIA	3083 LBS 1398 KG
Alloy 625 - DUE DATE: 10-10-25	3.270 DIA X 159" RL 83.058MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 12-14-24	3.270 DIA X 160 RL 83.058MM DIA	3900 LBS 1769 KG
Alloy 625 - DUE DATE: 12-15-25	3.270 DIA X 160" RL 83.058MM DIA	10055 LBS 4561 KG
Alloy 625 - DUE DATE: 02-06-26	3.270 DIA X 161 RL 83.058MM DIA	3900 LBS 1769 KG
Alloy 625	3.500 DIA X 2.750 88.9MM DIA	8 LBS 4 KG
Alloy 625	3.520 DIA X 155-184RL 89.408MM DIA	4370 LBS 1982 KG
Alloy 625 - DUE DATE: 01-15-25	3.520 DIA X 159" RL 89.408MM DIA	3900 LBS 1769 KG
Alloy 625 - DUE DATE: 01-10-26	3.520 DIA X 160 RL 89.408MM DIA	3900 LBS 1769 KG
Alloy 625 - DUE DATE: 10-20-24	3.520 DIA X 161" RL 89.408MM DIA	3000 LBS 1361 KG
Alloy 625 - DUE DATE: 12-01-24	3.770 DIA X 160" RL 95.758MM DIA	3900 LBS 1769 KG
Alloy 625 - DUE DATE: 01-06-26	3.770 DIA X 161 RL 95.758MM DIA	3900 LBS 1769 KG

Alloy 625 - DUE DATE: 05-06-25	3.770 DIA X 162 RL 95.758MM DIA	3628 LBS 1646 KG
Alloy 625	3.770 DIA X 3.75" 95.758MM DIA	13 LBS 6 KG
Alloy 625	4.020 DIA X 109-139RL 102.108MM DIA	4148 LBS 1882 KG
Alloy 625 - DUE DATE: 03-03-25	4.020 DIA X 158 RL 102.108MM DIA	3632 LBS 1647 KG
Alloy 625 - DUE DATE: 12-01-24	4.020 DIA X 160 RL 102.108MM DIA	3900 LBS 1769 KG
Alloy 625 - DUE DATE: 01-07-26	4.020 DIA X 161 RL 102.108MM DIA	5000 LBS 2268 KG
Alloy 625	4.020 DIA X 179/183 RL 102.108MM DIA	2111 LBS 958 KG
Alloy 625	4.020 DIA X 71-183RL 102.108MM DIA	3982 LBS 1806 KG
Alloy 625	4.020 DIA X 98 102.108MM DIA	381 LBS 173 KG
Alloy 625	4.270 DIA X 139-182RL 108.458MM DIA	4230 LBS 1919 KG
Alloy 625	4.270 DIA X 159-165RL 108.458MM DIA	3561 LBS 1615 KG
Alloy 625	4.270 DIA X 159-178RL 108.458MM DIA	3019 LBS 1369 KG
Alloy 625	4.270 DIA X 182/183RL+72 108.458MM DIA	1978 LBS 897 KG
Alloy 625	4.270 DIA X 214.5 +213.625 108.458MM DIA	1894 LBS 859 KG
Alloy 625	4.270 DIA X 82-204RL 108.458MM DIA	2397 LBS 1087 KG
Alloy 625	4.520 DIA X 185-211RL 114.808MM DIA	4017 LBS 1822 KG
Alloy 625	4.520 DIA X 185.75 + 167RL 114.808MM DIA	2563 LBS 1163 KG
Alloy 625	4.520 DIA X 188-215RL 114.808MM DIA	3058 LBS 1387 KG
Alloy 625 - DUE DATE: 11-30-24	4.520 DIA X 190 R/L 114.808MM DIA	4000 LBS 1814 KG
Alloy 625 - DUE DATE: 04-05-25	4.520 DIA X 191 R/L 114.808MM DIA	6311 LBS 2863 KG
Alloy 625	4.520 DIA X 205.375 + 202 114.808MM DIA	2020 LBS 916 KG
Alloy 625 - DUE DATE: 02-01-25	4.770 DIA X 189" RL 121.158MM DIA	3611 LBS 1638 KG
Alloy 625	4.770 DIA X 190.5 + 185 121.158MM DIA	2080 LBS 943 KG
Alloy 625 - DUE DATE: 11-30-24	4.770 DIA X 191" RL 121.158MM DIA	4000 LBS 1814 KG
Alloy 625	4.770 DIA X 204.875+192.37 121.158MM DIA	2082 LBS 944 KG
Alloy 625	4.770 DIA X 214RL + 174.5	4507 LBS

Alloy 625	121.158MM DIA	2044 KG
Alloy 625	5.020 DIA X 1.375 127.508MM DIA	9 LBS 4 KG
Alloy 625 - DUE DATE: 09-15-24	5.020 DIA X 144" RL 127.508MM DIA	4446 LBS 2017 KG
Alloy 625	5.020 DIA X 189-215RL 127.508MM DIA	5104 LBS 2315 KG
Alloy 625 - DUE DATE: 02-15-25	5.020 DIA X 190 RL 127.508MM DIA	4448 LBS 2018 KG
Alloy 625 - DUE DATE: 11-30-24	5.020 DIA X 191 RL 127.508MM DIA	5600 LBS 2540 KG
Alloy 625 - DUE DATE: 07-30-24	5.020 DIA X 192" RL 127.508MM DIA	4528 LBS 2054 KG
Alloy 625 - DUE DATE: 09-15-25	5.020 DIA X 194 RL 127.508MM DIA	3900 LBS 1769 KG
Alloy 625 - DUE DATE: 05-22-25	5.270 DIA X 190 RL 133.858MM DIA	4473 LBS 2029 KG
Alloy 625 - DUE DATE: 01-02-25	5.270 DIA X 191" RL 133.858MM DIA	5000 LBS 2268 KG
Alloy 625	5.270 DIA X 191-202RL 133.858MM DIA	5379 LBS 2440 KG
Alloy 625 - DUE DATE: 10-10-24	5.270 DIA X 192" RL 133.858MM DIA	4000 LBS 1814 KG
Alloy 625 - DUE DATE: 02-15-25	5.270 DIA X 194" RL 133.858MM DIA	4473 LBS 2029 KG
Alloy 625	5.270 DIA X 216" 133.858MM DIA	1466 LBS 665 KG
Alloy 625 - DUE DATE: 07-25-24	5.520 DIA X 168-216RL 140.208MM DIA	2706 LBS 1227 KG
Alloy 625 - DUE DATE: 02-10-25	5.520 DIA X 190" RL 140.208MM DIA	4473 LBS 2029 KG
Alloy 625 - DUE DATE: 11-25-24	5.520 DIA X 191" RL 140.208MM DIA	5600 LBS 2540 KG
Alloy 625	5.520 DIA X 198.375+190.87 140.208MM DIA	2883 LBS 1308 KG
Alloy 625 - DUE DATE: 10-10-24	5.520 DIA X 96-168 RL 140.208MM DIA	3920 LBS 1778 KG
Alloy 625	5.770 DIA X 131-205RL 146.558MM DIA	5514 LBS 2501 KG
Alloy 625	5.770 DIA X 181-196RL 146.558MM DIA	6042 LBS 2741 KG
Alloy 625 - DUE DATE: 12-01-24	5.770 DIA X 190 RL 146.558MM DIA	10473 LBS 4750 KG
Alloy 625	5.770 DIA X 214.625 + 112 146.558MM DIA	2645 LBS 1200 KG
Alloy 625	6.020 DIA X 96.875 152.908MM DIA	848 LBS 385 KG
Alloy 625	6.020 DIA X 115.25 152.908MM DIA	1010 LBS 458 KG
Alloy 625	6.020 DIA X 167.25 152.908MM DIA	1458 LBS 661 KG

Alloy 625	6.020 DIA X 181.75&194.375 152.908MM DIA	3294 LBS 1494 KG
Alloy 625	6.020 DIA X 186-215RL 152.908MM DIA	7328 LBS 3324 KG
Alloy 625	6.020 DIA X 204 152.908MM DIA	1794 LBS 814 KG
Alloy 625	6.020 DIA X 208.25+71.500 152.908MM DIA	2452 LBS 1112 KG
Alloy 625	6.020 DIA X 215.875+215.37 152.908MM DIA	3799 LBS 1723 KG
Alloy 625	6.270 DIA X 185.75 +180.75 159.258MM DIA	3499 LBS 1587 KG
Alloy 625 - DUE DATE: 02-15-25	6.270 DIA X 190 RL 159.258MM DIA	4473 LBS 2029 KG
Alloy 625	6.270 DIA X 25.75" 159.258MM DIA	244 LBS 111 KG
Alloy 625	6.520 DIA X 12.625" 165.608MM DIA	130 LBS 59 KG
Alloy 625	6.520 DIA X 135.25 165.608MM DIA	1386 LBS 629 KG
Alloy 625	6.520 DIA X 163-185RL 165.608MM DIA	7382 LBS 3348 KG
Alloy 625 - DUE DATE: 03-15-25	6.520 DIA X 189 RL 165.608MM DIA	4473 LBS 2029 KG
Alloy 625 - DUE DATE: 12-30-24	6.520 DIA X 190 RL 165.608MM DIA	11100 LBS 5035 KG
Alloy 625	7.020 DIA X 144 178.308MM DIA	1703 LBS 772 KG
Alloy 625	7.020 DIA X 168 & 178.78 178.308MM DIA	4135 LBS 1876 KG
Alloy 625	7.020 DIA X 168+184" 178.308MM DIA	4189 LBS 1900 KG
Alloy 625 - DUE DATE: 04-01-25	7.020 DIA X 191" RL 178.308MM DIA	4473 LBS 2029 KG
Alloy 625 - DUE DATE: 11-20-24	7.020 DIA X 192" RL 178.308MM DIA	5600 LBS 2540 KG
Alloy 625	7.520 DIA X 170" RL 191.008MM DIA	4620 LBS 2096 KG
Alloy 625	7.520 DIA X 174.875 191.008MM DIA	2392 LBS 1085 KG
Alloy 625	7.520 DIA X 190.375 191.008MM DIA	2594 LBS 1177 KG
Alloy 625 - DUE DATE: 01-01-25	7.520 DIA X 192" RL 191.008MM DIA	5600 LBS 2540 KG
Alloy 625	7.520 DIA X 194 + 3.00 191.008MM DIA	2716 LBS 1232 KG
Alloy 625 - DUE DATE: 03-01-25	7.520 DIA X 194" RL 191.008MM DIA	4473 LBS 2029 KG
Alloy 625	7.520 DIA X 215" RL 191.008MM DIA	5906 LBS 2679 KG
Alloy 625	8.020 DIA X 143.375+72.75	3417 LBS

Alloy 625	203.708MM DIA	1550 KG
Alloy 625 - DUE	8.020 DIA X 187 RL	6000 LBS
DATE: 11-10-25	203.708MM DIA	2722 KG
Alloy 625 - DUE	8.020 DIA X 188 RL	4473 LBS
DATE: 04-01-25	203.708MM DIA	2029 KG
Alloy 625 - DUE	8.020 DIA X 190 RL	5800 LBS
DATE: 11-30-24	203.708MM DIA	2631 KG
Alloy 625 - DUE	8.020 DIA X 191 RL	5000 LBS
DATE: 11-10-25	203.708MM DIA	2268 KG
Alloy 625 - DUE	8.020 DIA X 192" RL	5800 LBS
DATE: 11-20-24	203.708MM DIA	2631 KG
Alloy 625	8.020 DIA X 201-215 RL	9813 LBS
	203.708MM DIA	4451 KG
Alloy 625	8.520 DIA X 188.5+29.250	3824 LBS
	216.408MM DIA	1735 KG
Alloy 625	8.520 DIA X 190 + 182.25	6568 LBS
	216.408MM DIA	2979 KG
Alloy 625	8.520 DIA X 191.25	3351 LBS
	216.408MM DIA	1520 KG
Alloy 625 - DUE	8.520 DIA X 193" rl	5000 LBS
DATE: 11-11-25	216.408MM DIA	2268 KG
Alloy 625 - DUE	9.020 DIA X	8946 LBS
DATE: 12-25-24	229.108MM DIA	4058 KG
Alloy 625	9.020 DIA X 156	3049 LBS
	229.108MM DIA	1383 KG
Alloy 625	9.020 DIA X 175.875	3477 LBS
	229.108MM DIA	1577 KG
Alloy 625	9.020 DIA X 184.875	3618 LBS
	229.108MM DIA	1641 KG
Alloy 625	9.020 DIA X 186	3687 LBS
	229.108MM DIA	1672 KG
Alloy 625 - DUE	9.020 DIA X 190 RL	15000 LBS
DATE: 02-01-25	229.108MM DIA	6804 KG
Alloy 625	9.020 DIA X 196.75 + 166	7094 LBS
	229.108MM DIA	3218 KG
Alloy 625	9.020 DIA X 94.750	1891 LBS
	229.108MM DIA	858 KG
Alloy 625 - DUE	9.520 DIA X 192 R/L	15000 LBS
DATE: 01-06-25	241.808MM DIA	6804 KG
Alloy 625 - DUE	9.520 DIA X 192" R/L	7500 LBS
DATE: 07-10-24	241.808MM DIA	3402 KG
Alloy 625 - DUE	10.020 DIA X 125" MIN	4835 LBS
DATE: 06-25-24	254.508MM DIA	2193 KG
Alloy 625	10.020 DIA X 152.5 + 140.25	7102 LBS
	254.508MM DIA	3221 KG
Alloy 625	10.020 DIA X 161"	3901 LBS
	254.508MM DIA	1769 KG
Alloy 625	10.020 DIA X 176.875	4308 LBS
	254.508MM DIA	1954 KG
Alloy 625	10.020 DIA X 184.875	4512 LBS
	254.508MM DIA	2047 KG

Alloy 625 - DUE DATE: 01-15-25	10.020 DIA X 188" R/L 254.508MM DIA	17892 LBS 8116 KG
Alloy 625 - DUE DATE: 08-31-24	10.020 DIA X 192 RL 254.508MM DIA	28800 LBS 13063 KG
Alloy 625	10.020 DIA X 204.75 254.508MM DIA	5042 LBS 2287 KG
Alloy 625	10.020 DIA X 206.625 254.508MM DIA	5020 LBS 2277 KG
Alloy 625	10.020 DIA X 211.375 254.508MM DIA	5211 LBS 2364 KG
Alloy 625	10.020 DIA X 215.5 + 175.25 254.508MM DIA	9481 LBS 4301 KG
Alloy 625	10.020 DIA X 7.75 254.508MM DIA	190 LBS 86 KG
Alloy 625	10.020 DIA X 79.750 254.508MM DIA	1918 LBS 870 KG
Alloy 625	10.520 DIA X 110.125+104.75 267.208MM DIA	2961 LBS 1343 KG
Alloy 625	10.520 DIA X 68.7+58.8+21 267.208MM DIA	3961 LBS 1797 KG
Alloy 625 - DUE DATE: 08-10-24	10.520 DIA X 71" MIN R/L 267.208MM DIA	7500 LBS 3402 KG
Alloy 625 - DUE DATE: 08-02-24	10.520 DIA X 72" RL 267.208MM DIA	1700 LBS 771 KG
Alloy 625	11.020 DIA X 119.25 138.25 279.908MM DIA	7564 LBS 3431 KG
Alloy 625	11.020 DIA X 174.75 279.908MM DIA	5187 LBS 2353 KG
Alloy 625	11.020 DIA X 224.375 279.908MM DIA	6591 LBS 2990 KG
Alloy 625	11.020 DIA X 243.125 279.908MM DIA	7152 LBS 3244 KG
Alloy 625	11.020 DIA X 244.25 279.908MM DIA	7096 LBS 3219 KG
Alloy 625	11.020 DIA X 257.625 279.908MM DIA	7538 LBS 3419 KG
Alloy 625	11.020 DIA X 26.125 + 3.75 279.908MM DIA	883 LBS 401 KG
Alloy 625	11.520 DIA X 217.625 292.608MM DIA	6956 LBS 3155 KG
Alloy 625	12.020 DIA X 100.5" 305.308MM DIA	3485 LBS 1581 KG
Alloy 625	12.020 DIA X 109.375" 305.308MM DIA	3783 LBS 1716 KG
Alloy 625	12.020 DIA X 128.750+116.25 305.308MM DIA	8518 LBS 3864 KG
Alloy 625	12.020 DIA X 135.75+98.5 305.308MM DIA	8154 LBS 3699 KG
Alloy 625	12.020 DIA X 44.750 305.308MM DIA	1546 LBS 701 KG
Alloy 625	12.020 DIA X 173.500	6134 LBS

Alloy 625	305.308MM DIA	2782 KG
Alloy 625	12.020 DIA X 186.5 305.308MM DIA	6553 LBS 2972 KG
Alloy 625	12.020 DIA X 204.875 305.308MM DIA	7219 LBS 3274 KG
Alloy 625 - DUE DATE: 08-28-24	12.020 DIA X 72" MIN R/L 305.308MM DIA	7500 LBS 3402 KG
CURRENT SHEET INVENTORY		
Alloy 625	0.010 X 36.000 X 120.000 0.254MM X 914.4 X 3048	5901 LBS 2677 KG
Alloy 625	0.012 X 36.000 X 120.000 0.3048MM X 914.4 X 3048	7987 LBS 3623 KG
Alloy 625	0.016 X 36.000 X 120.000 0.4064MM X 914.4 X 3048	12948 LBS 5873 KG
Alloy 625	0.020 X 36.000 X 120.000 0.508MM X 914.4 X 3048	11369 LBS 5157 KG
Alloy 625	0.025 X 36.000 X 120.000 0.635MM X 914.4 X 3048	16489 LBS 7479 KG
Alloy 625	0.025 X 48.000 X 120.000 0.635MM X 1219.2 X 3048	178 LBS 81 KG
Alloy 625	0.030 X 48.000 X 120.000 0.762MM X 1219.2 X 3048	7772 LBS 3525 KG
Alloy 625	0.032 X 36.000 X 120.000 0.8128MM X 914.4 X 3048	9283 LBS 4211 KG
Alloy 625	0.032 X 48.000 X 120.000 0.8128MM X 1219.2 X 3048	23105 LBS 10480 KG
Alloy 625	0.035 X 48.000 X 120.000 0.889MM X 1219.2 X 3048	11288 LBS 5120 KG
Alloy 625	0.040 X 36.000 X 120.000 1.016MM X 914.4 X 3048	23614 LBS 10711 KG
Alloy 625	0.040 X 48.000 X 120.000 1.016MM X 1219.2 X 3048	27495 LBS 12472 KG
Alloy 625	0.045 X 48.000 X 120.000 1.143MM X 1219.2 X 3048	5963 LBS 2705 KG
Alloy 625	0.050 X 36.000 X 120.000 1.27MM X 914.4 X 3048	31155 LBS 14132 KG
Alloy 625	0.050 X 48.000 X 120.000 1.27MM X 1219.2 X 3048	14492 LBS 6573 KG
Alloy 625	0.063 X 10.000 X 15.375 1.6002MM X 254 X 390.525	3 LBS 1 KG
Alloy 625	0.063 X 36.000 X 103.750 1.6002MM X 914.4 X 2635.25	73 LBS 33 KG
Alloy 625	0.063 X 36.000 X 120.000 1.6002MM X 914.4 X 3048	16475 LBS 7473 KG
Alloy 625	0.063 X 36.000 X 120.030 1.6002MM X 914.4 X 3048.762	6627 LBS 3006 KG
Alloy 625	0.063 X 48.000 X 120.000	20483 LBS

Alloy 625	1.6002MM X 1219.2 X 3048	9291 KG
Alloy 625	0.073 X 48.000 X 120.000	14222 LBS
	1.8542MM X 1219.2 X 3048	6451 KG
Alloy 625	0.080 X 36.000 X 107.750	151 LBS
	2.032MM X 914.4 X 2736.85	68 KG
Alloy 625	0.080 X 36.000 X 120.000	13857 LBS
	2.032MM X 914.4 X 3048	6285 KG
Alloy 625	0.080 X 48.000 X 120.000	13049 LBS
	2.032MM X 1219.2 X 3048	5919 KG
Alloy 625	0.093 X 36.000 X 120.000	7046 LBS
	2.3622MM X 914.4 X 3048	3196 KG
Alloy 625	0.093 X 48.000 X 8.880	166 LBS
	2.3622MM X 1219.2 X 225.552	75 KG
Alloy 625	0.093 X 48.000 X 120.000	9856 LBS
	2.3622MM X 1219.2 X 3048	4471 KG
Alloy 625	0.100 X 36.000 X 120.000	8955 LBS
	2.54MM X 914.4 X 3048	4062 KG
Alloy 625	0.100 X 48.000 X 120.000	8857 LBS
	2.54MM X 1219.2 X 3048	4017 KG
Alloy 625	0.110 X 36.000 X 95.250	7438 LBS
	2.794MM X 914.4 X 2419.35	3374 KG
Alloy 625	0.110 X 36.000 X 120.000	11651 LBS
	2.794MM X 914.4 X 3048	5285 KG
Alloy 625 - DUE DATE: 07-30-24	0.110 X 36.000 X 120.000	6000 LBS
	2.794MM X 914.4 X 3048	2722 KG
Alloy 625	0.110 X 48.000 X 120.000	3293 LBS
	2.794MM X 1219.2 X 3048	1494 KG
Alloy 625 - DUE DATE: 07-19-24	0.110 X 48.000 X 120.000	10000 LBS
	2.794MM X 1219.2 X 3048	4536 KG
Alloy 625	0.125 X 36.000 X 120.000	18826 LBS
	3.175MM X 914.4 X 3048	8539 KG
Alloy 625	0.125 X 36.003 X 120.000	6794 LBS
	3.175MM X 914.4762 X 3048	3082 KG
Alloy 625	0.125 X 48.000 X 120.000	39882 LBS
	3.175MM X 1219.2 X 3048	18090 KG
Alloy 625	0.140 X 36.000 X 55.880	84 LBS
	3.556MM X 914.4 X 1419.352	38 KG
Alloy 625	0.140 X 36.000 X 120.000	5986 LBS
	3.556MM X 914.4 X 3048	2715 KG
Alloy 625	0.140 X 48.000 X 120.000	16470 LBS
	3.556MM X 1219.2 X 3048	7471 KG
Alloy 625	0.159 X 48.000 X 120.000	15508 LBS
	4.0386MM X 1219.2 X 3048	7034 KG