

ALLOY	SIZE	WEIGHT
CURRENT BAR INVENTORY		
L605 (HS 25)	0.205 DIA X 118-144RL 5.207MM DIA	1936 LBS 878 KG
L605 (HS 25)	0.205 DIA X 160 RL 5.207MM DIA	474 LBS 215 KG
L605 (HS 25)	0.205 DIA X 160 RL+134.5 5.207MM DIA	2104 LBS 954 KG
L605 (HS 25)	0.250 DIA X 150 RL 6.35MM DIA	49 LBS 22 KG
L605 (HS 25) - DUE DATE: 01-14-25	0.250 DIA X 162 RL 6.35MM DIA	2000 LBS 907 KG
L605 (HS 25)	0.260 DIA X 131-144RL 6.604MM DIA	290 LBS 132 KG
L605 (HS 25)	0.260 DIA X 149" RL 6.604MM DIA	1650 LBS 748 KG
L605 (HS 25)	0.260 DIA X 155 RL 6.604MM DIA	229 LBS 104 KG
L605 (HS 25) - DUE DATE: 04-15-25	0.260 DIA X 160" RL 6.604MM DIA	2800 LBS 1270 KG
L605 (HS 25)	0.322 DIA X 143-144RL 8.1788MM DIA	2010 LBS 912 KG
L605 (HS 25)	0.385 DIA X 144" RL 9.779MM DIA	3270 LBS 1483 KG
L605 (HS 25) - DUE DATE: 10-01-24	0.385 DIA X 160" RL 9.779MM DIA	2128 LBS 965 KG
L605 (HS 25)	0.385 DIA X 162/174"RL 9.779MM DIA	1540 LBS 699 KG
L605 (HS 25)	0.510 DIA X 110-180RL 12.954MM DIA	1408 LBS 639 KG
L605 (HS 25)	0.510 DIA X 142" RL 12.954MM DIA	1030 LBS 467 KG
L605 (HS 25)	0.510 DIA X 144RL 12.954MM DIA	1696 LBS 769 KG
L605 (HS 25) - DUE DATE: 02-15-25	0.510 DIA X 162" RL 12.954MM DIA	1800 LBS 816 KG
L605 (HS 25)	0.510 DIA X 9.375" 12.954MM DIA	1 LBS 0 KG
L605 (HS 25)	0.635 DIA X 12 16.129MM DIA	1 LBS 0 KG
L605 (HS 25)	0.635 DIA X 143-181RL+106 16.129MM DIA	889 LBS 403 KG
L605 (HS 25) - DUE DATE: 09-10-24	0.635 DIA X 161" RL 16.129MM DIA	3000 LBS 1361 KG
L605 (HS 25) - DUE DATE: 11-15-24	0.635 DIA X 162 RL 16.129MM DIA	3000 LBS 1361 KG

L605(HS 25) - DUE DATE: 0.635 DIA X 163 RL 10-01-24	16.129MM DIA	1000 LBS 454 KG
L605(HS 25) - DUE DATE: 0.635 DIA X 164 RL 09-24-25	16.129MM DIA	1000 LBS 454 KG
L605(HS 25)	0.760 DIA X 10.250" 19.304MM DIA	2 LBS 1 KG
L605(HS 25)	0.760 DIA X 154/182RL 19.304MM DIA	1758 LBS 797 KG
L605(HS 25) - DUE DATE: 0.760 DIA X 159 RL 11-15-24	19.304MM DIA	3000 LBS 1361 KG
L605(HS 25) - DUE DATE: 0.760 DIA X 162 RL 05-09-25	19.304MM DIA	2000 LBS 907 KG
L605(HS 25) - DUE DATE: 0.760 DIA X 163" RL 09-10-24	19.304MM DIA	2000 LBS 907 KG
L605(HS 25)	0.760 DIA X 6-9"RL 19.304MM DIA	35 LBS 16 KG
L605(HS 25)	0.797 DIA X 112-156RL 20.2438MM DIA	1726 LBS 783 KG
L605(HS 25) - DUE DATE: 0.797 DIA X 161 RL 11-15-24	20.2438MM DIA	2000 LBS 907 KG
L605(HS 25)	0.797 DIA X 2.25-5" RL 20.2438MM DIA	5 LBS 2 KG
L605(HS 25)	0.885 DIA X 5.875 22.479MM DIA	1 LBS 0 KG
L605(HS 25)	0.885 DIA X 14.125 22.479MM DIA	3 LBS 1 KG
L605(HS 25)	0.885 DIA X 147-159 RL 22.479MM DIA	1669 LBS 757 KG
L605(HS 25) - DUE DATE: 0.885 DIA X 160" RL 11-15-24	22.479MM DIA	2000 LBS 907 KG
L605(HS 25) - DUE DATE: 0.885 DIA X 162" RL 09-10-24	22.479MM DIA	2000 LBS 907 KG
L605(HS 25)	1.010 DIA X 131-160RL 25.654MM DIA	3395 LBS 1540 KG
L605(HS 25)	1.010 DIA X 132-173RL 25.654MM DIA	2844 LBS 1290 KG
L605(HS 25)	1.010 DIA X 143-171RL 25.654MM DIA	1708 LBS 775 KG
L605(HS 25)	1.010 DIA X 160-175RL+30.5 25.654MM DIA	852 LBS 386 KG
L605(HS 25)	1.135 DIA X 140" RL 28.829MM DIA	1126 LBS 511 KG
L605(HS 25) - DUE DATE: 1.135 DIA X 161" RL 04-15-25		3000 LBS

	28.829MM DIA	1361 KG
L605 (HS 25)	1.197 DIA X 129-164RL 30.4038MM DIA	1865 LBS 846 KG
L605 (HS 25)	1.197 DIA X 139-168RL 30.4038MM DIA	2355 LBS 1068 KG
L605 (HS 25)	1.197 DIA X 147-178RL 30.4038MM DIA	2463 LBS 1117 KG
L605 (HS 25)	1.260 DIA X 126-168RL 32.004MM DIA	3942 LBS 1788 KG
L605 (HS 25)	1.260 DIA X 15+14+10.5 32.004MM DIA	18 LBS 8 KG
L605 (HS 25) - DUE DATE: 11-15-24	1.260 DIA X 159 RL 32.004MM DIA	4000 LBS 1814 KG
L605 (HS 25) - DUE DATE: 08-10-24	1.260 DIA X 162 RL 32.004MM DIA	4000 LBS 1814 KG
L605 (HS 25)	1.385 DIA X 129-174" RL 35.179MM DIA	633 LBS 287 KG
L605 (HS 25) - DUE DATE: 11-15-24	1.385 DIA X 159 RL 35.179MM DIA	4000 LBS 1814 KG
L605 (HS 25) - DUE DATE: 04-15-25	1.385 DIA X 159" RL 35.179MM DIA	2000 LBS 907 KG
L605 (HS 25)	1.385 DIA X 95-185RL 35.179MM DIA	1918 LBS 870 KG
L605 (HS 25)	1.510 DIA X 128-153" RL 38.354MM DIA	3112 LBS 1412 KG
L605 (HS 25)	1.510 DIA X 130-145" RL 38.354MM DIA	2046 LBS 928 KG
L605 (HS 25)	1.510 DIA X 3.250 38.354MM DIA	2 LBS 1 KG
L605 (HS 25)	1.635 DIA X 169RL + 32.5 41.529MM DIA	257 LBS 117 KG
L605 (HS 25)	1.635 DIA X 84.125+138-170 41.529MM DIA	2135 LBS 968 KG
L605 (HS 25)	1.760 DIA X 144" RL + 3.75 44.704MM DIA	1815 LBS 823 KG
L605 (HS 25)	2.010 DIA X 139-155 RL 51.054MM DIA	2346 LBS 1064 KG
L605 (HS 25)	2.010 DIA X 160"RL + 36" 51.054MM DIA	1426 LBS 647 KG
L605 (HS 25)	2.010 DIA X 2 51.054MM DIA	2 LBS 1 KG
L605 (HS 25)	2.010 DIA X 6.125 51.054MM DIA	6 LBS 3 KG
L605 (HS 25)	2.260 DIA X 150"RL + 8.5 57.404MM DIA	521 LBS 236 KG
L605 (HS 25)	2.260 DIA X 160" RL 57.404MM DIA	2063 LBS 936 KG
L605 (HS 25)	2.260 DIA X 181-193" RL	2226 LBS

L605 (HS 25)	57.404MM DIA	1010 KG
L605 (HS 25)	2.510 DIA X 118-152RL 63.754MM DIA	1809 LBS 821 KG
L605 (HS 25) - DUE DATE: 09-15-24	2.510 DIA X 159 RL 63.754MM DIA	2000 LBS 907 KG
L605 (HS 25) - DUE DATE: 04-15-25	2.510 DIA X 160" RL 63.754MM DIA	3000 LBS 1361 KG
L605 (HS 25)	2.510 DIA X 93-129RL+42.87 63.754MM DIA	2867 LBS 1300 KG
L605 (HS 25)	2.760 DIA X 154"RL+81.625 70.104MM DIA	769 LBS 349 KG
L605 (HS 25)	2.760 DIA X 168-184" RL 70.104MM DIA	2105 LBS 955 KG
L605 (HS 25)	3.020 DIA X 107-149RL 76.708MM DIA	2330 LBS 1057 KG
L605 (HS 25)	3.020 DIA X 158/160RL+137 76.708MM DIA	1087 LBS 493 KG
L605 (HS 25) - DUE DATE: 01-15-25	3.020 DIA X 161" RL 76.708MM DIA	2500 LBS 1134 KG
L605 (HS 25)	3.520 DIA X 146-150RL + 93 89.408MM DIA	2675 LBS 1213 KG
L605 (HS 25)	3.520 DIA X 151.375+110.50 89.408MM DIA	848 LBS 385 KG
L605 (HS 25) - DUE DATE: 11-15-24	3.520 DIA X 160 RL 89.408MM DIA	2500 LBS 1134 KG
L605 (HS 25)	4.020 DIA X 1.5 102.108MM DIA	6 LBS 3 KG
L605 (HS 25)	4.020 DIA X 132 + 48.250 102.108MM DIA	759 LBS 344 KG
L605 (HS 25) - DUE DATE: 04-15-25	4.020 DIA X 160" RL 102.108MM DIA	2000 LBS 907 KG
L605 (HS 25)	4.515 DIA X 57.625 114.681MM DIA	307 LBS 139 KG
L605 (HS 25)	4.520 DIA X 136-191"+85.12 114.808MM DIA	4180 LBS 1896 KG
L605 (HS 25) - DUE DATE: 01-15-25	5.020 DIA X 160 RL 127.508MM DIA	3200 LBS 1451 KG
L605 (HS 25) - DUE DATE: 01-15-25	6.020 DIA X 160 RL 152.908MM DIA	5000 LBS 2268 KG
L605 (HS 25) - DUE DATE: 09-20-24	6.645 DIA X 168" RL 168.783MM DIA	3900 LBS 1769 KG
L605 (HS 25) - DUE DATE: 08-15-24	6.645 DIA X 180" RL 168.783MM DIA	4100 LBS 1860 KG

ALLOY	SIZE	WEIGHT
CURRENT SHEET INVENTORY		
L605 (HS 25)	0.008 X 8.000 X 9999.000 0.2032MM X 203.2 X 253974.6	1123 LBS 509 KG
L605 (HS 25) - DUE DATE: 04-15-25	0.010 X 11.000 X 9999.000 0.254MM X 279.4 X 253974.6	3000 LBS 1361 KG
L605 (HS 25) - DUE DATE: 02-15-25	0.010 X 12.000 X 9999.000 0.254MM X 304.8 X 253974.6	1500 LBS 680 KG
L605 (HS 25)	0.016 X 36.000 X 120.000 0.4064MM X 914.4 X 3048	525 LBS 238 KG
L605 (HS 25) - DUE DATE: 10-10-24	0.016 X 36.000 X 120.010 0.4064MM X 914.4 X 3048.254	8500 LBS 3856 KG
L605 (HS 25) - DUE DATE: 10-10-24	0.020 X 36.000 X 120.000 0.508MM X 914.4 X 3048	4000 LBS 1814 KG
L605 (HS 25) - DUE DATE: 08-16-24	0.020 X 36.000 X 120.010 0.508MM X 914.4 X 3048.254	3000 LBS 1361 KG
L605 (HS 25)	0.025 X 36.000 X 120.000 0.635MM X 914.4 X 3048	1923 LBS 872 KG
L605 (HS 25) - DUE DATE: 10-19-24	0.025 X 36.000 X 120.000 0.635MM X 914.4 X 3048	4000 LBS 1814 KG
L605 (HS 25)	0.032 X 36.000 X 120.000 0.8128MM X 914.4 X 3048	791 LBS 359 KG
L605 (HS 25) - DUE DATE: 09-15-24	0.032 X 36.000 X 120.000 0.8128MM X 914.4 X 3048	4000 LBS 1814 KG
L605 (HS 25)	0.040 X 36.000 X 120.000 1.016MM X 914.4 X 3048	1577 LBS 715 KG
L605 (HS 25) - DUE DATE: 09-28-24	0.040 X 36.000 X 120.000 1.016MM X 914.4 X 3048	4000 LBS 1814 KG
L605 (HS 25)	0.047 X 36.000 X 120.000 1.1938MM X 914.4 X 3048	4891 LBS 2219 KG
L605 (HS 25)	0.050 X 36.000 X 120.000 1.27MM X 914.4 X 3048	2678 LBS 1215 KG
L605 (HS 25) - DUE DATE: 09-10-24	0.050 X 36.000 X 120.000 1.27MM X 914.4 X 3048	4500 LBS 2041 KG
L605 (HS 25)	0.063 X 36.000 X 120.000 1.6002MM X 914.4 X 3048	1577 LBS 715 KG
L605 (HS 25) - DUE DATE: 10-10-24	0.063 X 36.000 X 120.000 1.6002MM X 914.4 X 3048	9000 LBS 4082 KG
L605 (HS 25) - DUE DATE: 01-25-25	0.063 X 36.000 X 120.010 1.6002MM X 914.4 X 3048.254	4500 LBS 2041 KG
L605 (HS 25)	0.078 X 36.000 X 98.500	868 LBS

L605 (HS 25)	1.9812MM X 914.4 X 2501.9	394 KG
L605 (HS 25)	0.080 X 36.000 X 120.000 2.032MM X 914.4 X 3048	6191 LBS 2808 KG
L605 (HS 25)	0.093 X 36.000 X 120.000 2.3622MM X 914.4 X 3048	3323 LBS 1507 KG
L605 (HS 25)	0.100 X 36.000 X 120.000 2.54MM X 914.4 X 3048	5493 LBS 2492 KG
L605 (HS 25) - DUE DATE: 01-25-25	0.100 X 36.000 X 120.000 2.54MM X 914.4 X 3048	5000 LBS 2268 KG
L605 (HS 25)	0.125 X 36.000 X 120.000 3.175MM X 914.4 X 3048	3096 LBS 1404 KG
L605 (HS 25) - DUE DATE: 01-05-25	0.125 X 36.000 X 120.000 3.175MM X 914.4 X 3048	5000 LBS 2268 KG
L605 (HS 25) - DUE DATE: 01-25-25	0.125 X 36.000 X 120.010 3.175MM X 914.4 X 3048.254	5000 LBS 2268 KG
L605 (HS 25)	0.156 X 36.000 X 120.000 3.9624MM X 914.4 X 3048	1421 LBS 645 KG
ALLOY	SIZE	WEIGHT
CURRENT FLAT BAR INVENTORY		
L605 (HS 25)	0.375 X 0.500 X 144 RL 9.525MM X 12.7	174 LBS 79 KG
L605 (HS 25)	0.750 X 2.250 X 144 RL 19.05MM X 57.15	176 LBS 80 KG
L605 (HS 25)	0.750 X 2.250 X 144 RL 19.05MM X 57.15	1558 LBS 707 KG