

CURRENT PLATE INVENTORY

Hastelloy X (HAST-X)	0.187 X 48.000 X 2.125 4.7498MM X 1219.2 X 53.975	14 LBS 6 KG
Hastelloy X (HAST-X)	0.187 X 48.000 X 120.000 4.7498MM X 1219.2 X 3048	23379 LBS 10605 KG
Hastelloy X (HAST-X)	0.187 X 55.250 X 6.750 4.7498MM X 1403.35 X 171.45	28 LBS 13 KG
Hastelloy X (HAST-X)	0.250 X 26.000 X 4.625 6.35MM X 660.4 X 117.475	49 LBS 22 KG
Hastelloy X (HAST-X)	0.250 X 48.000 X 120.000 6.35MM X 1219.2 X 3048	26921 LBS 12211 KG
Hastelloy X (HAST-X)	0.312 X 48.000 X 4.250 7.9248MM X 1219.2 X 107.95	22 LBS 10 KG
Hastelloy X (HAST-X)	0.312 X 48.000 X 173.250 7.9248MM X 1219.2 X 4400.55	886 LBS 402 KG
Hastelloy X (HAST-X)	0.312 X 48.000 X 200.000 7.9248MM X 1219.2 X 5080	4033 LBS 1829 KG
Hastelloy X (HAST-X)	0.312 X 48.250 X 200.000 7.9248MM X 1225.55 X 5080	4017 LBS 1822 KG
Hastelloy X (HAST-X)	0.375 X 48.000 X 200.000 9.525MM X 1219.2 X 5080	9371 LBS 4251 KG
Hastelloy X (HAST-X)	0.375 X 48.000 X 200.125 9.525MM X 1219.2 X 5083.175	1187 LBS 538 KG
Hastelloy X (HAST-X)	0.375 X 48.125 X 171.000 9.525MM X 1222.375 X 4343.4	997 LBS 452 KG
Hastelloy X (HAST-X)	0.500 X 27.750 X 2.750 12.7MM X 704.85 X 69.85	23 LBS 10 KG
Hastelloy X (HAST-X)	0.500 X 48.000 X 194.875 12.7MM X 1219.2 X 4949.825	1535 LBS 696 KG
Hastelloy X (HAST-X)	0.500 X 48.000 X 200.000 12.7MM X 1219.2 X 5080	10825 LBS 4910 KG
Hastelloy X (HAST-X)	0.500 X 48.063 X 200.000 12.7MM X 1220.8002 X 5080	6297 LBS 2856 KG
Hastelloy X (HAST-X)	0.500 X 48.125 X 200.060 12.7MM X 1222.375 X 5081.524	4778 LBS 2167 KG
Hastelloy X (HAST-X)	0.625 X 48.000 X 4.625 15.875MM X 1219.2 X 117.475	45 LBS 20 KG
Hastelloy X (HAST-X)	0.625 X 48.000 X 200.000 15.875MM X 1219.2 X 5080	6329 LBS 2871 KG
Hastelloy X (HAST-X)	0.625 X 60.000 X 78.750 15.875MM X 1524 X 2000.25	973 LBS 441 KG
Hastelloy X (HAST-X)	0.625 X 60.000 X 200.000 15.875MM X 1524 X 5080	2562 LBS 1162 KG
Hastelloy X (HAST-X)	0.750 X 52.500 X 10.625 19.05MM X 1333.5 X 269.875	349 LBS 158 KG
Hastelloy X (HAST-X)	0.750 X 60.000 X 200.000 19.05MM X 1524 X 5080	11091 LBS 5031 KG
Hastelloy X (HAST-X)	1.000 X 20.625 X 9.875 25.4MM X 523.875 X 250.825	137 LBS 62 KG
Hastelloy X (HAST-X)	1.000 X 60.000 X 153.625 25.4MM X 1524 X 3902.075	2891 LBS 1311 KG
Hastelloy X (HAST-X)	1.000 X 60.000 X 200.000 25.4MM X 1524 X 5080	7641 LBS 3466 KG
Hastelloy X (HAST-X)	1.000 X 60.125 X 200.000 25.4MM X 1527.175 X 5080	3796 LBS 1722 KG

Hastelloy X (HAST-X)	1.000 X 60.375 X 200.000 25.4MM X 1533.525 X 5080	3778 LBS 1714 KG
Hastelloy X (HAST-X)	1.250 X 60.000 X 84.375 31.75MM X 1524 X 2143.125	2213 LBS 1004 KG
Hastelloy X (HAST-X)	1.250 X 60.000 X 155.750 31.75MM X 1524 X 3956.05	3709 LBS 1682 KG
Hastelloy X (HAST-X)	1.250 X 60.000 X 198.000 31.75MM X 1524 X 5029.2	4977 LBS 2258 KG
Hastelloy X (HAST-X)	1.250 X 60.000 X 200.000 31.75MM X 1524 X 5080	23808 LBS 10799 KG
Hastelloy X (HAST-X)	1.500 X 18.250 X 7.125 38.1MM X 463.55 X 180.975	117 LBS 53 KG
Hastelloy X (HAST-X)	1.500 X 24.375 X 4.625 38.1MM X 619.125 X 117.475	89 LBS 40 KG
Hastelloy X (HAST-X)	1.500 X 60.000 X 75.500 38.1MM X 1524 X 1917.7	2985 LBS 1354 KG
Hastelloy X (HAST-X)	1.500 X 60.000 X 199.750 38.1MM X 1524 X 5073.65	5842 LBS 2650 KG
Hastelloy X (HAST-X)	1.500 X 60.000 X 200.000 38.1MM X 1524 X 5080	5779 LBS 2621 KG
Hastelloy X (HAST-X)	1.750 X 3.600 X 46.000 44.45MM X 91.44 X 1168.4	112 LBS 51 KG
Hastelloy X (HAST-X)	1.750 X 60.000 X 167.500 44.45MM X 1524 X 4254.5	5741 LBS 2604 KG
Hastelloy X (HAST-X)	1.750 X 60.000 X 200.000 44.45MM X 1524 X 5080	6704 LBS 3041 KG
Hastelloy X (HAST-X)	2.000 X 19.875 X 58.000 50.8MM X 504.825 X 1473.2	2187 LBS 992 KG
Hastelloy X (HAST-X)	2.000 X 20.625 X 39.375 50.8MM X 523.875 X 1000.125	524 LBS 238 KG
Hastelloy X (HAST-X)	2.000 X 60.000 X 172.000 50.8MM X 1524 X 4368.8	6575 LBS 2982 KG
Hastelloy X (HAST-X)	2.000 X 60.000 X 200.000 50.8MM X 1524 X 5080	22769 LBS 10328 KG
Hastelloy X (HAST-X)	2.250 X 31.000 X 43.000 57.15MM X 787.4 X 1092.2	1140 LBS 517 KG
Hastelloy X (HAST-X)	2.250 X 60.000 X 200.000 57.15MM X 1524 X 5080	8502 LBS 3856 KG
Hastelloy X (HAST-X)	2.500 X 26.375 X 27.000 63.5MM X 669.925 X 685.8	608 LBS 276 KG
Hastelloy X (HAST-X)	2.500 X 60.000 X 85.000 63.5MM X 1524 X 2159	3968 LBS 1800 KG
Hastelloy X (HAST-X)	2.500 X 61.000 X 150.000 63.5MM X 1549.4 X 3810	7073 LBS 3208 KG
Hastelloy X (HAST-X)	2.500 X 61.000 X 168.000 63.5MM X 1549.4 X 4267.2	24090 LBS 10927 KG
Hastelloy X (HAST-X)	3.000 X 4.125 X 24.000 76.2MM X 104.775 X 609.6	402 LBS 182 KG
Hastelloy X (HAST-X)	3.000 X 4.750 X 39.500 76.2MM X 120.65 X 1003.3	204 LBS 93 KG
Hastelloy X (HAST-X)	3.000 X 37.125 X 5.000 76.2MM X 942.975 X 127	284 LBS 129 KG
Hastelloy X (HAST-X)	3.000 X 40.750 X 5.375 76.2MM X 1035.05 X 136.525	1031 LBS 468 KG
Hastelloy X (HAST-X) - DUE	3.000 X 61.250 X 115.000	6438 LBS

DATE: 07-30-24	76.2MM X 1555.75 X 2921	2920 KG
Hastelloy X (HAST-X)	3.000 X 61.375 X 115.000	6654 LBS
	76.2MM X 1558.925 X 2921	3018 KG
CURRENT BAR INVENTORY		
Hastelloy X (HAST-X)	0.385 DIA X 128-143RL	1910 LBS
	9.779MM DIA	866 KG
Hastelloy X (HAST-X) - DUE	0.385 DIA X 133 RL	1827 LBS
DATE: 01-15-25	9.779MM DIA	829 KG
Hastelloy X (HAST-X)	0.385 DIA X 167 RL	443 LBS
	9.779MM DIA	201 KG
Hastelloy X (HAST-X) - DUE	0.510 DIA X 132 RL	1650 LBS
DATE: 12-17-24	12.954MM DIA	748 KG
Hastelloy X (HAST-X) - DUE	0.510 DIA X 160 RL	3000 LBS
DATE: 07-15-24	12.954MM DIA	1361 KG
Hastelloy X (HAST-X)	0.510 DIA X 168 RL	279 LBS
	12.954MM DIA	127 KG
Hastelloy X (HAST-X)	0.510 DIA X 176 RL	1240 LBS
	12.954MM DIA	562 KG
Hastelloy X (HAST-X)	0.760 DIA X 144-156RL	2131 LBS
	19.304MM DIA	967 KG
Hastelloy X (HAST-X)	0.760 DIA X 204+175+171+20	79 LBS
	19.304MM DIA	36 KG
Hastelloy X (HAST-X)	0.760 DIA X 63 + 126-162RL	2248 LBS
	19.304MM DIA	1020 KG
Hastelloy X (HAST-X)	1.010 DIA X 153-184RL+80.4	2185 LBS
	25.654MM DIA	991 KG
Hastelloy X (HAST-X) - DUE	1.010 DIA X 160 RL	3000 LBS
DATE: 07-01-25	25.654MM DIA	1361 KG
Hastelloy X (HAST-X)	1.260 DIA X 144-162RL	2114 LBS
	32.004MM DIA	959 KG
Hastelloy X (HAST-X)	1.260 DIA X 156-180RL+35.4	1064 LBS
	32.004MM DIA	483 KG
Hastelloy X (HAST-X) - DUE	1.260 DIA X 161 RL	3000 LBS
DATE: 06-02-25	32.004MM DIA	1361 KG
Hastelloy X (HAST-X) - DUE	1.260 DIA X 162 RL	2117 LBS
DATE: 01-15-25	32.004MM DIA	960 KG
Hastelloy X (HAST-X) - DUE	1.510 DIA X 160 RL	3000 LBS
DATE: 08-10-24	38.354MM DIA	1361 KG
Hastelloy X (HAST-X) - DUE	1.510 DIA X 161 RL	3000 LBS
DATE: 07-02-25	38.354MM DIA	1361 KG
Hastelloy X (HAST-X) - DUE	1.510 DIA X 162 RL	2021 LBS
DATE: 01-15-25	38.354MM DIA	917 KG
Hastelloy X (HAST-X)	1.510 DIA X 6.125	3 LBS
	38.354MM DIA	1 KG
Hastelloy X (HAST-X)	1.510 DIA X 7 + 4.5 + 3.25	9 LBS
	38.354MM DIA	4 KG
Hastelloy X (HAST-X) - DUE	1.760 DIA X 160 RL	3000 LBS
DATE: 08-10-24	44.704MM DIA	1361 KG
Hastelloy X (HAST-X) - DUE	1.760 DIA X 161 RL	3000 LBS
DATE: 07-02-25	44.704MM DIA	1361 KG
Hastelloy X (HAST-X) - DUE	1.760 DIA X 162 RL	2039 LBS
DATE: 01-15-25	44.704MM DIA	925 KG
Hastelloy X (HAST-X)	2.010 DIA X 137-169 RL	2667 LBS
	51.054MM DIA	1210 KG
Hastelloy X (HAST-X)	2.010 DIA X 150.375+21.750	167 LBS

Hastelloy X (HAST-X)	51.054MM DIA	76 KG
Hastelloy X (HAST-X) - DUE DATE: 06-02-25	2.010 DIA X 161 RL 51.054MM DIA	3000 LBS 1361 KG
Hastelloy X (HAST-X)	2.260 DIA X 133.125 57.404MM DIA	161 LBS 73 KG
Hastelloy X (HAST-X) - DUE DATE: 01-15-25	2.260 DIA X 160 RL 57.404MM DIA	3818 LBS 1732 KG
Hastelloy X (HAST-X) - DUE DATE: 05-20-25	2.260 DIA X 161 RL 57.404MM DIA	2000 LBS 907 KG
Hastelloy X (HAST-X)	2.510 DIA X 14.125 63.754MM DIA	21 LBS 10 KG
Hastelloy X (HAST-X) - DUE DATE: 10-08-24	2.510 DIA X 160 RL 63.754MM DIA	3000 LBS 1361 KG
Hastelloy X (HAST-X) - DUE DATE: 07-02-25	2.510 DIA X 161 RL 63.754MM DIA	3000 LBS 1361 KG
Hastelloy X (HAST-X) - DUE DATE: 01-15-25	2.510 DIA X 162 RL 63.754MM DIA	1922 LBS 872 KG
Hastelloy X (HAST-X) - DUE DATE: 11-10-24	2.760 DIA X 136-184 RL 70.104MM DIA	1065 LBS 483 KG
Hastelloy X (HAST-X) - DUE DATE: 06-02-25	2.760 DIA X 161 RL 70.104MM DIA	3000 LBS 1361 KG
Hastelloy X (HAST-X)	2.760 DIA X 180+168+156+97 70.104MM DIA	1078 LBS 489 KG
Hastelloy X (HAST-X)	3.020 DIA X 130 RL 76.708MM DIA	3125 LBS 1417 KG
Hastelloy X (HAST-X)	3.020 DIA X 184 + 126.375 76.708MM DIA	666 LBS 302 KG
Hastelloy X (HAST-X)	3.270 DIA X 136-184 RL 83.058MM DIA	2624 LBS 1190 KG
Hastelloy X (HAST-X)	3.270 DIA X 184 + 167.875 83.058MM DIA	886 LBS 402 KG
Hastelloy X (HAST-X) - DUE DATE: 09-05-24	3.520 DIA X 136 RL 89.408MM DIA	1365 LBS 619 KG
Hastelloy X (HAST-X)	3.520 DIA X 150+144+136 89.408MM DIA	2510 LBS 1139 KG
Hastelloy X (HAST-X)	3.520 DIA X 151-165 RL 89.408MM DIA	2795 LBS 1268 KG
Hastelloy X (HAST-X)	3.770 DIA X 137-183 RL 95.758MM DIA	3429 LBS 1555 KG
Hastelloy X (HAST-X)	4.020 DIA X 144 102.108MM DIA	1112 LBS 504 KG
Hastelloy X (HAST-X) - DUE DATE: 07-23-24	4.020 DIA X 162 RL 102.108MM DIA	3900 LBS 1769 KG
Hastelloy X (HAST-X) - DUE DATE: 09-10-24	4.020 DIA X 163 RL 102.108MM DIA	3750 LBS 1701 KG
Hastelloy X (HAST-X) - DUE DATE: 01-15-25	4.020 DIA X 164 RL 102.108MM DIA	4000 LBS 1814 KG
Hastelloy X (HAST-X)	4.020 DIA X 168.125+126.87 102.108MM DIA	1131 LBS 513 KG
Hastelloy X (HAST-X)	4.020 DIA X 180 + 144 102.108MM DIA	1251 LBS 567 KG
Hastelloy X (HAST-X)	4.020 DIA X 197+183.5+180 102.108MM DIA	2182 LBS 990 KG
Hastelloy X (HAST-X)	4.020 DIA X 210.75 + 194.5 102.108MM DIA	1569 LBS 712 KG

Hastelloy X (HAST-X) - DUE	4.270 DIA X 160 RL	3450 LBS
DATE: 07-23-24	108.458MM DIA	1565 KG
Hastelloy X (HAST-X)	4.270 DIA X 198/212RL+118	4064 LBS
	108.458MM DIA	1843 KG
Hastelloy X (HAST-X) - DUE	4.520 DIA X 160 RL	3450 LBS
DATE: 08-07-24	114.808MM DIA	1565 KG
Hastelloy X (HAST-X) - DUE	4.520 DIA X 161 RL	4000 LBS
DATE: 01-15-25	114.808MM DIA	1814 KG
Hastelloy X (HAST-X)	4.520 DIA X 168-206 RL	4657 LBS
	114.808MM DIA	2112 KG
Hastelloy X (HAST-X) - DUE	4.770 DIA X 160 RL	3450 LBS
DATE: 08-15-24	121.158MM DIA	1565 KG
Hastelloy X (HAST-X) - DUE	4.770 DIA X 192 RL	6900 LBS
DATE: 04-05-25	121.158MM DIA	3130 KG
Hastelloy X (HAST-X) - DUE	5.020 DIA X 144 RL	4000 LBS
DATE: 12-15-24	127.508MM DIA	1814 KG
Hastelloy X (HAST-X)	5.020 DIA X 157-164 RL	5784 LBS
	127.508MM DIA	2624 KG
Hastelloy X (HAST-X) - DUE	5.020 DIA X 160 RL	6900 LBS
DATE: 05-15-25	127.508MM DIA	3130 KG
Hastelloy X (HAST-X)	5.020 DIA X 163-198RL	4458 LBS
	127.508MM DIA	2022 KG
Hastelloy X (HAST-X)	5.020 DIA X 177.875 + 70.6	1491 LBS
	127.508MM DIA	676 KG
Hastelloy X (HAST-X)	5.020 DIA X 180.875	1080 LBS
	127.508MM DIA	490 KG
Hastelloy X (HAST-X)	5.020 DIA X 183.750	1112 LBS
	127.508MM DIA	504 KG
Hastelloy X (HAST-X) - DUE	5.520 DIA X 144 RL	4000 LBS
DATE: 01-15-25	140.208MM DIA	1814 KG
Hastelloy X (HAST-X)	5.520 DIA X 172-200 RL	5647 LBS
	140.208MM DIA	2561 KG
Hastelloy X (HAST-X) - DUE	5.520 DIA X 194 RL	5600 LBS
DATE: 06-01-25	140.208MM DIA	2540 KG
Hastelloy X (HAST-X)	5.520 DIA X 196.000	1424 LBS
	140.208MM DIA	646 KG
Hastelloy X (HAST-X)	5.520 DIA X 215.5+97.37+93	4481 LBS
	140.208MM DIA	2033 KG
Hastelloy X (HAST-X)	6.020 DIA X 137+ 204-214RL	6112 LBS
	152.908MM DIA	2772 KG
Hastelloy X (HAST-X) - DUE	6.020 DIA X 144 RL	8000 LBS
DATE: 01-15-25	152.908MM DIA	3629 KG
Hastelloy X (HAST-X) - DUE	6.020 DIA X 191 RL	5600 LBS
DATE: 06-01-25	152.908MM DIA	2540 KG
Hastelloy X (HAST-X)	6.520 DIA X 184+182+119	4947 LBS
	165.608MM DIA	2244 KG
Hastelloy X (HAST-X) - DUE	6.520 DIA X 191 RL	13600 LBS
DATE: 08-05-24	165.608MM DIA	6169 KG
Hastelloy X (HAST-X) - DUE	7.020 DIA X 144 RL	8000 LBS
DATE: 01-15-25	178.308MM DIA	3629 KG
Hastelloy X (HAST-X) - DUE	7.020 DIA X 192 RL	4400 LBS
DATE: 07-05-25	178.308MM DIA	1996 KG
Hastelloy X (HAST-X) - DUE	7.020 DIA X 193 RL	6800 LBS
DATE: 06-01-25	178.308MM DIA	3084 KG
Hastelloy X (HAST-X)	8.020 DIA X 107.875	1681 LBS

Hastelloy X (HAST-X)	203.708MM DIA	762 KG
Hastelloy X (HAST-X) - DUE DATE: 01-15-25	8.020 DIA X 144 RL 203.708MM DIA	8000 LBS 3629 KG
Hastelloy X (HAST-X)	8.020 DIA X 214.250 203.708MM DIA	3299 LBS 1496 KG
Hastelloy X (HAST-X) - DUE DATE: 01-15-25	9.020 DIA X 144 RL 229.108MM DIA	8000 LBS 3629 KG
Hastelloy X (HAST-X)	9.020 DIA X 171.625 229.108MM DIA	3286 LBS 1491 KG
Hastelloy X (HAST-X) - DUE DATE: 08-01-24	10.020 DIA X 96 RL 254.508MM DIA	9448 LBS 4286 KG
CURRENT SHEET INVENTORY		
Hastelloy X (HAST-X)	0.010 X 36.000 X 120.000 0.254MM X 914.4 X 3048	6798 LBS 3084 KG
Hastelloy X (HAST-X)	0.016 X 36.000 X 120.000 0.4064MM X 914.4 X 3048	7056 LBS 3201 KG
Hastelloy X (HAST-X)	0.020 X 36.000 X 24.000 0.508MM X 914.4 X 609.6	6 LBS 3 KG
Hastelloy X (HAST-X)	0.020 X 36.000 X 120.000 0.508MM X 914.4 X 3048	12305 LBS 5581 KG
Hastelloy X (HAST-X)	0.025 X 36.000 X 120.000 0.635MM X 914.4 X 3048	3505 LBS 1590 KG
Hastelloy X (HAST-X)	0.032 X 36.000 X 120.000 0.8128MM X 914.4 X 3048	5197 LBS 2357 KG
Hastelloy X (HAST-X)	0.034 X 16.000 X 19.000 0.8636MM X 406.4 X 482.6	6 LBS 3 KG
Hastelloy X (HAST-X)	0.034 X 36.000 X 120.000 0.8636MM X 914.4 X 3048	2591 LBS 1175 KG
Hastelloy X (HAST-X)	0.040 X 36.000 X 120.000 1.016MM X 914.4 X 3048	5730 LBS 2599 KG
Hastelloy X (HAST-X)	0.040 X 36.001 X 120.010 1.016MM X 914.4254 X 3048.254	8395 LBS 3808 KG
Hastelloy X (HAST-X)	0.046 X 36.000 X 120.000 1.1684MM X 914.4 X 3048	7621 LBS 3457 KG
Hastelloy X (HAST-X)	0.050 X 36.000 X 18.250 1.27MM X 914.4 X 463.55	39 LBS 18 KG
Hastelloy X (HAST-X)	0.050 X 36.000 X 120.000 1.27MM X 914.4 X 3048	7774 LBS 3526 KG
Hastelloy X (HAST-X)	0.063 X 36.000 X 43.000 1.6002MM X 914.4 X 1092.2	108 LBS 49 KG
Hastelloy X (HAST-X)	0.063 X 36.000 X 120.000 1.6002MM X 914.4 X 3048	17565 LBS 7967 KG
Hastelloy X (HAST-X)	0.071 X 36.000 X 120.000 1.8034MM X 914.4 X 3048	4006 LBS 1817 KG
Hastelloy X (HAST-X)	0.073 X 36.000 X 120.000 1.8542MM X 914.4 X 3048	4784 LBS 2170 KG
Hastelloy X (HAST-X)	0.080 X 36.000 X 120.000 2.032MM X 914.4 X 3048	4592 LBS 2083 KG
Hastelloy X (HAST-X)	0.093 X 36.000 X 7.630 2.3622MM X 914.4 X 193.802	8 LBS 4 KG
Hastelloy X (HAST-X)	0.093 X 36.000 X 120.000 2.3622MM X 914.4 X 3048	12624 LBS 5726 KG
Hastelloy X (HAST-X)	0.100 X 36.000 X 120.000 2.54MM X 914.4 X 3048	9502 LBS 4310 KG
Hastelloy X (HAST-X)	0.125 X 36.000 X 120.000	7860 LBS

Hastelloy X (HAST-X)	3.175MM X 914.4 X 3048	3565 KG
Hastelloy X (HAST-X)	0.125 X 48.000 X 120.000	12034 LBS
	3.175MM X 1219.2 X 3048	5459 KG
Hastelloy X (HAST-X)	0.140 X 36.000 X 120.000	2334 LBS
	3.556MM X 914.4 X 3048	1059 KG
Hastelloy X (HAST-X)	0.159 X 36.000 X 79.750	135 LBS
	4.0386MM X 914.4 X 2025.65	61 KG
Hastelloy X (HAST-X)	0.159 X 36.000 X 120.000	3045 LBS
	4.0386MM X 914.4 X 3048	1381 KG