

CURRENT PLATE INVENTORY

Alloy X750 ANNEALED	0.187 X 36.000 X 120.010 4.7498MM X 914.4 X 3048.254	9305 LBS 4221 KG
Alloy X750 ANNEALED	0.187 X 48.000 X 120.000 4.7498MM X 1219.2 X 3048	4298 LBS 1950 KG
Alloy X750 ANNEALED - DUE DATE: 09-20-24	0.187 X 48.000 X 120.000 4.7498MM X 1219.2 X 3048	8000 LBS 3629 KG
Alloy X750 ANNEALED	0.250 X 48.000 X 120.000 6.35MM X 1219.2 X 3048	7131 LBS 3235 KG
Alloy X750 ANNEALED - DUE DATE: 09-20-24	0.250 X 48.000 X 120.010 6.35MM X 1219.2 X 3048.254	8000 LBS 3629 KG
Alloy X750 ANNEALED	0.250 X 48.000 X 120.020 6.35MM X 1219.2 X 3048.508	8522 LBS 3866 KG
Alloy X750 ANNEALED	0.375 X 48.000 X 200.000 9.525MM X 1219.2 X 5080	7067 LBS 3206 KG
Alloy X750 ANNEALED	0.375 X 48.000 X 200.250 9.525MM X 1219.2 X 5086.35	6970 LBS 3162 KG
Alloy X750 ANNEALED - DUE DATE: 09-10-24	0.375 X 48.001 X 200.250 9.525MM X 1219.2254 X 5086.35	6972 LBS 3162 KG
Alloy X750 ANNEALED	0.500 X 31.875 X 5.250 12.7MM X 809.625 X 133.35	316 LBS 143 KG
Alloy X750 ANNEALED	0.500 X 48.000 X 189.250 12.7MM X 1219.2 X 4806.95	1566 LBS 710 KG
Alloy X750 ANNEALED	0.500 X 48.000 X 200.125 12.7MM X 1219.2 X 5083.175	1560 LBS 708 KG
Alloy X750 ANNEALED	0.500 X 48.000 X 200.130 12.7MM X 1219.2 X 5083.302	1536 LBS 697 KG
Alloy X750 ANNEALED	0.625 X 48.000 X 200.000 15.875MM X 1219.2 X 5080	4767 LBS 2162 KG
Alloy X750 ANNEALED	0.625 X 48.000 X 200.125 15.875MM X 1219.2 X 5083.175	7732 LBS 3507 KG
Alloy X750 ANNEALED	0.750 X 48.000 X 49.000 19.05MM X 1219.2 X 1244.6	571 LBS 259 KG
Alloy X750 ANNEALED	0.750 X 60.000 X 200.000 19.05MM X 1524 X 5080	8753 LBS 3970 KG
Alloy X750 ANNEALED - DUE DATE: 09-01-24	0.750 X 60.000 X 200.000 19.05MM X 1524 X 5080	5642 LBS 2559 KG
Alloy X750 ANNEALED	0.750 X 60.125 X 200.000 19.05MM X 1527.175 X 5080	2939 LBS 1333 KG
Alloy X750 ANNEALED	1.000 X 7.000 X 20.750 25.4MM X 177.8 X 527.05	52 LBS 24 KG
Alloy X750 ANNEALED	1.000 X 7.625 X 26.375 25.4MM X 193.675 X 669.925	471 LBS 214 KG
Alloy X750 ANNEALED	1.000 X 44.125 X 9.125 25.4MM X 1120.775 X 231.775	201 LBS 91 KG
Alloy X750 ANNEALED	1.000 X 44.500 X 15.000 25.4MM X 1130.3 X 381	356 LBS 161 KG
Alloy X750 ANNEALED	1.000 X 74.500 X 28.625 25.4MM X 1892.3 X 727.075	1249 LBS 567 KG
Alloy X750 ANNEALED	1.000 X 74.500 X 199.880 25.4MM X 1892.3 X 5076.952	4862 LBS 2205 KG
Alloy X750 ANNEALED	1.250 X 48.000 X 81.625 31.75MM X 1219.2 X 2073.275	1694 LBS 768 KG
Alloy X750 ANNEALED	1.250 X 60.000 X 200.000 31.75MM X 1524 X 5080	4898 LBS 2222 KG
Alloy X750 ANNEALED	1.500 X 48.000 X 165.000 38.1MM X 1219.2 X 4191	3008 LBS 1364 KG
Alloy X750 ANNEALED	1.500 X 53.000 X 3.000 38.1MM X 1346.2 X 76.2	187 LBS 85 KG
Alloy X750 ANNEALED	2.000 X 48.000 X 57.250 50.8MM X 1219.2 X 1454.15	1827 LBS 829 KG
Alloy X750 ANNEALED	2.000 X 48.000 X 143.870 50.8MM X 1219.2 X 3654.298	4336 LBS 1967 KG
Alloy X750 ANNEALED	2.000 X 60.000 X 199.875 50.8MM X 1524 X 5076.825	7588 LBS 3442 KG
Alloy X750 ANNEALED	2.500 X 22.625 X 4.750 63.5MM X 574.675 X 120.65	564 LBS 256 KG

Alloy X750 ANNEALED	2.500 X 60.000 X 77.250	3621 LBS
	63.5MM X 1524 X 1962.15	1642 KG
Alloy X750 ANNEALED - DUE	2.500 X 60.001 X 200.000	9254 LBS
DATE: 09-14-24	63.5MM X 1524.0254 X 5080	4198 KG
CURRENT BAR INVENTORY		
Alloy X750 ANNEALED - DUE	0.188 DIA X 161 RL	2000 LBS
DATE: 05-25-25	4.7752MM DIA	907 KG
Alloy X750 ANNEALED	0.188 DIA X 161RL	1776 LBS
	4.7752MM DIA	806 KG
Alloy X750 ANNEALED	0.188 DIA X 162RL	388 LBS
	4.7752MM DIA	176 KG
Alloy X750 ANNEALED	0.251 DIA X 161 RL	745 LBS
	6.3754MM DIA	338 KG
Alloy X750 ANNEALED - DUE	0.251 DIA X 161 RL	2048 LBS
DATE: 10-15-24	6.3754MM DIA	929 KG
Alloy X750 ANNEALED	0.251 DIA X 162 RL	476 LBS
	6.3754MM DIA	216 KG
Alloy X750 ANNEALED	0.251 DIA X 162RL + 135	760 LBS
	6.3754MM DIA	345 KG
Alloy X750 ANNEALED - DUE	0.313 DIA X 132" RL	1800 LBS
DATE: 05-20-25	7.9502MM DIA	816 KG
Alloy X750 ANNEALED - DUE	0.313 DIA X 160" RL	2050 LBS
DATE: 02-01-25	7.9502MM DIA	930 KG
Alloy X750 ANNEALED - DUE	0.385 DIA X 132" RL	1800 LBS
DATE: 05-20-25	9.779MM DIA	816 KG
Alloy X750 ANNEALED	0.385 DIA X 144" RL	35 LBS
	9.779MM DIA	16 KG
Alloy X750 ANNEALED - DUE	0.385 DIA X 160" RL	2080 LBS
DATE: 10-15-24	9.779MM DIA	943 KG
Alloy X750 ANNEALED - DUE	0.510 DIA X 160" RL	1922 LBS
DATE: 10-15-24	12.954MM DIA	872 KG
Alloy X750 ANNEALED - DUE	0.510 DIA X 161" RL	3000 LBS
DATE: 10-02-25	12.954MM DIA	1361 KG
Alloy X750 ANNEALED	0.510 DIA X 162-184RL	1168 LBS
	12.954MM DIA	530 KG
Alloy X750 ANNEALED	0.510 DIA X 180RL	705 LBS
	12.954MM DIA	320 KG
Alloy X750 ANNEALED	0.635 DIA X 138-184RL	1078 LBS
	16.129MM DIA	489 KG
Alloy X750 ANNEALED	0.635 DIA X 144-150RL	1984 LBS
	16.129MM DIA	900 KG
Alloy X750 ANNEALED	0.635 DIA X 144-180RL	2157 LBS
	16.129MM DIA	978 KG
Alloy X750 ANNEALED	0.635 DIA X 144RL + 46.875	149 LBS
	16.129MM DIA	68 KG
Alloy X750 ANNEALED	0.760 DIA X 144-184RL	2496 LBS
	19.304MM DIA	1132 KG
Alloy X750 ANNEALED	0.760 DIA X 175 RL	1774 LBS
	19.304MM DIA	805 KG
Alloy X750 ANNEALED	0.885 DIA X 138-168 RL	1719 LBS
	22.479MM DIA	780 KG
Alloy X750 ANNEALED	0.885 DIA X 151-156RL	571 LBS
	22.479MM DIA	259 KG
Alloy X750 ANNEALED	0.885 DIA X 159.625	30 LBS
	22.479MM DIA	14 KG
Alloy X750 ANNEALED - DUE	0.885 DIA X 161" RL	3000 LBS
DATE: 10-02-25	22.479MM DIA	1361 KG
Alloy X750 ANNEALED	1.010 DIA X 140 RL	571 LBS
	25.654MM DIA	259 KG
Alloy X750 ANNEALED	1.010 DIA X 141-184RL	532 LBS
	25.654MM DIA	241 KG
Alloy X750 ANNEALED	1.010 DIA X 156-163RL	640 LBS
	25.654MM DIA	290 KG
Alloy X750 ANNEALED - DUE	1.010 DIA X 161" RL	2066 LBS
DATE: 10-15-24	25.654MM DIA	937 KG
Alloy X750 ANNEALED - DUE	1.010 DIA X 162" RL	3000 LBS
DATE: 10-02-25	25.654MM DIA	1361 KG

Alloy X750 ANNEALED	1.260 DIA X 150" RL+20.250 32.004MM DIA	1125 LBS 510 KG
Alloy X750 ANNEALED	1.260 DIA X 156" RL 32.004MM DIA	2215 LBS 1005 KG
Alloy X750 ANNEALED	1.510 DIA X 138-184RL 38.354MM DIA	2143 LBS 972 KG
Alloy X750 ANNEALED	1.510 DIA X 140-169RL 38.354MM DIA	1429 LBS 648 KG
Alloy X750 ANNEALED	1.510 DIA X 142" RL 38.354MM DIA	1733 LBS 786 KG
Alloy X750 ANNEALED - DUE DATE: 10-15-24	1.760 DIA X 160 RL 44.704MM DIA	1945 LBS 882 KG
Alloy X750 ANNEALED - DUE DATE: 10-02-25	1.760 DIA X 162" RL 44.704MM DIA	3000 LBS 1361 KG
Alloy X750 ANNEALED	1.760 DIA X 165-183RL 44.704MM DIA	511 LBS 232 KG
Alloy X750 ANNEALED	1.760 DIA X 184RL + 138RL 44.704MM DIA	1782 LBS 808 KG
Alloy X750 ANNEALED	2.010 DIA X 104 + 136/144 51.054MM DIA	2260 LBS 1025 KG
Alloy X750 ANNEALED - DUE DATE: 10-15-24	2.010 DIA X 161" RL 51.054MM DIA	1955 LBS 887 KG
Alloy X750 ANNEALED - DUE DATE: 10-02-25	2.010 DIA X 162" RL 51.054MM DIA	3000 LBS 1361 KG
Alloy X750 ANNEALED - DUE DATE: 05-20-25	2.510 DIA X 132 RL 63.754MM DIA	1800 LBS 816 KG
Alloy X750 ANNEALED	2.510 DIA X 140RL+119.625 63.754MM DIA	2269 LBS 1029 KG
Alloy X750 ANNEALED - DUE DATE: 05-20-25	3.020 DIA X 76.708MM DIA	1800 LBS 816 KG
Alloy X750 ANNEALED	3.020 DIA X 159+155+46 76.708MM DIA	779 LBS 353 KG
Alloy X750 ANNEALED	3.520 DIA X 105-153 RL+35 89.408MM DIA	2174 LBS 986 KG
Alloy X750 ANNEALED - DUE DATE: 11-10-24	3.520 DIA X 96-168 RL 89.408MM DIA	4000 LBS 1814 KG
Alloy X750 ANNEALED	4.020 DIA X 114 102.108MM DIA	432 LBS 196 KG
Alloy X750 ANNEALED - DUE DATE: 10-22-25	4.020 DIA X 132 RL 102.108MM DIA	4254 LBS 1930 KG
Alloy X750 ANNEALED - DUE DATE: 08-27-25	4.520 DIA X 161" R/L 114.808MM DIA	3881 LBS 1760 KG
Alloy X750 ANNEALED	4.520 DIA X 170-216"RL 114.808MM DIA	3846 LBS 1745 KG
Alloy X750 ANNEALED - DUE DATE: 06-22-25	5.020 DIA X 193" RL 127.508MM DIA	4500 LBS 2041 KG
Alloy X750 ANNEALED	5.020 DIA X 215RR + 99 127.508MM DIA	3170 LBS 1438 KG
Alloy X750 ANNEALED	5.520 DIA X 148.625 + 23.2 140.208MM DIA	1192 LBS 541 KG
Alloy X750 ANNEALED	6.020 DIA X 201-215RL 152.908MM DIA	7276 LBS 3300 KG
Alloy X750 ANNEALED	6.520 DIA X 157.875+99+24 165.608MM DIA	2816 LBS 1277 KG
CURRENT SHEET INVENTORY		
Alloy X750 ANNEALED	0.005 X 11.000 X 96.500 0.127MM X 279.4 X 2451.1	8 LBS 4 KG
Alloy X750 ANNEALED	0.005 X 12.000 X 9999.000 0.127MM X 304.8 X 253974.6	1182 LBS 536 KG
Alloy X750 ANNEALED	0.010 X 36.000 X 120.000 0.254MM X 914.4 X 3048	6528 LBS 2961 KG
Alloy X750 ANNEALED	0.016 X 36.000 X 17.750 0.4064MM X 914.4 X 450.85	3 LBS 1 KG
Alloy X750 ANNEALED	0.016 X 36.000 X 120.000 0.4064MM X 914.4 X 3048	3391 LBS 1538 KG
Alloy X750 ANNEALED - DUE DATE: 08-30-24	0.016 X 36.000 X 120.000 0.4064MM X 914.4 X 3048	2258 LBS 1024 KG

Alloy X750 ANNEALED - DUE DATE: 11-02-24	0.016 X 36.001 X 120.000 0.4064MM X 914.4254 X 3048	6000 LBS 2722 KG
Alloy X750 ANNEALED	0.020 X 36.000 X 120.000 0.508MM X 914.4 X 3048	3836 LBS 1740 KG
Alloy X750 ANNEALED - DUE DATE: 11-02-24	0.020 X 36.063 X 120.000 0.508MM X 916.0002 X 3048	6000 LBS 2722 KG
Alloy X750 ANNEALED	0.025 X 36.000 X 120.000 0.635MM X 914.4 X 3048	12269 LBS 5565 KG
Alloy X750 ANNEALED	0.032 X 36.000 X 120.000 0.8128MM X 914.4 X 3048	16083 LBS 7295 KG
Alloy X750 ANNEALED	0.032 X 36.001 X 120.000 0.8128MM X 914.4254 X 3048	4360 LBS 1978 KG
Alloy X750 ANNEALED - DUE DATE: 07-25-24	0.032 X 36.002 X 120.030 0.8128MM X 914.4508 X 3048.762	6000 LBS 2722 KG
Alloy X750 ANNEALED	0.035 X 36.000 X 120.000 0.889MM X 914.4 X 3048	2189 LBS 993 KG
Alloy X750 ANNEALED	0.035 X 36.001 X 120.000 0.889MM X 914.4254 X 3048	6552 LBS 2972 KG
Alloy X750 ANNEALED	0.035 X 36.002 X 120.000 0.889MM X 914.4508 X 3048	4803 LBS 2179 KG
Alloy X750 ANNEALED	0.040 X 36.000 X 120.000 1.016MM X 914.4 X 3048	6706 LBS 3042 KG
Alloy X750 ANNEALED	0.045 X 36.000 X 120.000 1.143MM X 914.4 X 3048	2804 LBS 1272 KG
Alloy X750 ANNEALED - DUE DATE: 09-25-24	0.045 X 36.000 X 120.000 1.143MM X 914.4 X 3048	6000 LBS 2722 KG
Alloy X750 ANNEALED	0.050 X 36.000 X 120.000 1.27MM X 914.4 X 3048	7810 LBS 3543 KG
Alloy X750 ANNEALED	0.050 X 36.000 X 120.020 1.27MM X 914.4 X 3048.508	4585 LBS 2080 KG
Alloy X750 ANNEALED	0.057 X 36.000 X 120.000 1.4478MM X 914.4 X 3048	9578 LBS 4345 KG
Alloy X750 ANNEALED	0.063 X 36.000 X 120.000 1.6002MM X 914.4 X 3048	7049 LBS 3197 KG
Alloy X750 ANNEALED	0.073 X 36.000 X 120.000 1.8542MM X 914.4 X 3048	4423 LBS 2006 KG
Alloy X750 ANNEALED	0.080 X 36.000 X 120.000 2.032MM X 914.4 X 3048	7720 LBS 3502 KG
Alloy X750 ANNEALED	0.093 X 36.000 X 120.000 2.3622MM X 914.4 X 3048	9337 LBS 4235 KG
Alloy X750 ANNEALED - DUE DATE: 11-02-24	0.093 X 36.001 X 120.000 2.3622MM X 914.4254 X 3048	6000 LBS 2722 KG
Alloy X750 ANNEALED	0.109 X 36.000 X 4.250 2.7686MM X 914.4 X 107.95	5 LBS 2 KG
Alloy X750 ANNEALED	0.110 X 36.000 X 120.000 2.794MM X 914.4 X 3048	10208 LBS 4630 KG
Alloy X750 ANNEALED - DUE DATE: 09-22-24	0.110 X 36.000 X 120.000 2.794MM X 914.4 X 3048	6000 LBS 2722 KG
Alloy X750 ANNEALED	0.125 X 36.000 X 120.000 3.175MM X 914.4 X 3048	6676 LBS 3028 KG
Alloy X750 ANNEALED - DUE DATE: 11-02-24	0.125 X 36.001 X 120.000 3.175MM X 914.4254 X 3048	6000 LBS 2722 KG
Alloy X750 ANNEALED	0.125 X 36.002 X 120.000 3.175MM X 914.4508 X 3048	6405 LBS 2905 KG
Alloy X750 ANNEALED	0.156 X 36.000 X 120.000 3.9624MM X 914.4 X 3048	6319 LBS 2866 KG
Alloy X750 ANNEALED	0.159 X 36.000 X 120.000 4.0386MM X 914.4 X 3048	2275 LBS 1032 KG
Alloy X750 ANNEALED - DUE DATE: 08-25-24	0.159 X 36.000 X 120.000 4.0386MM X 914.4 X 3048	6000 LBS 2722 KG
Alloy X750 ANNEALED - DUE DATE: 11-02-24	0.159 X 36.063 X 120.000 4.0386MM X 916.0002 X 3048	6000 LBS 2722 KG
CURRENT BAR INVENTORY		
Alloy X750 EQUALIZED BAR - DUE DATE: 05-30-25	0.188 DIA X 161 RL 4.7752MM DIA	2000 LBS 907 KG
Alloy X750 EQUALIZED BAR	0.188 DIA X 161" RL 4.7752MM DIA	272 LBS 123 KG

Alloy X750 EQUALIZED BAR	0.188 DIA X 162 RL 4.7752MM DIA	1691 LBS 767 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 07-15-25	0.250 DIA X 132" RL 6.35MM DIA	2133 LBS 968 KG
Alloy X750 EQUALIZED BAR	0.250 DIA X 144" RL 6.35MM DIA	933 LBS 423 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 08-20-24	0.250 DIA X 160" RL 6.35MM DIA	2050 LBS 930 KG
Alloy X750 EQUALIZED BAR	0.385 DIA X 155" RL 9.779MM DIA	1492 LBS 677 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 07-25-24	0.385 DIA X 160" RL 9.779MM DIA	4160 LBS 1887 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 07-24-24	0.385 DIA X 161" RL 9.779MM DIA	1000 LBS 454 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 03-15-25	0.385 DIA X 163" RL 9.779MM DIA	2000 LBS 907 KG
Alloy X750 EQUALIZED BAR	0.510 DIA X 11.25 12.954MM DIA	1 LBS 0 KG
Alloy X750 EQUALIZED BAR	0.510 DIA X 162" RL 12.954MM DIA	645 LBS 293 KG
Alloy X750 EQUALIZED BAR	0.510 DIA X 162-170RL 12.954MM DIA	1834 LBS 832 KG
Alloy X750 EQUALIZED BAR	0.510 DIA X 168RL 12.954MM DIA	655 LBS 297 KG
Alloy X750 EQUALIZED BAR	0.635 DIA X 139-150RL 16.129MM DIA	686 LBS 311 KG
Alloy X750 EQUALIZED BAR	0.635 DIA X 144-183RL 16.129MM DIA	1506 LBS 683 KG
Alloy X750 EQUALIZED BAR	0.635 DIA X 144-184RL 16.129MM DIA	2666 LBS 1209 KG
Alloy X750 EQUALIZED BAR	0.635 DIA X 168-180RL 16.129MM DIA	2124 LBS 963 KG
Alloy X750 EQUALIZED BAR	0.635 DIA X 173"RL + 27"RL 16.129MM DIA	91 LBS 41 KG
Alloy X750 EQUALIZED BAR	0.760 DIA X 107-183RL 19.304MM DIA	2132 LBS 967 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 07-30-24	0.760 DIA X 136-184RL 19.304MM DIA	715 LBS 324 KG
Alloy X750 EQUALIZED BAR	0.760 DIA X 149-168RL 19.304MM DIA	2729 LBS 1238 KG
Alloy X750 EQUALIZED BAR	0.760 DIA X 156 RL 19.304MM DIA	1926 LBS 874 KG
Alloy X750 EQUALIZED BAR	0.760 DIA X 168RL+105.5+9 19.304MM DIA	174 LBS 79 KG
Alloy X750 EQUALIZED BAR	0.885 DIA X 136-184RL 22.479MM DIA	1894 LBS 859 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 08-20-24	0.885 DIA X 160" RL 22.479MM DIA	2334 LBS 1059 KG
Alloy X750 EQUALIZED BAR	0.885 DIA X 160"RL+149.5" 22.479MM DIA	1868 LBS 847 KG
Alloy X750 EQUALIZED BAR	0.885 DIA X 170-175RL 22.479MM DIA	197 LBS 89 KG
Alloy X750 EQUALIZED BAR	1.010 DIA X 132-150RL 25.654MM DIA	1781 LBS 808 KG
Alloy X750 EQUALIZED BAR	1.010 DIA X 153-157RL+144 25.654MM DIA	375 LBS 170 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 08-15-24	1.010 DIA X 161" RL 25.654MM DIA	2066 LBS 937 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 10-20-24	1.010 DIA X 162" RL 25.654MM DIA	2066 LBS 937 KG
Alloy X750 EQUALIZED BAR	1.010 DIA X 32.625 25.654MM DIA	8 LBS 4 KG
Alloy X750 EQUALIZED BAR	1.010 DIA X 95-174"RL 25.654MM DIA	1615 LBS 733 KG
Alloy X750 EQUALIZED BAR	1.260 DIA X 137-144RL+120 32.004MM DIA	366 LBS 166 KG
Alloy X750 EQUALIZED BAR	1.260 DIA X 144-156RL	2267 LBS

Alloy X750 EQUALIZED BAR	32.004MM DIA	1028 KG
Alloy X750 EQUALIZED BAR	1.260 DIA X 150RL + 144 32.004MM DIA	2011 LBS 912 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 08-20-24	1.260 DIA X 162" r1 32.004MM DIA	1941 LBS 880 KG
Alloy X750 EQUALIZED BAR	1.260 DIA X 22.5 32.004MM DIA	8 LBS 4 KG
Alloy X750 EQUALIZED BAR	1.510 DIA X 12.5 38.354MM DIA	7 LBS 3 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 03-15-25	1.510 DIA X 132 RL 38.354MM DIA	3000 LBS 1361 KG
Alloy X750 EQUALIZED BAR	1.510 DIA X 142-153RL+66.8 38.354MM DIA	1837 LBS 833 KG
Alloy X750 EQUALIZED BAR	1.510 DIA X 156-178RL 38.354MM DIA	1426 LBS 647 KG
Alloy X750 EQUALIZED BAR	1.510 DIA X 6.25 38.354MM DIA	4 LBS 2 KG
Alloy X750 EQUALIZED BAR	1.760 DIA X 1.75 44.704MM DIA	1 LBS 0 KG
Alloy X750 EQUALIZED BAR	1.760 DIA X 138-184RL 44.704MM DIA	1625 LBS 737 KG
Alloy X750 EQUALIZED BAR	1.760 DIA X 140-176RL 44.704MM DIA	738 LBS 335 KG
Alloy X750 EQUALIZED BAR	1.760 DIA X 144.125+118.86 44.704MM DIA	401 LBS 182 KG
Alloy X750 EQUALIZED BAR	1.760 DIA X 167-177 RL 44.704MM DIA	2145 LBS 973 KG
Alloy X750 EQUALIZED BAR	1.760 DIA X 168RL + 144.6 44.704MM DIA	1938 LBS 879 KG
Alloy X750 EQUALIZED BAR	2.010 DIA X 166/168RL 51.054MM DIA	1033 LBS 469 KG
Alloy X750 EQUALIZED BAR	2.010 DIA X 170"RL 51.054MM DIA	2341 LBS 1062 KG
Alloy X750 EQUALIZED BAR	2.260 DIA X 140-168" RL 57.404MM DIA	2387 LBS 1083 KG
Alloy X750 EQUALIZED BAR	2.260 DIA X 15 57.404MM DIA	19 LBS 9 KG
Alloy X750 EQUALIZED BAR	2.260 DIA X 15.125 57.404MM DIA	20 LBS 9 KG
Alloy X750 EQUALIZED BAR	2.260 DIA X 152-184 RL 57.404MM DIA	1178 LBS 534 KG
Alloy X750 EQUALIZED BAR	2.260 DIA X 160"RL 57.404MM DIA	2225 LBS 1009 KG
Alloy X750 EQUALIZED BAR	2.260 DIA X 39.125 57.404MM DIA	47 LBS 21 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 09-15-25	2.510 DIA X 132 RL 63.754MM DIA	4444 LBS 2016 KG
Alloy X750 EQUALIZED BAR	2.510 DIA X 150-156RL 63.754MM DIA	4273 LBS 1938 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 09-20-24	2.510 DIA X 160"RL 63.754MM DIA	6910 LBS 3134 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 07-19-24	2.510 DIA X 162" RL 63.754MM DIA	3000 LBS 1361 KG
Alloy X750 EQUALIZED BAR	2.510 DIA X 77-138RL 63.754MM DIA	1484 LBS 673 KG
Alloy X750 EQUALIZED BAR	2.760 DIA X 103-167" RL 70.104MM DIA	4124 LBS 1871 KG
Alloy X750 EQUALIZED BAR	2.760 DIA X 125-161RL 70.104MM DIA	2020 LBS 916 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 12-23-25	2.760 DIA X 160" RL 70.104MM DIA	3772 LBS 1711 KG
Alloy X750 EQUALIZED BAR	3.020 DIA X 139-180"RL 76.708MM DIA	1709 LBS 775 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 10-21-25	3.020 DIA X 161" RL 76.708MM DIA	3900 LBS 1769 KG
Alloy X750 EQUALIZED BAR	3.020 DIA X 167/183"RL 76.708MM DIA	3362 LBS 1525 KG

Alloy X750 EQUALIZED BAR	3.020 DIA X 41.875 76.708MM DIA	89 LBS 40 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 10-03-25	3.520 DIA X 132 RL 89.408MM DIA	3867 LBS 1754 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 10-15-25	3.520 DIA X 160" RL 89.408MM DIA	3900 LBS 1769 KG
Alloy X750 EQUALIZED BAR	3.520 DIA X 184+181+42 89.408MM DIA	1195 LBS 542 KG
Alloy X750 EQUALIZED BAR	4.020 DIA X 117/136"RL 102.108MM DIA	3946 LBS 1790 KG
Alloy X750 EQUALIZED BAR	4.020 DIA X 135.625 + 84.5 102.108MM DIA	838 LBS 380 KG
Alloy X750 EQUALIZED BAR	4.020 DIA X 137"RL 102.108MM DIA	3983 LBS 1807 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 09-11-25	4.020 DIA X 160" RL 102.108MM DIA	3900 LBS 1769 KG
Alloy X750 EQUALIZED BAR	4.020 DIA X 30.250 + 12 102.108MM DIA	163 LBS 74 KG
Alloy X750 EQUALIZED BAR	4.520 DIA X 155.625+147.12 114.808MM DIA	1465 LBS 665 KG
Alloy X750 EQUALIZED BAR	4.520 DIA X 156-163" RL 114.808MM DIA	3849 LBS 1746 KG
Alloy X750 EQUALIZED BAR	4.520 DIA X 185-214RL 114.808MM DIA	3949 LBS 1791 KG
Alloy X750 EQUALIZED BAR	4.520 DIA X 21.625 114.808MM DIA	104 LBS 47 KG
Alloy X750 EQUALIZED BAR	5.020 DIA X 131+128.8+128" 127.508MM DIA	2319 LBS 1052 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 02-24-25	5.020 DIA X 131+128.8+128" 127.508MM DIA	1681 LBS 762 KG
Alloy X750 EQUALIZED BAR	5.020 DIA X 180" RL 127.508MM DIA	4374 LBS 1984 KG
Alloy X750 EQUALIZED BAR	5.020 DIA X 194/195RL+48.1 127.508MM DIA	2517 LBS 1142 KG
Alloy X750 EQUALIZED BAR	5.020 DIA X 204.375" 127.508MM DIA	1211 LBS 549 KG
Alloy X750 EQUALIZED BAR	5.520 DIA X 199.625+192.87 140.208MM DIA	2845 LBS 1290 KG
Alloy X750 EQUALIZED BAR	5.520 DIA X 215.25 +214.25 140.208MM DIA	3117 LBS 1414 KG
Alloy X750 EQUALIZED BAR	5.520 DIA X 46.500 140.208MM DIA	331 LBS 150 KG
Alloy X750 EQUALIZED BAR - DUE DATE: 11-19-25	6.020 DIA X 132" RL 152.908MM DIA	8142 LBS 3693 KG
Alloy X750 EQUALIZED BAR	6.020 DIA X 17.125 152.908MM DIA	147 LBS 67 KG
Alloy X750 EQUALIZED BAR	6.020 DIA X 263.5 + 223.75 152.908MM DIA	4200 LBS 1905 KG
Alloy X750 EQUALIZED BAR	6.520 DIA X 152+137.25+96 165.608MM DIA	3853 LBS 1748 KG
Alloy X750 EQUALIZED BAR	6.520 DIA X 159+152.5+71 165.608MM DIA	3841 LBS 1742 KG
Alloy X750 EQUALIZED BAR	7.000 DIA X 199.625+160.62 177.8MM DIA	4170 LBS 1891 KG
Alloy X750 EQUALIZED BAR	7.020 DIA X 67.250 178.308MM DIA	782 LBS 355 KG
Alloy X750 EQUALIZED BAR	8.020 DIA X 142" + 216.25" 203.708MM DIA	5445 LBS 2470 KG
Alloy X750 EQUALIZED BAR	8.020 DIA X 38.375 203.708MM DIA	577 LBS 262 KG