

CURRENT BAR INVENTORY		
Custom 455	0.510 DIA X 160RL 12.954MM DIA	1348 TBS 611 KG
Custom 455	0.510 DIA X 169"RL + 69 12.954MM DIA	1350 TBS 612 KG
Custom 455	0.635 DIA X 168 RL 16.129MM DIA	1409 TBS 637 KG
Custom 455	0.760 DIA X 135-156RL 19.304MM DIA	2320 1320 KG
Custom 455	0.760 DIA X 136-151"RL 19.304MM DIA	1209 TBS 583 KG
Custom 455	0.760 DIA X 144 RL 19.304MM DIA	2291 1012 KG
Custom 455	0.885 DIA X 106.500 22.479MM DIA	19 LBS 9 KG
Custom 455	0.885 DIA X 126-143" RL 22.479MM DIA	2399 1199 KG
Custom 455	0.885 DIA X 160" RL 22.479MM DIA	1011 TBS 685 KG
Custom 455	0.885 DIA X 72-151" RL 22.479MM DIA	3312 1302 KG
Custom 455	0.885 DIA X 75-152" RL 22.479MM DIA	1000 TBS 708 KG
Custom 455 - DUE DATE: 06-15-25	1.010 DIA X 132" RL 25.654MM DIA	3200 1451 KG
Custom 455	1.010 DIA X 151-156RL+104 25.654MM DIA	TBS 200 KG
Custom 455 - DUE DATE: 07-30-24	1.010 DIA X 160" RL 25.654MM DIA	4312 1891 KG
Custom 455	1.010 DIA X 19.75 25.654MM DIA	5 LBS 2 KG
Custom 455	1.010 DIA X 76-164" RL 25.654MM DIA	2709 1254 KG
Custom 455	1.125 DIA X 150-164RL 28.575MM DIA	1054 TBS 469 KG
Custom 455 - DUE DATE: 03-20-25	1.125 DIA X 160 RL 28.575MM DIA	3200 1451 KG
Custom 455 - DUE DATE: 06-15-25	1.260 DIA X 132" RL 32.004MM DIA	3200 1451 KG
Custom 455 - DUE DATE: 03-15-25	1.260 DIA X 160" RL 32.004MM DIA	2652 1289 KG
Custom 455 - DUE DATE: 08-01-24	1.260 DIA X 161" RL 32.004MM DIA	3129 1411 KG
Custom 455 - DUE DATE: 09-15-24	1.385 DIA X 160" RL 35.179MM DIA	4100 1999 KG
Custom 455	1.510 DIA X 110-146RL 38.354MM DIA	3229 1452 KG
Custom 455 - DUE	1.510 DIA X 161"RL	4270 TBS

DATE: 06-15-25	38.354MM DIA	1940
Custom 455 - DUE	1.510 DIA X 164"RL	4270
DATE: 11-23-24	38.354MM DIA	1940
Custom 455	1.760 DIA X 142-178RL	3600
	44.704MM DIA	1380
Custom 455	1.760 DIA X 149-174RL	2750
	44.704MM DIA	1280
Custom 455	1.760 DIA X 150-160RL+15.9	1420
	44.704MM DIA	1280
		646 KG
Custom 455	1.760 DIA X 158-173RL	1400
	44.704MM DIA	1280
		674 KG
Custom 455 - DUE	1.760 DIA X 160 R/L	3000
DATE: 07-25-25	44.704MM DIA	1380
Custom 455 - DUE	1.760 DIA X 161" RL	2650
DATE: 07-30-24	44.704MM DIA	1280
Custom 455	1.760 DIA X 172"RL	1600
	44.704MM DIA	1280
		766 KG
Custom 455	2.010 DIA X 123-176RL	1012
	51.054MM DIA	2180
Custom 455	2.010 DIA X 136-152RL + 75	3420
	51.054MM DIA	1350
Custom 455	2.010 DIA X 154-156" RL	2010
	51.054MM DIA	1280
		913 KG
Custom 455	2.010 DIA X 155-175RL	3150
	51.054MM DIA	1450
Custom 455	2.010 DIA X 80-163RL	3200
	51.054MM DIA	1450
Custom 455 - DUE	2.260 DIA X 132" R/L	3200
DATE: 06-15-25	57.404MM DIA	1450
Custom 455	2.260 DIA X 135-175RL	2600
	57.404MM DIA	1380
Custom 455 - DUE	2.260 DIA X 161" R/L	2650
DATE: 03-20-25	57.404MM DIA	1280
Custom 455 - DUE	2.260 DIA X 162" RL	3100
DATE: 07-25-24	57.404MM DIA	1450
Custom 455	2.260 DIA X 163-171RL+114	1600
	57.404MM DIA	1280
		483 KG
Custom 455	2.260 DIA X 34.500	39 LBS
	57.404MM DIA	18 KG
Custom 455	2.510 DIA X 128-163RL	2000
	63.754MM DIA	1190
Custom 455	2.510 DIA X 152-154RL	2150
	63.754MM DIA	1280
		968 KG
Custom 455	2.510 DIA X 152-162RL	1050
	63.754MM DIA	1280
		498 KG
Custom 455	2.510 DIA X 153-162RL	1110
	63.754MM DIA	1280
		503 KG
Custom 455	2.510 DIA X 160" RL	3050
		1280

Custom 455	63.754MM DIA	1310
Custom 455	2.510 DIA X 160/163RL 63.754MM DIA	2610 1252
Custom 455	2.510 DIA X 163+58.125 63.754MM DIA	360 140 KG
Custom 455	2.510 DIA X 164"RL + 112 63.754MM DIA	3874 1394
Custom 455	2.510 DIA X 164"RL+146.125 63.754MM DIA	4110 506 KG
Custom 455 - DUE DATE: 11-30-24	2.760 DIA X 159" RL 70.104MM DIA	6250 1250
Custom 455 - DUE DATE: 09-25-25	2.760 DIA X 163" RL 70.104MM DIA	3651 1281
Custom 455	2.760 DIA X 163-168RL 70.104MM DIA	4110 506 KG
Custom 455	3.020 DIA X 136-146RL+58.7 76.708MM DIA	2414 1295
Custom 455 - DUE DATE: 08-30-24	3.020 DIA X 157" RL 76.708MM DIA	4100 1254
Custom 455 - DUE DATE: 07-25-25	3.020 DIA X 158" RL 76.708MM DIA	4600 1284
Custom 455 - DUE DATE: 08-25-25	3.020 DIA X 159" RL 76.708MM DIA	4600 1284
Custom 455 - DUE DATE: 04-15-25	3.020 DIA X 160"RL 76.708MM DIA	4600 1254
Custom 455 - DUE DATE: 03-20-25	3.270 DIA X 159 RL 83.058MM DIA	4600 1284
Custom 455 - DUE DATE: 07-25-24	3.270 DIA X 160 RL 83.058MM DIA	4677 1290
Custom 455 - DUE DATE: 07-25-25	3.270 DIA X 160" RL 83.058MM DIA	4600 1284
Custom 455 - DUE DATE: 08-30-24	3.270 DIA X 161 RL 83.058MM DIA	4677 1290
Custom 455 - DUE DATE: 11-30-24	3.270 DIA X 162 RL 83.058MM DIA	4677 1290
Custom 455	3.270 DIA X SOLD OUT 83.058MM DIA	4655 814 KG
Custom 455	3.520 DIA X 116.75 89.408MM DIA	520 145 KG
Custom 455	3.520 DIA X 131-167RL 89.408MM DIA	5557 1780
Custom 455	3.520 DIA X 145+130+128 89.408MM DIA	4100 502 KG
Custom 455	3.520 DIA X 186"RL 89.408MM DIA	4500 1284
Custom 455	3.520 DIA X 190" RL 89.408MM DIA	4645 1252
Custom 455	3.520 DIA X 3-8" RL	46 87 LBS

Custom 455	89.408MM DIA	39 KG
Custom 455	3.520 DIA X 66-167"RL 89.408MM DIA	189J
Custom 455	3.520 DIA X 73-151" RL 89.408MM DIA	189J
Custom 455	3.770 DIA X 160.625 95.758MM DIA	231 KG
Custom 455	3.770 DIA X 165/189" RL 95.758MM DIA	231
Custom 455 - DUE DATE: 06-15-25	3.770 DIA X 165/189" RL 95.758MM DIA	231
Custom 455 - DUE DATE: 07-25-25	3.770 DIA X 188 95.758MM DIA	181
Custom 455	3.770 DIA X 196-200RL+57.1 95.758MM DIA	179
Custom 455 - DUE DATE: 09-20-25	4.020 DIA X 160.063 " RL 102.108MM DIA	231
Custom 455	4.020 DIA X 168"RL 102.108MM DIA	231
Custom 455	4.020 DIA X 181-189"RL 102.108MM DIA	189J
Custom 455	4.270 DIA X 179"RL + 117.5 108.458MM DIA	231
Custom 455 - DUE DATE: 06-15-25	4.520 DIA X 132"RL 114.808MM DIA	231
Custom 455 - DUE DATE: 08-30-24	4.520 DIA X 160"RL 114.808MM DIA	231
Custom 455 - DUE DATE: 08-30-24	4.770 DIA X 132"RL 121.158MM DIA	231
Custom 455 - DUE DATE: 06-15-25	4.770 DIA X 160"RL 121.158MM DIA	231
Custom 455 - DUE DATE: 11-30-24	5.020 DIA X 160 RL 127.508MM DIA	419J
Custom 455 - DUE DATE: 06-15-25	6.020 DIA X 132" RL 152.908MM DIA	231
Custom 455 - DUE DATE: 06-15-25	8.020 DIA X 132" RL 203.708MM DIA	231
<b>CURRENT FLAT BAR INVENTORY</b>		
Custom 455	0.520 X 5.020 X 144 RL 13.208MM X 127.508	537 KG
Custom 455	0.760 X 5.020 X 144 RL 19.304MM X 127.508	729 KG
Custom 455 - DUE DATE: 10-20-25	1.020 X 5.020 X 144 RL 25.908MM X 127.508	131
Custom 455	1.520 X 5.020 X 144 RL 38.608MM X 127.508	514 KG