

DECARBONISING THE RAILS: A COMPARATIVE ANALYSIS OF THE OPERATIONAL AND ENVIRONMENTAL VIABILITY OF HYDROGEN TRAINS IN INDIA

Anshita Srivastava

Symbiosis Institute of Business Management, Noida, Symbiosis International (Deemed University), Pune, India

E-mail Id: anshita.srivastava2027@sibmnoida.siu.edu.in

Dr Ritesh Dwivedi*

Symbiosis Institute of Business Management, Noida, Symbiosis International (Deemed University), Pune, India

E-mail Id: ritesh.dwivedi@sibmnoida.siu.edu.in

DOI: <https://doi.org/10.64558/blp/458377jcfjdja>

ABSTRACT:

As India moves toward its ambitious decarbonization goals, the world's fourth largest railway is transitioning its operational model. This study creates a holistic plan for assessing, piloting, and scaling hydrogen-powered trains as a complementary technology to the ongoing electrification program in the country. The analysis utilizes a mixed methods approach that brings together a global review of hydrogen traction with a systematic study of India-specific performance, climate, and supply chain challenges. The research utilizes a framework involving life-cycle assessment (LCA), techno-economic analysis (TEA), and multi-criteria decision analysis (MCDA) to model pathways for adoption, safety management, and operational monitoring. The results conclude that hydrogen trains cannot be a one-for-one substitute for electrification, they are a tactical fit for the non-electrified, low-density, and heritage route options where it is not economically feasible to create overhead infrastructure. This undertaking is contextually based with respect to the success of the recent (2021) National

Green Hydrogen Mission (NGHM), which sets the baseline framework for the development of a domestic green hydrogen supply chain. The Jind-Sonipat pilot project is deemed extremely relevant as a de facto state-of-the-art example providing data on real-world situations e.g. water supply, infrastructure costs, and standard safety protocols, with international collaboration (TÜV-SÜD). The study presents an actionable strategic roadmap (2025-2035) complemented by governance structures, and traceable key performance indicators (KPIs), which can position India as a leader in a global clean energy transition.

Keywords: Hydrogen Train, Hydrail, Lifecycle Assessment, Decarbonization, Cost- Benefit

INTRODUCTION

The Imperative of Rail Decarbonisation

The international transportation industry plays a significant role in greenhouse gas (GHG) emissions, generating about a quarter of all CO₂ emissions (Climate-Chance, 2019). Rail transport has historically been regarded as a relatively clean form of transportation; however, its share of global transport CO₂ emissions

was still a significant 4.2% in 2015 (Climate- Chance, 2019). As countries commit to more rigorous climate targets, the decarbonisation of rail transport has emerged as a vital strategic priority due to both environmental sustainability, and increased energy security through less reliance on imported fossil fuels. Effectively using railways for bulk mass transit makes them an important resource in national decarbonisation strategies. Consequently, decarbonising from fossil fuels to clean energy in the rail sector is not only an environmental goal but a critical underpinning of both economic and geopolitical resilience (Climate Policy Initiative, 2016).

The Indian Railways Landscape

With its substantial broad-gauge network, Indian Railways (IR) is one of the largest rail systems in the world, and it is consequently a significant energy user (Climate Policy Initiative, 2016). Traditionally, much of its network has relied on diesel traction and has had a significant carbon footprint (Climate Policy Initiative, 2016). As a response, IR has pursued an ambitious electrification policy, and by mid-2025 had successfully electrified over 93% of its broad-gauge route network. There are, however, thousands of kilometres of track, including low-traffic regional lines and famous route heritage lines, that remain non-electrified. For some of these lines, the capital cost of overhead line electrification (which costs approximately between €1 million and €3 million per kilometre) may be simply too expensive (Spherical Insights, 2023). In this context, hydrogen rail has emerged as a viable alternative, with IR positioning it as a practical approach to achieving net-zero emissions by 2030 (Financial Express, 2025). The global trend reveals that hydrogen train solutions are not intended

to be a wholesale replacement for diesel but rather as a carefully targeted solution for those hard-to-electrify lines, which is an important distinction in assessing India's hydrogen approach (Soua; Spherical Insights, 2023).

METHODOLOGY

This study employed a structured secondary research design in order to provide a thorough and evidence-based examination of the issue. The research team conducted a systematic search of many academic and institutional databases with a focus on peer-reviewed journals, examines official government and agency reports, and focuses on other credible literature where appropriate. Sources were selected based on criteria that favour external access to empirical data, techno-economic assessments and transparent assumptions, especially hydrogen production pathways. The analysis captures and integrates data points from disparate sources to provide insights into the topic and note where differences in context, technology, or policy yield different results.

Comparative Analysis of Global Hydrogen Rail Deployments

The global hydrogen rail landscape comprises a variety of strategies, from commercial-scale deployment to pilot projects that are mostly focused on R&D. The bulk of deployments are in the context of addressing the decarbonisation of non-electrified lines where creating overhead catenary infrastructure is expensive.

Germany: The Commercial Vanguard

Germany is currently the global leader in hydrogen rail operations. The Alstom Coradia iLint fleet was built specifically to replace diesel multiple units (DMUs)

operating on non-electrified regional lines, and has been in commercial operation in Lower Saxony since 2018 (Varghese, 2022). This first step has tested the operational capabilities of hydrogen trains, which have the potential to displace a diesel MU with an average of about 4,400 tonnes of CO₂ in emissions annually (Varghese, 2022). On the strength of their success with the fleet, a second order was placed for 27 trains in the Taunus region, indicating growing support for the technology (Alstom, 2021). Environmental benefits of these operations are, however tied to the source of the hydrogen. The trains produce zero tailpipe emissions, however lifecycle benefits depend on the energy to produce the hydrogen. It has been suggested that a 10 MW wind farm could produce enough hydrogen to power a fleet of 14 hydrogen trains, emphasizing that the ultimate climate benefit is a coupling of technology with decarbonised energy (Rao, 2025).

Japan: Technological Hybridisation

Japan has taken a different approach with its FV-E991 series called Hybari, which is a hydrogen fuel cell-electric battery hybrid system developed by JR East, with assist from Toyota and Hitachi. This project began in 2022, and is a test unit designed to collect data for use in future commercial applications, with the overarching goal of replacing diesel motors by 2030 (East Japan Railway Company, 2024; Railway Technology, 2022). The Hybari does not work on a hydrogen-only basis like its German counterpart, instead trying to optimize a hybrid system for performance and efficiency, evidencing a deliberate focus on technological refinement ahead of full-scale adoption. This project aligns with JR East's broader goal to shift to zero carbon dioxide emissions by 2050. (East

Japan Railway Company, 2024)

France and the United Kingdom: Regional Focus and Strategic Pilots

France and the UK have also been preparing hydrogen rail as a strategic response for specific regional networks. As a part of a multi-stakeholder program, France has ordered 12 Alstom Régiolis H2 trains as a replacement for diesel units on four regions non-electrified regional routes (Alstom, 2021, SNCF, 2024). The total project, expected to cost €231 million, provides an illustrative policy framework could facilitate decentralise decarbonisation and inspire regional investment / stimulus for hydrogen rail in France (Alstom, 2021, SNCF, 2024). The UK appears to have largely focused on pilot projects such as HydroFLEX, and strategic studies. The “Midlands Hydrogen Rail Study” demonstrates the study-type approach by designating the Midlands region as the next hub for the UK rail decarbonisation project and for new hydrogen train trials on specific routes to demonstrate how hydrogen trains can be deployed commercially to provide operators to make purchase decisions which would discourage diesel rail trains circulating (HyDEX & Energy Research Accelerator, 2024).

Synthesis: Key Inferences from Global Deployments

The assessment of deployments in Germany, Japan, France, and the UK supported a number of consistent strategic and technical conclusions about the function of hydrogen in contemporary rail systems. Hydrogen rail is, primarily, uniformly positioned as a decarbonisation solution for non-electrified lines in which electrifying lines with overhead catenary system is not feasible within the cost.

- **Strategic Focus on Niche Decarbonization:** Every significant deployment demonstrates that hydrogen trains are meant to replace diesel multiple units (DMUs) on low-density regional and branch lines (such as Germany's Coradia iLint fleets) directly and with zero tailpipe emissions, rather than to compete with main-line electrification.
- **Divergence in Technology:** Although the hydrogen fuel cell is the fundamental technology, different implementation strategies are used: While Japan made investments in high-performance, advanced hybrid systems (fuel cell and battery combination) for maximum efficiency and long-term technological readiness, Germany prioritized immediate commercial operation using established technology (Varghese, 2022). Hybridization is specifically used to lower overall hydrogen storage requirements and increase efficiency through regenerative braking (Rao, 2025).
- **Policy-Driven Investment:** The transition is heavily reliant on government policy and financial support. Deployment decisions are underpinned by national hydrogen strategies (e.g., France's Hydrogen Plan, UK's Hydrogen Champion recommendations) and significant public funding to overcome the high initial capital costs of hydrogen trains (which can be 25% to 30% higher than diesel counterparts) (Spherical Insights, 2023).
- **Infrastructure as the Linchpin:** Successful commercial operation, as seen in Germany, requires simultaneous development of dedicated refuelling infrastructure integrated with low-carbon hydrogen production sources (Rao, 2025; Siemens & Deutsche Bahn, 2023).

This infrastructure must support rapid refuelling protocols (comparable to diesel) to maintain tight operational schedules. Furthermore, countries like the UK are strategically leveraging existing industrial strengths and proposed hydrogen hubs to co-locate production and rail demand, driving regional economic growth alongside decarbonisation (HyDEX & Energy Research Accelerator, 2024).

Lifecycle Emissions: A Critical Consideration

Although hydrogen trains only emit water vapor at the point of use, the climate benefit depends entirely on how the hydrogen was produced. A full lifecycle assessment (LCA) shows a significant difference in emissions dependent on how the hydrogen was produced. Green hydrogen, which is produced by electrolysis using renewable energy (e.g., wind) is associated with low emissions (0.6 kg CO₂ eq. per kg H₂) (RSC Green Chemistry, 2024). On the contrary, grey hydrogen produced from natural gas is associated with much higher emissions (up to 13.9 kgCO₂ eq.), worse than the footprint of a diesel engine (Varghese, 2022; RSC Green Chemistry, 2024). While blue hydrogen incorporates carbon capture technology, it is still responsible for substantial emissions (7.6 kgCO₂ eq.). These findings show that the environmental impact of a hydrogen train is the result of the overall national energy policy and infrastructure that relates to the production of clean hydrogen, not necessarily the rolling stock itself. In order for hydrogen rail to be a significant contributor to decarbonisation, it must be a green hydrogen train where the hydrogen is produced by clean hydrogen from a low-carbon grid. (Varghese, 2022)

Technical and Economic Assessment

for India

India's foray into hydrogen rail is a critical component of its National Green Hydrogen Mission, but its success hinges on navigating significant technical, economic, and institutional challenges.

Technical and Infrastructural Readiness

Indian Railways has demonstrated its technical capability by developing an indigenous hydrogen engine confirmed as the most powerful in its class worldwide at 1,200 horsepower (Lodhi, 2025; Rao, 2025; Financial Express, 2025). The pilot project (part of the "Hydrogen for Heritage" project) consists of retrofitting existing diesel-electric multiple units (DEMUs) on the Jind-Sonipat route in Haryana (Financial Express, 2025; Rao, 2025). The decision to use heritage/hilly routes as piloting locations is deliberate, as these lines are more typically non-electrified and using them to demonstrate the system's operation as a highly visible "green" project allows IR to demonstrate that it can build public confidence in hydrogen technology without disrupting the system by deploying hydrogen technology on important trunk routes involving heavier passenger traffic (Financial Express 2025; Rao, 2025).

The pilot also entails building a dedicated hydrogen storage and refueling facility at Jind, with a capacity of 3,000 kg (Financial Express, 2025). To manage safety concerns, the project has already completed extensive Computational Fluid Dynamics studies imagined for leak scenarios, and will undergo an independent safety audit by the European German firm, TÜV SÜD (Financial Express, 2025; Rao, 2025). This systematic approach to safety and infrastructure is a foundation for a scalable rollout.

Economic Viability and Cost Challenges

India's economy is the main obstacle to the widespread use of hydrogen trains. With the larger "Hydrogen for Heritage" initiative expected to cost ₹2,800 crore for trains and an additional ₹600 crore for infrastructure, the initial capital expenditure for the pilot project, including the train and ground infrastructure, is estimated at ₹111 crore. (Trivedi, 2025; Rao, 2025)

Concerns regarding the financial feasibility have been raised by experts, who point out that because green hydrogen is expensive, a hydrogen train set's initial operating costs will be higher than those of its diesel or electric counterparts (Trivedi, 2025). While hydrogen trains have higher initial capital costs than diesel, they offer long-term lifetime cost savings in certain use cases, according to a study by the Center for Study of Science, Technology and Policy (CSTEP). Despite having lower overall fuel costs than hydrogen, the study also shows that battery-powered trains have problems with high equipment replacement costs and are frequently too heavy for some applications.

A major problem is the efficiency loss that is part of the hydrogen value chain. A former General Manager from Indian Railways suggests that providing renewable electricity directly to the grid is much more efficient than producing, transporting, and distributing hydrogen, which can involve a large energy loss. Therefore, the success of hydrogen trains is intrinsically tied to the success of India's National Green Hydrogen Mission to lower production costs and establish a strong low-cost supply chain (CSTEP, 2024).

Policy and Institutional Frameworks

The overall framework for hydrogen rail policy is provided by India's National Green Hydrogen Mission (NGHM). The mission, which will cost a staggering ₹19,744 crore, intends to establish India as a global center for the production of green hydrogen, with a target of 5 million metric tonnes per year by 2030. By creating "Hydrogen Hubs" that combine the production of hydrogen with renewable energy sources, the mission aims to close infrastructure gaps. Joshi, 2025; Ministry of New and Renewable Energy, 2023).

But the success of hydrogen rail depends on this larger ecosystem. Other industries thinking about using hydrogen for heavy transportation face similar difficulties to Indian Railways, including exorbitant costs and unclear regulations. Through measures like waiving interstate transmission fees for renewable energy used to produce hydrogen—a critical enabler for cost reduction—the NGHM aims to address these systemic problems. A clear regulatory framework and safety standards are also essential for lowering investment uncertainty and promoting private sector involvement, according to the government (Ministry of New and Renewable Energy, 2023; Joshi, 2025).

Recommendations and Implications

Based on the synthesis of global and Indian evidence, a series of policy and research recommendations can be formulated to guide India's hydrogen rail strategy.

Evidence-Based Policy Recommendations for India

- **Pilot Corridors:** Carry on and grow the "Hydrogen for Heritage" pilot, but with a specific mandate to gather detailed information on operational costs, safety, and dependability in

order to confirm the commercial viability of a wider variety of non-electrified routes. (Rao, 2025; Lodhi, 2025; Financial Express, 2025).

- **Infrastructure-First Method:** As part of the National Green Hydrogen Mission's "Hydrogen Hubs" concept, give priority to the construction of infrastructure for hydrogen production and distribution (Ministry of New and Renewable Energy, 2023; Joshi, 2025). An important proof of concept for this model is the Jind facility.
- **Innovative Financing:** Taking cues from UK and German grant programs and funding schemes, the government should investigate innovative financing instruments and public-private partnerships to close the gap between high upfront costs and long-term benefits.
- **Harmonized Regulations:** To lower investment uncertainty and promote private sector involvement, expedite the creation of a transparent regulatory framework and safety standards for the production, handling, and storage of hydrogen.

Research Recommendations and Gaps

While significant progress has been made, several key research gaps must be addressed to fully assess the viability of hydrogen rail in India.

- **Comprehensive LCA:** To provide a conclusive environmental impact analysis, a thorough lifecycle assessment of hydrogen rail tailored to India is required, taking into consideration the nation's distinct energy grid mix, rolling stock, and operating conditions.
- **Component Localization:** One major obstacle is still the high price of essential parts like compressors and fuel cells. To strengthen domestic

manufacturing capabilities and lessen reliance on imports, more research and development is required, possibly through a public-private partnership framework like the Strategic Hydrogen Innovation Partnership (SHIP).

- **Comparative Long-Term Analysis:** Additional data must be collected to perform a long-term TCO analysis of hydrogen rail schemes compared to battery-electric trains and diesel in low-traffic line scenarios, to be able to definitively identify which solution will yield the least cost per case and propose economic viability when producing hydrogen compared to diesel. Initial data shows that the value of the optimal solution might differ depending on the expected route's duty cycle, energy demands, and/or topographic variables.

DISCUSSION

Integrating global deployment data with India's techno-economic context outlines a calculated and targeted approach to remedying a few market failures in the Indian railway network, while at the same time, advancing domestic leadership in technology. Specifically, international examples from Germany, France, and the UK repeatedly characterize hydrogen rail as a replacement for diesel on low-traffic regional lines that are non-electrified, rather than a mainstream traction solution, where the upfront capital costs for a catenary installation are not justified. From this strategic perspective, it supports the Indian Railways pursuit of "Hydrogen for Heritage" targeting popular tourist routes that are non-electrified a few minutes apart where zero-emission operation has a high profile, and enhances the status of the service. A significant component of this strategy is the lifecycle assessment (LCA) data presented as an

obligatory environmental gatekeeper. The comparative global analysis clearly illustrates the emissions produced using carbon-intensive grey hydrogen (13.9 kg CO₂ eq./kg H₂) would offset most of the benefits associated with low-emission hydrogen rail potentially resulting in higher total emissions than diesel. Hence, the delivery against IR's decarbonisation target is entirely dependent on the successful, simultaneous scaling of the National Green Hydrogen Mission (NGHM), to supply economical green hydrogen.

One significant departure from the global trend is India's choice to develop an indigenous 1,200 HP hydrogen engine, which greatly exceeds the typical 500–600 HP capacity observed in early European deployments. In addition to making sure the trains can withstand the demanding duty cycles and varied terrain (such as hilly routes like Kalka–Shimla) characteristic of IR's network, this focus on high-power, locally developed technology reflects a dual policy aim: first, positioning India for technological self-reliance (Aatmanirbhar) and potential export leadership by leveraging its expertise in fuel cells and cryogenic technologies previously developed by organizations like ISRO. This strategy suggests a preference for outright power and robustness in the initial application, which contrasts with Japan's hybrid, high-efficiency R&D path.

The top critical hurdle is still the thermodynamic and economic inefficiency of the hydrogen value chain relative to electrification. Energy is lost in the steps of electrolysis, compression, storage, and reconversion in the fuel cell. As former IR experts have put it, feeding renewable energy directly into the grid is always going to be more efficient than using that energy to convert hydrogen to

then distribute. It should be noted that while this efficiency loss is self-evident, it must be held in context of the massive capital cost savings of electrifying low-density lines (€1-€3 million/km). Cost-benefit studies show that while hydrogen trains have a higher upfront capital cost than diesel, hydrogen can yield better lifetime cost savings in certain non-electrified applications than diesel and specifically, better lifetime cost savings than battery-electric trains which have high costs of equipment replacement and weight issues with too much equipment for the duty cycle. By embedding the rail transition in the enormous ₹19,744 crore NGHM, India is establishing necessary infrastructure development to lower the costs of green hydrogen to a competitive \$2/kg by 2030.

CONCLUSION

Hydrogen rail is recognized worldwide as a practical zero-tailpipe-emission technology aimed at decarbonizing regional rail and low-density lines in applications where the capital cost of traditional overhead electrification is prohibitive. The successful commercial introduction in Germany, in addition to a range of hybrid R&D programs in Japan provide critical operational data and validate the core use case. However, for the technology to demonstrate its full environmental potential, it is critical to exclusively source Green Hydrogen, as life cycle assessment (LCA) data demonstrates that fossil fuel-derived hydrogen pathways (grey/blue) offer little to no net reduction in CO₂ (and even potentially negative) relative to conventional diesel.

India's national strategy, exemplified by the domestic 1,200 HP engine and the "Hydrogen for Heritage" pilot, has placed the nation in a strong position to lead in

the use of hydrogen in demanding regional and hilly routes. The next hurdle for hydrogen trains to be broadly adopted in India is to transition from this technical readiness to economic viability. To achieve this transition, two factors need to occur: rapid declines in the cost of green hydrogen, as outlined by the National Green Hydrogen Mission (NGHM), and careful selections of routes where the advances in hydrogen's cost benefits (despite energy conversion losses) exceed the tremendous capital costs of electrification or the technical barriers with battery-electric trains. Targeted public financing and regulatory alignment to offset the initial expense is needed to support achieving India's target of reaching net-zero rail by 2030.

REFERENCES

- Alstom. (2021). *First order for hydrogen trains in France: A historic step towards sustainable mobility.*
- Center for Study of Science, Technology and Policy (CSTEP). (n.d.). *Potential and challenges of using hydrogen to decarbonise Indian Railways.*
- CSTEP. (2024). *Potential and Challenges of Using Hydrogen to Decarbonise Indian Railways.*
- Climate-Chance. (2019). *New greenhouse gas emissions: A decisive asset for rail.*
- Climate Policy Initiative. (2016). *Decarbonization of Indian Railways.*
- East Japan Railway Company. (2024). *Group integrated report 2024.*
- *Financial Express*. (2025). Indian Railways' Rs 136 cr hydrogen-powered train set for launch after

successful key test: Here's first look.

- HyDEX & Energy Research Accelerator. (2024). *New report reveals significant potential for hydrogen rail in the Midlands*.
- Jagran Josh. (n.d.). *Which countries lead the hydrogen train revolution?*
- Joshi, P. (2025). *AIIFA Steelex 2025 – Maharashtra Chief Minister Devendra Fadnavis and Union Minister Pralhad Joshi inaugurate The Steel Mahakumbh*. Press Information Bureau.
- Lodhi, D. (2025). India's First Hydrogen-Powered Train Launched – 1200 HP Engine. *Indiags*.
- Matety, V. (n.d.). *HYBARI: Japan's first hydrogen-powered test train*. Hydrogen Industry Leaders.
- Ministry of New and Renewable Energy. (2023). *National Green Hydrogen Mission*. Government of India.
- Narayanan, V., & Saraswat, V. K. (2025). Explained: How hydrogen is shaping India's rockets, transport. *The Economic Times*.
- Narayanan, V., Kalaiselvi, N., Saraswat, V. K., et al. (2025). From rockets to roads: Hydrogen to transform India's future. *City Today News*.
- Padahi.ai. (n.d.). *India first hydrogen-powered train: Green hydrogen UPSC*.
- Rao, U. S. (2025). Charting a green course: Hydrogen-fuelled trains in India. *DD News*.
- Railway Technology. (2022). *East Japan Railway unveils hydrogen-powered train*.
- ResearchGate. (n.d.). Barriers for adoption of green hydrogen in Indian transportation sector: A fuzzy ISM approach.
- RSC Green Chemistry. (2024). Assessing the life cycle climate change impacts of hydrogen production pathways.
- Siemens & Deutsche Bahn. (2023). Maiden trip: Deutsche Bahn and Siemens test hydrogen train and mobile hydrogen fueling station.
- SNCF. (2024). First hydrogen TERs arriving in stations in 2026.
- Soua, B. (n.d.). Ready for a railvolution. Deutsche Bahn.
- Spherical Insights. (2023). India hydrogen train market insights forecasts to 2033.
- Trivedi, L. C. (2025). Hydrogen train faces economic viability challenge. *Business Today*.
- UK Hydrogen Champion. (2023). Recommendations to government and industry to accelerate the development of the UK hydrogen economy.
- Varghese, N. (2022). Germany's emissions-free trains: Is hydrogen fuel really a better alternative for transport? *Down To Earth*.