

### PATIENT ASSESSMENT - MEDICAL

Signature:       Signature:         Date:       Points       Points       Awarded         Actual Time Started:	2024-Q1: Patient Assessment				iner:			
Scenario:       Points       Awarded         Actual Time Started:       1	Candidate:			Signa	iture:			
Scenario:       Points       Awarded         Actual Time Started:       1	Date:					F	Possible	Points
Actual Time Started:       1         Takes or verbalizes appropriate PPE precautions       1         SCENE SUE-UP       1         Determines the scandelituation is safe       1         Participants the mechanism of ipury/mature of illness       1         Requests additional help if necessary       1         Considers stabulation of spin       1         Requests additional help if necessary       1         Considers stabulation of spin       1         PERMENT SURVEY       1         Permines the optical interview of the patient       1         Optical interview of the patient       1         Permines responsenceschole of consciourness       1         Permines the optical interview of the patient       1         -Assesses alives and thereating       1         -Assesses alives and post vertifiation (1 point)       -Assesses alives and thereating         -Assesses actualizion       1         -Assesses							Points	Awarded
SCENE SIZE-UP       i         Determines the excendentation is safe       1         Determines the excendentation is safe       1         Determines the mechanism of injury/nature of illness       1         Requests additional heigt increases       1         Considers stabilization of spine       1         PRAMARY SURVEY       1         Oradians stabilization of spine       1         Paternines compositeness/vect of consciousness       1         Determines their complaint/export life-freets       1         Assessment (1 point)       3         -Assesses alway and breathing       3         -Assesses pulse (1 point)       -Assesses pulse (1 point)         -Assesses pulse (1 point)       -Carifying questions of associated signs and symptoms as related to OPQRST (2 points)         -Assesses (1 point)       -Carifying questions of associated signs and symptoms as related to OPQRST (2 points)         -Redicat Instory       -Autorspice access affected body partifyistem or, If indicated, complete rapid assessment]         -Outarity (1 point)       -Past pertinent history (1 point)       -Events leading to present illness (1 p	Actual Time Started:							
Determines the excendentation is safe  Determines the number of patients  Considers stabilization of spine  I  PRIMARY SURVEY  PRIMAR		autions					1	
Determines the muchard patients       1         Requests additional hojs if necessary       1         Considers atabilization of spine       1         PRMARY SURVEY       1         Verbalizes general impression of the patient       1         Determines the ponewons/verous								1
Determines the number of patients       1         Requests additional heip in recessary       1         Considers stabilization of spine       1         PRIMARY SURVEY       1         Considers stabilization of spine       1         PRIMARY SURVEY       1         Determines responsiveness/evel of consciourness       1         Determines the complain/apparent life-threats       1         -Assesses alrway and breathing       -         -Assesses approximate verification (1 point)       -         -Assesses control main/apparent life-threats       1         -Assesses control threats       1         -Assesses control main/apparent life-threats       1         -Assesses control threats       1         -Assesses control main/apparent life-threats       1         -Assesses control main/apparent life-threats       1         -Assesses control main/apparent life-threats		<u></u>						
Requests additional help if necessary       1         PRIMARY SURVEY       1         Varbaizes general impression of the patient       1         Determines responsivenees/deval of consciourness       1         Determines chief complaint/apparent life-threats       1         Assesses airway and breathing       1		re of illness					-	
Considers stabilization of spine       1         PRIMARY SURVEY       1         Optimises spennal impression of the patient       1         Determines responsiveness/evel of consciourness       1         Determines responsiveness/evel of consciourness       1         Assesses alrawy and treathing       1         -Assessment (1 point)       3         -Assesses advection and/or bledding (1 point)       3         -Assesses circulation       1         -Assesses circulation       4         -Output       -Secondary Assesses circulation       1         -Assesses circulations (1 point)       -Past pertinent history (1 point)       -Events leading to pres								
PRIMARY SURVEY         1           Otermines responsiveness/level of consciousness         1           Determines chief complanitapparent lie-threats         1           Assesses and complanitapparent lie-threats         1           Assesses and complanitapparent lie-threats         1           -Assesses and to complanitapparent lie-threats         1           -Assesses adducts venilation (1 point)         3           -Assesses adducts venilation (1 point)         3           -Assesses service venilation (1 point)         3           -Assesses service venilation (1 point)         -Assesses controls major blecking (1 point)           -Assesses controls major blecking (1 point)         -Assesses controls major blecking (1 point)           -Assesses controls major blecking (1 point)         -Assesses controls major blecking (1 point)           -Assesses rules transport decision         1           History patients/makes transport decision         1           -Provocation (1 point)         -Cerativing questions of associated signs and symptoms as related to OPQRST (2 points)           -Radiation (1 point)         -Carativing questions of associated signs and symptoms as related to OPQRST (2 points)           -Radiation (1 point)         -Carativascular         -Integymentary           -Radiation (1 point)         -Least oral intake (1 point)         -Events leading to present illnes								
Verbalizes general impression of the patient         1           Determines clivel complaintsquarent life-threats         1           Assesses airway and breathing         1          Assessment (1 point)         3          Assessment (1 point)         3          Assesses airway and breathing         1          Assessment (1 point)         3          Assesses active apportate corgen therapy (1 point)         3          Assesses circulation         1          Assesses circulation         1          Assesses circulation         1          Assesses controls major bleeding (1 point)         -Assesses controls major bleeding (1 point)          Assesses controls major bleeding (1 point)         -Assesses controls major bleeding (1 point)          Assesses/controls major bleeding (1 point)         -Assesses/controls major bleeding (1 point)          Portocation (1 point)         -Severity (1 point)         -Portocation (1 point)          Portocation (1 point)         -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)         -Asteriate (1 point)          Addition (1 point)        Bas perintent history (1 point)         -Events leading to present illness (1 point)         5          Pulmonary        Musculoskelat         -Gl/GU         -Psychological/Social							1	
Determines responsiveness/fevel of consciousness       1         Determines drive compaind appoint life-threats       1         Assesses airway and breathing       1         -Assesses airway and breathing       3         -Assesses advectate ventilation (1 point)       3         -Assesses cluster       1         History of present illness       -         -Onset (1 point)       -Severity (1 point)         -Periodical history       -Classes cluster body and response of associated signs and symptoms as related to OPQRST (2 points)         -Radiation (1 point)       -Classes cluster body and response on an atske (1 point)       -Severity (1 point)         -Alerciovascular       -Neurological       -Integumentary       -Reproductive         -Alerciovascular       -Neurological       -Integumentary       -Reproductive         -Assessement [assess affected		ent					1	1
Determines chief complain/apparent life-threats       1         Assesses airway and breathing       1         Assesses airway and breathing       3        Assessment (1 point)       3        Assesses appropriate oxygen therapy (1 point)       3        Assesses provide oxygen therapy (1 point)      Assesses provide oxygen therapy (1 point)        Assesses provide oxygen therapy (1 point)      Assesses provide oxygen therapy (1 point)        Assesses provide oxygen therapy (1 point)      Assesses provide oxygen therapy (1 point)        Assesses provide oxygen therapy (1 point)      Assesses provide oxygen therapy (1 point)        Assesses provide oxygen therapy (1 point)      Assesses provide oxygen therapy (1 point)        Assesses provide oxygen therapy (1 point)      Assesses provide oxygen therapy (1 point)        Assesses provide oxygen therapy (1 point)      Pointy        Pointy patients/makes transport decision       4         History (1 point)      Clarityling questions of associated signs and symptoms as related to OPQRST (2 points)       8        Pulmonary      Pate oral transport decision       5        Pulmonary      Pate oral transport decision       5        Pulmonary      Nucloskeletal      Osepate oral transport decision       1        Pulmonary								
Assessment (1 point)     3      Assessment (1 point)     3      Assesses circulation     1       -Assesses circulation     1      Assesses circulation     1	· · · · · · · · · · · · · · · · · · ·						1	
-Assures adequate ventilation (1 point)     3       -Assesses circulation     -Assesses circulation       -Assesses circulation     1       -Assesses pulse (1 point)     -Assesses pulse (1 point)       -Assesses pulse (1 point)     -Severation (1 point)       -Assesses pulse (1 point)     -Severity (1 point)       -Provocation (1 point)     -Severity (1 point)       -Provocation (1 point)     -Severity (1 point)       -Provocation (1 point)     -Severity (1 point)       -Radiation (1 point)     -Past pertinent history (1 point)       -Allergies (1 point)     -Last oral intake (1 point)       -Putronary     -Mecroductive       -Putionary     -Mecroductive       -Putionary     -Mecroductive       -Putionary     -Mecroductive       -States field impression of patient     1       -Putise (1 point)     -AVPU (1 point) </td <td>Assesses airway and breathing</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Assesses airway and breathing							
Assures adequate ventilation (1 point)      Assures adequate ventilation (1 point)        Initiates appropriate symptomic exception       1        Assesses circulation       1        Assesses circulation       1        Assesses pulse (1 point)       3        Assesses pulse (1 point)       1        BitTORY TAKING AND SECONDARY ASSESSMENT       1         History of present illness       1        Onset (1 point)       -Severity (1 point)       8        Onset (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)       8        Quality (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)       5        Radiation (1 point)       -Past pertinent history (1 point)       -Events leading to present illness (1 point)       5        Aldregies (1 point)      Bast pertinent history (1 point)       -Events leading to present illness (1 point)       5        Addregies (1 point)      Last oral intake (1 point)       -Events leading to present illness (1 point)       5        Addregies (1 point)      Last oral intake (1 point)       -Events leading to present illness (1 point)       5        Addregies (1 point)      Reproductive       5       -        Durinonary <td< td=""><td>-Assessment (1 point)</td><td></td><td></td><td></td><td></td><td></td><td>2</td><td></td></td<>	-Assessment (1 point)						2	
Assesses circulation       -Assesses circulation       3         -Assesses pulse (1 point)       -Assesses pulse (1 point)       3         Identifies priority patients/makes transport decision       1         History TAKING AND SECONDARY ASSESSMENT       1         History of present illness		, ,					5	
-Assesses pulse (1 point)       -Assesses pulse (1 point)       3         -Assesses pulse (1 point)       1         -Assesses pulse (1 point)       1         HISTORY TAKING AND SECONDARY ASSESSMENT       1         HISTORY TAKING AND SECONDARY ASSESSMENT       8         -Onset (1 point)       -Severity (1 point)       -Time (1 point)         -Quality (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)         -Radiation (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)         -Radiation (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)         -Radiation (1 point)       -Last oral intake (1 point)       -Events leading to present lilness (1 point)         -Aster and the provide addiction of point)       -Past pertinent history (1 point)       -Events leading to present lilness (1 point)         -Aster and the provide addiction of point)       -Past pertinent history (1 point)       -Events leading to present lilness (1 point)       5         -Cardiovascular       -Neurological       -Integrumentary       -Reproductive       5         -Pulmonary       -Nusculoskeletal       -GI/GU       -Psychological/Social       1         Vital signs       1       -Verhalizes treatment plan for patient and calls for appropriate interventi		apy (1 point)						
Assesses pulse (1 point)     -       Identifies priority patients/makes transport decision     1       History of present illness     -       -Onset (1 point)     -Severity (1 point)       -Provocation (1 point)     -Time (1 point)       -Radiation (1 point)     -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)       -Radiation (1 point)     -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)       -Radiation (1 point)     -Past pertinent history (1 point)     -Events leading to present illness (1 point)       -Allergies (1 point)     -Past pertinent history (1 point)     -Events leading to present illness (1 point)       -Allergies (1 point)     -Last oral intake (1 point)     -Events leading to present illness (1 point)       -Cardiovascular     -Neurological     -Integumentary       -Pulse (1 point)     -Respiratory rate and quality (1 point each)     5       -Pulse (1 point)     -Respiratory rate and quality (1 point each)     5       -Pulse (1 point)     -Respiratory rate and quality (1 point each)     1       -Pulse (1 point)     -Respiratory rate and quality (1 point each)     1       -Pulse (1 point)     -Respiratory rate and quality (1 point each)     1       -Pulse (1 point)     -Respiratory rate and quality (1 point each)     1       -Pulse (1 point)     -Respiratory survey     1   <								
Identifies priority patients/makes transport decision       1         HISTORY TAKING AND SECONDARY ASSESSMENT         History of present illness       -Onset (1 point)       -Severity (1 point)         -Quality (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)       8         -Radiation (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)       8         -Radiation (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)       5         -Radiation (1 point)       -Last oral intake (1 point)       -Events leading to present illness (1 point)       5         -Allergies (1 point)       -Last oral intake (1 point)       -Events leading to present illness       5         -Cardiovascular       -Neurological       -Integumentary       -Reproductive       5         -Pulmonary       -Musculoskeletal       -GI/GU       -Psychological/Social       5         -Utiononary       -Neurological       -Integumentary       -Reproductive       5         -Blood pressure (1 point)       -Respiratory rate and quality (1 point each)       5       5         -Blood pressure (1 point)       -AVPU (1 point)       -AVPU (1 point)       -Integration re-evaluated       1         Repeats vitals signs       1       1<		ig (1 point) -Asses	sses skin [eithe	er skin color, 1	temperature, or condition] (1 po	int)	3	
HISTORY TAKING AND SECONDARY ASSESSMENT         History of present lilness         -Onset (1 point)       -Severity (1 point)         -Provocation (1 point)       -Time (1 point)         -Quality (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)         -Radiation (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)         -Radiation (1 point)       -Lest oral intake (1 point)         -Addications (1 point)       -Lest oral intake (1 point)         -Cardiovascular       -Neurological         -Vitrovascular       -Neurological         -Pulmonary       -Musculoskeletal         -Pulse (1 point)       -Respiratory rate and quality (1 point each)         - Plood pressure (1 point)       -AVPU (1 point)         - Blood pressure (1 point)       -AVPU (1 point)         - Uransport decision re-evaluated       1         - Reparats vital signs       1         - Reparats vital signs       1         - Reparats vital signs       1         - Repatis vital signs       1 <t< td=""><td> ,</td><td>t degicion</td><td></td><td></td><td></td><td></td><td>1</td><td></td></t<>	,	t degicion					1	
History of present illnessOnset (1 point)Severity (1 point)Provocation (1 point)Quality (1 point)Radiation (1 point)Respiratory rate and quality (1 point each)PulmonaryPulmonaryNURCuloskeletalIntegumentaryReproductive							1	
Onset (1 point)     -Severity (1 point)     -Provocation (1 point)     -Time (1 point)     -Quality (1 point)     -Quality (1 point)     -Cardiying questions of associated signs and symptoms as related to OPQRST (2 points)     -Radiation (1 point)     -Allergies (1 point)     -Last oral intake (1 point)     -Respreductive     -Cardiovascular     -Neutological     -Intergumentary     -Reproductive     5     -Pulmonary     -Nusculoskeletal     -GI/GU     -Psychological/Social      //tal signs     -Pulse (1 point)     -Respiratory rate and quality (1 point each)     -Blood pressure (1 point)     -AVPU (1 point)     Diagnostics [blood glucose test, pulse oximetry, etc] as indicated     2     States field inpression of patient     Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)     1     Repeats vital signs     Repeats primary survey     1     Repeats restored result or transport decision re-evaluated <i>Repeats restored results</i> 1 <i>Repeats restored results</i> 1 <i>Repeats rescondary asseesment</i> regarding patient complaint or injuries     1 <i>Actual Time Ended: CRTICAL CRITERIA CRITICAL CRITERIA CRITICAL CRITERIA Cond Galary assees/provide adequate ventilation Failure to take or verbalize appropriate progration gratement Failure to take or verbalize appropriate propertient Failure to take or verbalize appropriate progration Failure to take or verbalize appropriate progration Failure to take or verbalize appropriate PPE precautions Failure to take or verbalize appropriate PPE precautions Failure to take or verbalize appropriate PPE precautions</i>		OOLOOMENT						
-Provocation (1 point)       -Time (1 point)       -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)       8         -Radiation (1 point)       -Radiation (1 point)       -Past pertinent history (1 point)       -Events leading to present illness (1 point)       5         -Allergies (1 point)       -Past pertinent history (1 point)       -Events leading to present illness (1 point)       5         -Allergies (1 point)       -Last oral intake (1 point)       -Events leading to present illness (1 point)       5         -Cardiovascular       -Neurological       -Integumentary       -Reproductive       5         -Pulmonary       -Musculoskeletal       -GI/GU       -Psychological/Social       5         -Pulse (1 point)       -Respiratory rate and quality (1 point each)       5       5         -Blood pressure (1 point)       -AVPU (1 point)       5       5         Uttal signs       1       1       Vethalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1       1         Vethalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1       1         Repeats vital signs       1       1       2       2         Retast vital signs       1       1       2         -F		erity (1 point)						
-Radiation (1 point)       Past pertinent history (1 point)       -Events leading to present illness (1 point)       5         -Medications (1 point)       -Last oral intake (1 point)       -Events leading to present illness (1 point)       5         -Medications (1 point)       -Last oral intake (1 point)       -Events leading to present illness (1 point)       5         -Medications (1 point)       -Last oral intake (1 point)       -Revolutive       5         -Pulmonary       -Neurological       -Integumentary       -Reproductive       5         -Pulmonary       -Musculoskeletal       -GI/GU       -Psychological/Social       5         -Pulse (1 point)       -Respiratory rate and quality (1 point each)       5       5         -Blood pressure (1 point)       -AVPU (1 point)       5       5         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2       2         States field impression of patient       1       1       7         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1       1         Repeats primary survey       1       Repeats virtal signs       1       1         Repeats virtal signs       1       1       2       2         Caraluates response to treatments       1							8	
Past medical history       -Allergies (1 point)       -Past pertinent history (1 point)       -Events leading to present illness (1 point)       5         -Medications (1 point)       -Last oral intake (1 point)       -Events leading to present illness (1 point)       5         Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment]       -Cardiovascular       -Neurological       -Integumentary       -Reproductive       5         -Pulmonary       -Musculoskeletal       -GI/GU       -Psychological/Social       5         Vital signs       -Pulse (1 point)       -Respiratory rate and quality (1 point each)       5         -Blood pressure (1 point)       -AVPU (1 point)       -AVPU (1 point)       5         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2       2         States field impression of patient       1       7         ReassesSMENT       1       Respeats primary survey       1         Repeats vital signs       1       1       2         Evaluates response to treatments       1       1       2         Repeats secondary assessment regarding patient complaint or injuries       1       1       2         CRTICAL CRITERIA       TOTAL       48       60       60		fying questions of a	associated signated	s and sympto	oms as related to OPQRST (2 p	oints)		
-Allergies (1 point)       -Past pertinent history (1 point)       -Events leading to present illness (1 point)       5         -Medications (1 point)       -Last oral intake (1 point)       -Events leading to present illness (1 point)       5         Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment]       -Cardiovascular       -Neurological       -Integumentary       -Reproductive       5         -Pulmonary       -Musculoskeletal       -GI/GU       -Psychological/Social       5         Vital signs       -Pulse (1 point)       -Respiratory rate and quality (1 point each)       5         -Blood pressure (1 point)       -AVPU (1 point)       -AVPU (1 point)       5         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2       2         States field impression of patient       1       Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1         Transport decision re-evaluated       1       Repeats primary survey       1         Repeats primary survey       1       Repeats vital signs       1         Evaluates response to treatments       1       1       Actual Time Ended:       0         Cartificate or call for transport of the patient within 15 minute time limit       6       0       0	-Radiation (1 point)							
-Medications (1 point)       -Last oral intake (1 point)         Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment]       -Cardiovascular         -Cardiovascular       -Neurological       -Integumentary       -Reproductive       5         -Pulmonary       -Musculoskeletal       -Gl/GU       -Psychological/Social       5         Vital signs       -Pulse (1 point)       -Respiratory rate and quality (1 point each)       5       5         -Blood pressure (1 point)       -AVPU (1 point)       5       5       5         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2       2       5         States field impression of patient       1       1       7         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1       1         REASSESSEMENT       1       7       7         Repeats vital signs       1       1       1         Evaluates response to treatments       1       1       1         Repeats secondary assessment regarding patient complaint or injuries       1       1       2         Actual Time Ended:	-							
Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment]       -Cardiovascular       -Neurological       -Integumentary       -Reproductive       5         -Pulmonary       -Musculoskeletal       -GI/GU       -Psychological/Social       5         Vital signs       -Pulse (1 point)       -Respiratory rate and quality (1 point each)       5         -Blood pressure (1 point)       -AVPU (1 point)       5         -Blood pressure (1 point)       -AVPU (1 point)       2         States field impression of patient       1       1         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1       1         Repeats primary survey       1       Repeats primary survey       1       1         Repeats vital signs       1       1       1       1       1         Evaluates response to treatments       1				-Events le	ading to present illness (1 point	)	5	
-Cardiovascular       -Neurological       -Integumentary       -Reproductive       5         -Pulmonary       -Musculoskeletal       -GI/GU       -Psychological/Social       -         Vital signs       -Pulse (1 point)       -Respiratory rate and quality (1 point each)       5       -         -Blood pressure (1 point)       -AVPU (1 point)       5       -       -         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2       -       -         States field impression of patient       1       -       -         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1       -         Transport decision re-evaluated       1       -       -         Repeats primary survey       1       -       -         Repeats stial signs       1       -       -         Evaluates response to treatments       1       -       -         Repeats secondary assessment regarding patient complaint or injuries       1       -       -         Actual Time Ended:	( : )	· · · · · · · · · · · · · · · · · · ·	,,,					
-Pulmonary       -Musculoskeletal       -GI/GU       -Psychological/Social         Vital signs       -Pulse (1 point)       -Respiratory rate and quality (1 point each)       5         -Blood pressure (1 point)       -AVPU (1 point)       5         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2         States field impression of patient       1         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1         Transport decision re-evaluated       1         Repeats primary survey       1         Repeats primary survey       1         Repeats vital signs       1         Evaluates response to treatments       1         Actual Time Ended:       1         CRTICAL CRITERIA       TOTAL         Failure to initiate or call for transport of the patient within 15 minute time limit       on         Failure to oxice and ultimately provide appropriate pPE precautions       Failure to asses/provide adequate ventilation         Failure to voice and ultimately provide appropriate polems associated with airway, breathing, hemorrhage or shock [hypoperfusion]			-				-	
Vital signs       -Respiratory rate and quality (1 point each)       5         -Blood pressure (1 point)       -AVPU (1 point)       5         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2         States field impression of patient       1         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1         Transport decision re-evaluated       1         Repeats primary survey       1         Repeats primary survey       1         Repeats vital signs       1         Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:		-	-	ntary	•		5	
-Pulse (1 point)       -Respiratory rate and quality (1 point each)       5         -Blood pressure (1 point)       -AVPU (1 point)       2         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2         States field impression of patient       1         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1         Transport decision re-evaluated       1         Repeats primary survey       1         Repeats primary survey       1         Repeats response to treatments       1         Repeats response to treatments       1         Actual Time Ended:		Juloskeletai	-01/00		-F Sychological/Social			
Blood pressure (1 point)       -AVPU (1 point)         Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2         States field impression of patient       1         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1         Transport decision re-evaluated       1         REASSESSMENT       1         Repeats primary survey       1         Repeats vital signs       1         Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:	-	-Respiratory rate a	and quality (1 p	oint each)			5	
Diagnostics [blood glucose test, pulse oximetry, etc] as indicated       2         States field impression of patient       1         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1         Transport decision re-evaluated       1 <b>REASSESSMENT</b> 1         Repeats primary survey       1         Repeats vital signs       1         Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:							Ũ	
States field impression of patient       1         Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations)       1         Transport decision re-evaluated       1 <b>REASSESSMENT</b> 1         Repeats primary survey       1         Repeats vital signs       1         Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:       1			ated				2	
Transport decision re-evaluated       1         REASSESSMENT       1         Repeats primary survey       1         Repeats vital signs       1         Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:       1							1	
REASSESSMENT         Repeats primary survey       1         Repeats vital signs       1         Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:       1         CRITICAL CRITERIA       TOTAL         Failure to initiate or call for transport of the patient within 15 minute time limit       on         Failure to take or verbalize appropriate PPE precautions       Failure to determine scene safety before approaching patient         Failure to voice and ultimately provide appropriate oxygen therapy       Failure to assess/provide adequate ventilation         Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]	Verbalizes treatment plan for patient and	calls for appropriate	e intervention(s	s) (Internasal	Narcan Administrations)		1	
Repeats primary survey       1         Repeats vital signs       1         Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:       1	•						1	
Repeats vital signs       1         Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:       1         CRITICAL CRITERIA       TOTAL         Failure to initiate or call for transport of the patient within 15 minute time limit       on         Failure to take or verbalize appropriate PPE precautions       Failure to determine scene safety before approaching patient         Failure to voice and ultimately provide appropriate oxygen therapy       Failure to assess/provide adequate ventilation         Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]								1
Evaluates response to treatments       1         Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:								
Repeats secondary assessment regarding patient complaint or injuries       1         Actual Time Ended:	· · · · · · · · · · · · · · · · · · ·							
Actual Time Ended:		a patient complaint	or iniurioo					
CRITICAL CRITERIA       TOTAL       48		g patient complaint	or injuries				1	
Failure to take or verbalize appropriate PPE precautions Failure to determine scene safety before approaching patient Failure to voice and ultimately provide appropriate oxygen therapy Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]						TOTAL	48	
Failure to determine scene safety before approaching patient Failure to voice and ultimately provide appropriate oxygen therapy Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]		•		ime limit				on
Failure to voice and ultimately provide appropriate oxygen therapy Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]								
Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]								
Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]			gen therapy					
			voiated with at-	NOV broothing	a homorrhogo or chook thurses	orfusion		
							۵	

Does other detailed history or physical examination before assessing and treating threats to airway, breathing, and circulation

\_\_\_\_\_Failure to determine the patient's primary problem

Orders a dangerous or inappropriate intervention

\_\_\_\_\_Failure to provide for spinal protection when indicated



#### National Registry of Emergency Medical Technicians<sup>®</sup> Emergency Medical Responder Psychomotor Examination CARDIAC ARREST MANAGEMENT / AED

# 2024-Q1: CPR

Candidate:	Examiner:		
Date:	Signature:		
Actual Time Started:		Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions		1	
Determines the scene/situation is safe		1	
Checks patient responsiveness		1	
Direct assistant to retrieve AED		1	
Requests additional EMS assistance		1	
Checks breathing and pulse simultaneously		1	
NOTE: After checking responsiveness, then checking breathing examiner informs candidate, "The patient is unresponsive, appe		ds,	I
Immediately begins chest compressions [adequate depth and rate; all	ows the chest to recoil completely]	1	
Performs 2 minutes of high-quality, 1-rescuer adult CPR -Adequate depth and rate (1 point) -Correct compression-to-ventilation ratio (1 point) -Allows the chest to recoil completely (1 point) -Adequate volumes for each breath (1 point) -Minimal interruptions of no more than 10 seconds throughout (1 p	oint)	5	
NOTE: After 2 minutes (5 cycles), candidate assesses patient a candidate operates AED.	nd second rescuer resumes compress	ions while	
Turns on power to AED		1	
Follows prompts and correctly attaches AED to patient		1	
Stops CPR and ensures all individuals are clear of the patient during r	nythm analysis	1	
Ensures that all individuals are clear of the patient and delivers shock	from AED	1	
Immediately directs rescuer to resume chest compressions		1	
Actual Time Ended:	TOTAL	17	
Critical Criteria	selessness is confirmed PR ythm analysis and before delivering shock		



### National Registry of Emergency Medical Technicians Advanced Level Psychomotor Examination

### SUPRAGLOTTIC AIRWAY DEVICE

## 2024-Q1:SGA

Candidate:	Examiner:
Date:	Signature:
Device:	

NOTE: If candidate elects to initially ventilate with BVM attached to reservoir and oxygen, full credit must be awarded for steps denoted by "\*\*" so long as first ventilation is delivered within 30 seconds.

Actual Time Started:	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Opens the airway manually	1	
Elevates tongue, inserts simple adjunct [oropharyngeal or nasopharyngeal airway]	1	
NOTE: Examiner now informs candidate no gag reflex is present and patient accepts adjunct		
**Ventilates patient immediately with bag-valve-mask device unattached to oxygen	1	
**Ventilates patient with room air	1	
NOTE: Examiner now informs candidate that ventilation is being performed without difficulty and that put the patient's blood oxygen saturation is 85%	lse oximetry	indicates
Attaches oxygen reservoir to bag-valve-mask device and connects to high-flow oxygen regulator [12 – 15 L/minute]	1	
Ventilates patient at a rate of 10 – 12/minute (1 ventilation every 5 – 6 seconds) with appropriate volumes	1	
NOTE: After 30 seconds, examiner auscultates and reports breath sounds are present and equal bilaterally has ordered insertion of a supraglottic airway. The examiner must now take over ventilation.	and medical	direction
Checks/prepares supraglottic airway device	1	
Lubricates distal tip of the device [may be verbalized]	1	
NOTE: Examiner to remove OPA and move out of the way when candidate is prepared to insert device.		
Positions head properly	1	
Performs a tongue-jaw lift	1	
Inserts device to proper depth	1	
Properly secures device per manufacturer's instructions	1	
Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the epigastrium	1	
Adjusts ventilation as necessary	1	
Verifies proper tube placement by secondary confirmation such as capnography, capnometry, EDD or colorimetric device	1	
NOTE: The examiner must now ask the candidate, "How would you know if you are delivering appropriate each ventilation?"	e volumes wi	th
Secures device or confirms that the device remains properly secured	1	
Ventilates patient at proper rate and volume while observing capnography/capnometry and pulse oximeter	1	
Actual Time Ended: TOTAL	. 18	

#### Critical Criteria

- Failure to initiate ventilations within 30 seconds after using appropriate PPE or interrupts ventilations for greater than 30 seconds at any time Failure to take or verbalize appropriate PPE precautions
- Failure to voice and ultimately provide high oxygen concentration [at least 85%]
- Failure to ventilate the patient at a rate of 10 12/minute (1 ventilation every 5 6 seconds)
- Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
- Failure to pre-oxygenate patient prior to insertion of the supraglottic airway device
- \_\_\_\_\_Failure to insert the supraglottic airway device at a proper depth or location within 3 attempts
- Failure to properly secure device per manufacturer's instructions
- \_\_\_\_\_Failure to confirm that patient is being ventilated properly by auscultation bilaterally over lungs and over the epigastrium
- Insertion or use of any adjunct in a manner dangerous to the patient
- \_\_\_\_Failure to manage the patient as a competent EMT
- Exhibits unacceptable affect with patient or other personnel
- Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



### Patient Assessment / Management - Trauma

Candidate Name		Date		
Scenario	Start Time:		Points	Points

Possible Awarded

*Takes or verbalizes appr	ropriate standard precautions	1	
SCENE SIZE-UP			
*Determines the scene sit	tuation is safe (environment, hazards, violence, etc.)	1	
Determines mechanism of	of injury(MOI}/nature of illness (NOi}	1	
Determines the number of	of patients	1	
Requests additional help	if necessary	1	
*Assess for and provide s	spinal stabilization when indicated	1	
*PRIMARY ASSESSMEN	NT/ RESUSCITATION (Must be completed prior to the secondary as	ssessment)	<u></u>
Verbalizes general impre	ssion of patient	1	
Determines responsivene	ess/level of consciousness (AVPU)	1	
*Determines chief compla	int/apparent life threats	1	
*Airway	Assesses for problems	1	
, iii nuy	Assures patent airway	1	
	Assesses breathing rate, rhythm, quality, depth Assures adequate ventilation	1	
*Breathing	Initiates appropriate oxygen therapy	1	
	Manages any injury which may compromise breathing/ventilation	1	
	Assesses pulse rate, rhythm, quality	1	
*Circulation	Assesses/controls major bleeding Assesses skin (color, temp, moisture, cap refill}	1	
*Circulation	Initiates shock management (positions patient properly, conserves	1	
	body heat}		
Vital Signs -Puls	e (1 point) -Respirations (1 point) -Blood Pressure (1 point)	3	
* Identifies patient priority	and makes treatment/transport decision	1	
Considers notifying hospit	tal for Trauma Alert/Activation per Trauma Triage Tool	1	
HISTORY TAKING			L
Obtains S A.M.P. L.E. his	tory if possible	1	
SECONDARY ASSESS	<b>NENT</b>		<u></u>
Assesses the head	Inspects and palpates the scalp and ears	1	
	Assesses the eyes	1	
	Assesses the facial area including oral & nasal area	1	
Assesses the neck	Inspects and palpates the cervical spine	1	
	Assesses for JVD	1	
	Assesses for tracheal deviation	1	
Assesses the chest	Exposes patient in order to: Inspect the chest	1	
	Palpate the chest	1	
	Auscultate the chest	1	
Assesses the	Inspects and palpates the abdomen	1	
abdomen/pelvis	Assesses and palpates the pelvic girdle Verbalizes assessment of genitalia/perineum as needed	1	
		1	
Assesses the	(1 point for each extremity)	4	
extremities	Exposes patient in order to: Inspect, palpate, and assess distal pulses, capillary refill, sensation and movement		
Assesses the posterior	Inspects and palpates thorax/thoracic vertebrae	1	
Assesses the posterior	Inspects and palpates lower back/lumbar vertebrae	1	
	Inspects and palpates flank areas	1	
		1	

		Points Possible	Points Awarded
Manages secondary injuries and wounds appropriately		1	
REASSESSMENT			
Demonstrates reassessment of the patient appropriate to patient condition		1	
*Provides accurate verbal report to arriving EMS unit or receiving facility		1	
Passing score is 38 (at least 80%)	TOTAL:	47	

Stop Time: \_\_\_\_\_ Elapsed Time: \_\_\_\_ Max Time Allowed: 10 Pass/ Fail

### **Critical Criteria**

Failure to take or verbalize proper standard precautions Failure to determine scene/situation safety before approaching patient Failure to assess for and provide spinal stabilization when indicated Failure to complete primary assessment prior to the secondary assessment Failure to determine chief complain apparent life threats Failure to find problems associated with airway, breathing, hemorrhage or shock Failure to appropriately manage problems associated with airway, breathing, hemorrhage or shock Failure to identify patient priority and make appropriate treatment transport decision Failure to initiate or call for transport of the patient within 10 minute time limit Uses or orders a dangerous or inappropriate intervention Failure to provide an accurate report to arriving EMS unit or receiving facility Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel

# You must factually document your rationale for checking any of the above critical items on the form Asterisk denotes Critical Criteria

Failure to perform any Critical Criteria constitutes a failure of this skill station

Evaluator Name:

Printed

Signature