

PATIENT ASSESSMENT - MEDICAL

Candidate: Signature: Date: Points Candidate: Points Actual Time Started: 1 Takes or vertealizes appropriate PPE precautions 1 Candidate: 1 <th>2024-Q2: Patient Assessn</th> <th></th> <th></th> <th></th> <th>niner:</th> <th></th> <th></th>	2024-Q2: Patient Assessn				niner:		
Scenario: Points Awarded Actual Time Started:	Candidate:			Signa			
Scenario: Points Awarded Actual Time Started:	Date:					Possible	Points
Actual Time Started:	Scenario:					Points	Awarded
SCENE SIZE-UP i Determines the accenduation is safe 1 Determines the accenduation is safe 1 Requests additional help it necessary 1 Considers stabilization of spine 1 PMMARY SURVEY 1 Varialization of spine 1 Varialization of spine 1 PMMARY SURVEY 1 Varialization of spine 1 Varialization of spine 1 Varialization of spine 1 Varialization of spine 1 Assessment (1 point) 3 -Assessment (1 point) 3 -Assessment (1 point) 3 -Assessment (1 point) -Assessment (1 point) -Assessment (1 point) -Seventry (1 point) -Assessment (1 point) -Seventry (1 point)	Actual Time Started:						
Determines the scene/struction is safe Determines the mechanism of injuny/nature of liness Determines the number of patients Requests additional help I necessary I I Requests addition I I Request Addition I I Request I I I		precautions				1	
Determines the mechanism of injury/nature of illness 1 Requests additional help if necessary 1 Considers stabilized of spine 1 PRMARY SURVEY 1 Verbalizes general impression of the patient 1 Determines the complaint/apparent life-threats 1 Assesses arrivery and breathing 3 -Assesses arrivery and breathing 3 -Assesses arriver and pressore of the patient 1 -Assesses arriver and pressore of the patient of threats 1 Assesses arriver and pressore or the patient of the patient of threats 1 -Assesses or thread of the patient of the patient of threads 1 -Assesses or the patient markers transport decision 1 HISTORY TAKING AND SECONARY ASSESSMENT 1 HISTORY TAKING AND SECONARY ASSESSMENT 8 -Onsert (lippint) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 point) 8 -Assesses (or thread associated signs and symptoms as related to OPQRST (2 points) 8 -Assesser (point) -Last or all intake (1 point) -Last or all intake (1 point) -Assesser (point) -Last or all intake (1 point) -Last or all intake (1 point) -Alle		-					1
Determines the number of patients 1 Requests additional help if necessary 1 Considers stabilization of spine 1 PRIMARY SURVEY 1 Vehalizes general impression of the patient 1 Determines the complain/apparent life-threats 1 Assesses alway and breathing 1 -Assessment (1 point) 3 -Assesses alway and breathing 1 -Assesses circulation 1 -Assesses circulation 1 -Assesses circulation 1 -Assesses circulation 3 -Assesses circulation 1 -Assesses circulation -Conset (1 point) -Assesses circulation (2 point) -Severity (1 point) -Provocation (1 point) -Severity (1 point) -Provocation (1 point) -Prest partinent history (1 point) -Provocation (1 point) -Prest partinent history (1 point) -Severity (1 point) -Pre							
Reguests additional help if necessary 1 Orostadies stabilization of spine 1 PRIMARY SURVEY 1 Orostadies stabilization of spine 1 PRIMARY SURVEY 1 Verbalizes general impression of the patient 1 Determines chief complaint/apparent life-threats 1 Assesses invary and breathing 1 -Assesses envertilation (1 point) 3 -Assesses controls major bleeding (1 point) -Assesses controls major bleeding (1 point) -Assesses invariant life-threats 1 Assesses invariant life stabilition 1 -Assesses invariant (1 point) -Severity (1 point) -Pervocation (1 point) -Cardioxacular -Allergies (1 point) -Assesses invariant life stability -Allergies (1 point) -Assesses invariant life stability -Patient (1 point) -Assessement (1 point) -Cardioxacular <		/nature of illness				-	
Considers stabilization of spine 1 PRIMARY SURVEY 1 Verbalizes general impression of the patient 1 Determines chief complain/apparent life-threats 1 Assesses airway and breathing 1 -Assessment (1 point) 3 -Assesses adjust eventilation (1 point) 3 -Assesses accountation major bleeding (1 point) 3 -Assesses control major bleeding (1 point) 3 -Assesses control major bleeding (1 point) -Assesses control major bleeding (1 point) -Assesses control major bleeding (1 point) -Assesses control major bleeding (1 point) -Assesses control major bleeding (1 point) -Assesses control major bleeding (1 point) -Assesses control major bleeding (1 point) -Assesses control major bleeding (1 point) -Assesses pulse (1 point) 1 -Assesses pulse (1 point) -Severity (1 point) -Portocation (1 point) -Severity (1 point) -Portocation (1 point) -Last oral intake (1 point) -Quality (1 point) -Last oral intake (1 point) -Partice (1 point) -Last oral intake (1 point) -Cardrowscular -Neurological -Palunonay -Meurological -Me							
PRIMARY SURVEY 1 Determines responsiveness/level of consciousness 1 Determines chief complaint/apparent li6-threats 1 Assesses and complaint of point) 3 -Assesses adducts eventilation (1 point) 3 -Assesses adducts eventilation (1 point) 3 -Assesses adducts eventilation (1 point) -Assesses adducts eventilation (1 point) -Assesses controls major blecking (1 point) -Assesses adducts eventilation 1 HISTORY TAKING AND SECONDARY ASSESSMENT 1 1 History of present liness -Onset (1 point) -Severity (1 point) -Provents leading to present liness 1 -Providation (1 point) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) 8 -Radiation (1 point) -Leat or al intake (1 point) -Events leading to present illness (1 point) 5 -Valericy (1 point) -Leat or al intake (1 point) -Events leading to present illness (1 point) 5 -Valericy (1 point)		¹ y					
Verbalizes general impression of the patient 1 Determines tresponsiveness/level of consciousness 1 Determines chief complaint/apparent life-threats 1 Assesses airway and breathing 1 Assessment (1 point) 3 Assessment (1 point) 3 Assesses appropriate congen therapy (1 point) 3 Assesses controls major bleeding (1 point) -Assesses controls major bleeding (1 point) 3 Assesses controls major bleeding (1 point) -Assesses controls major bleeding (1 point) -Assesses controls major bleeding (1 point) 3 Assesses/controls major bleeding (1 point) -Assesses controls major bleeding (1 point) -Assesses/controls major bleeding (1 point) -Assesses/						1	
Determines responsiveness/fevel of consciousness 1 Determines divergent life-threats 1 Assesses airway and breathing 1 -Assesses airway and breathing 3 -Assesses adequate ventilation (1 point) 3 -Assesses controls major bleeding (1 point) -Assesses controls major bleeding (1 point) 3 -Assesses controls major bleeding (1 point) -Assesses controls major bleeding (1 point) 3 -Assesses controls major bleeding (1 point) -Assesses controls major bleeding (1 point) 3 -Assesses controls major bleeding (1 point) -Chart (1 point) -Saverity (1 point) -Chart (1 point) <td></td> <td>natient</td> <td></td> <td></td> <td></td> <td>1</td> <td></td>		natient				1	
Determines chief complaint/apparent life-threats 1 Assesses airway and breathing 1 Assesses airway and breathing 3 -Assesses provide accygent therapy (1 point) 3 -Assesses circulation 1 -Assesses puts (1 point) -Assesses bit (1 point) 3 -Assesses puts (1 point) -Assesses bit (1 point) 3 -Assesses puts (1 point) -Severity (1 point) 3 -Onset (1 point) -Severity (1 point) -Severity (1 point) 8 -Provocation (1 point) -Severity (1 point) -Provocation (1 point) 8 -Realiation (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) 5 -Astergies (1 point) -Past cralinatke (1 point) -Events leading to present illness (1 point) 5 -Putwordary assessment [assess affected body partysystem or, if indicated, completes rapid assessment] - - -Putwordary assessment [assess affected body partysystem or, if indicated (1 point) 5 - -Putwordary assessment (assest an							
Assesses airway and breathing 3 -Assessement (1 point) 3 -Initiates appropriate oxygen therapy (1 point) 3 Assesses inves (1 point) 3 -Assesses inves (1 point) 3 Assesses inves (1 point) 3 -Assesses inves (1 point) 1 -Assesses inves (1 point) 1 HISTORY TAKING AND SECONDARY ASSESSMENT 1 HISTORY TAKING AND SECONDARY ASSESSMENT 8 -Onset (1 point) -Severity (1 point) 1 -Provocation (1 point) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) 8 -Radiation (1 point) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) 8 -Radiation (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) 5 -Part medical history -Allergies (1 point) -Last oral intake (1 point) 5 - -Quarity (1 point) -Last oral intake (1 point) -Lest oral intake (1 point) 5 - -Pulmonary -Meurological - Integumentary -Reproductive 5 - -Pulmonary -Meurological - Integumentary -<							
Assessment (1 point) 3 Asserge adequate ventilation (1 point) Asserge adequate ventilation (1 point) 3 Assesses circulation							
-Assures adequate ventilation (1 point) 3 -Assesses circulation - -Assesses circulation 1 -Assesses circulation 1 -Assesses pluse (1 point) 3 -Assesses pluse (1 point) - Identifies priority patients/makes transport decision 1 History of present illness 1 -Onset (1 point) -Severity (1 point) -Provocation (1 point) -Time (1 point) -Quality (1 point) -Severity (1 point) -Padiation (1 point) -Severity (1 point) -Padiation (1 point) -Carifying questions of associated signs and symptoms as related to OPQRST (2 points) -Radiation (1 point) -Dast pertinent history (1 point) -Pats medical history -Altergies (1 point) -Altergies (1 point) -Last oral intake (1 point) -Carditovascular -Neurological -Putionary -Mexicular (1 point) -Bitod pressure (1 point) -Respiratory rate and quality (1 point each) -Putionary -Ausculasted -Putionary -Ausculasted -Putionary -Ausculasted -Putionary -Ausculasted -Putionary -Ausculasted -Putionary -Reproductive -Putes (1 point) -AvPU (1 point)							
Initiates appropriate oxygen therapy (1 point) Assesses circulation Assesses circulation Assesses circulation 1 Assesses public (1 point) Assesses public (1 point) 3 Assesses public (1 point) 1		on (1 point)				3	
Assesses circulation -Assesses circulation 3 -Assesses/controls major bleeding (1 point) -Assesses pulse (1 point) 3 Identifies priority patients/makes transport decision 1 History TAKING AND SECONDARY ASSESMENT 1 History TAKING AND SECONDARY ASSESMENT 8 -Onset (1 point) -Severity (1 point) -Reverity (1 point) -Provocation (1 point) -Time (1 point) -Reverity (1 point) -Patimedical history -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) -Radiation (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) -Allergies (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) -Cardiovascular -Neurological -Integumentary -Reproductive -Pulmonary -Respiratory rate and quality (1 point each) 5 -States field ingression of patent -Biolog pressure (1 point) -Respiratory rate and quality (1 point each) 5 -States field ingression of patent -Biolog pressure (1 point) -Allergies indicated 2 States field ingression of patent 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasa							
Assesses pulse (1 point) 1 Identifies priority patients/makes transport decision 1 History of present illness	Assesses circulation						
identifies priority patients/makes transport decision 1 HISTORY TAKING AND SECONDARY ASSESSMENT History of present illness	-Assesses/controls major b	leeding (1 point) -Asse	esses skin [eithe	er skin color,	temperature, or condition] (1 point)) 3	
HISTORY TAKING AND SECONDARY ASSESSMENT History of present illness -Onset (1 point) -Severity (1 point) -Provocation (1 point) -Time (1 point) -Quality (1 point) -Time (1 point) -Quality (1 point) -Time (1 point) -Readiation (1 point) -Respective (1 point) -Last oral intake (1 point) -Respective (1 point) -Re	-Assesses pulse (1 point)						
History of present illnessOnset (1 point)Severity (1 point)Provocation (1 point)Quality (1 point)Quality (1 point)Quality (1 point)Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)		•				1	
Onset (1 point) -Severity (1 point) -Provocation (1 point) -Time (1 point) -Quality (1 point) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) -Radiation (1 point) -Allergies (1 point) -Last oral intake (1 point) -Allergies (1 point) -Last oral intake (1 point) -Last oral intake (1 point) -Last oral intake (1 point) -Allergies (1 point) -Last oral intake (1 point) -Respiratory related body part/system or, if indicated, completes rapid assessment[-Cardiovascular -Neurological -Neurologic		RY ASSESSMENT					-1
-Provocation (1 point) -Time (1 point) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) -Radiation (1 point) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) Past medical history -Allergies (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) -Allergies (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) 5 -Cardiovascular -Neurological -Integumentary -Reproductive 5 -Pulmonary -Musculoskeletal -GV/GU -Psychological/Social 5 -Pulse (1 point) -Respiratory rate and quality (1 point each) 5 5 -Blood pressure (1 point) -AVPU (1 point) 5 Diagnostics [blood glucose test, pulse oximetry, etc] as indicated 2 States field impression of patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Repeats vital signs 1 Repeats vital signs 1 Evaluates response to treatments 1 Repeats vital signs 1 CRTICAL CRTERIA TOTAL 48							
-Quality (1 point) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) -Radiation (1 point) -Radiation (1 point) Past medical history -Past pertinent history (1 point) -Events leading to present illness (1 point) -Allergies (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) 5 -Medications (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) 5 -Cardiovascular -Neurological -Integumentary -Reproductive 5 -Pulmonary -Musculoskeletal -GI/GU -Psychological/Social - Vital signs -Pulse (1 point) -Respiratory rate and quality (1 point each) 5 - -Blood pressure (1 point) -AVPU (1 point) -AVPU (1 point) 1 - Transport decision re-valuated 1 2 - - Respeats primary survey 1 1 - - Respeats primary survey 1 1 - - Respeats primary survey 1 1 - - Repeats secondary assessment regarding patient complaint or injuries 1 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
-Radiation (1 point) Past pertinent history (1 point) -Events leading to present illness (1 point) 5 -Allergies (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) 5 -Cardiovascular -Neurological -Integumentary -Reproductive 5 -Pulmonary -Mucrological -Gl/GU -Psychological/Social 5 Vital signs -Pulse (1 point) -Respiratory rate and quality (1 point each) 5 5 -Blood pressure (1 point) -AvPU (1 point) -Respiratory rate and quality (1 point each) 5 5 -Blood pressure (1 point) -AvPU (1 point) -AvPU (1 point) 1 5 5 -Blood pressure (1 point) -AvPU (1 point) 1 1 5 1 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1						-	
Past medical history -Allergies (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) 5 -Allergies (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) 5 -Medications (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) 5 Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment] -Cardiovascular -Neurological -Integumentary -Reproductive 5 -Pulmonary -Musculoskeletal -GI/GU -Psychological/Social 5 -Pulse (1 point) -Respiratory rate and quality (1 point each) 5 5 -Blood pressure (1 point) -AVPU (1 point) 5 5 Diagnostics [Blood glucose test, pulse oximetry, etc] as indicated 2 2 States field impression of patient 1 7 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 7 Repeats primary survey 1 1 7 7 Repeats signs 1 1 7 7 Evaluates response to treatments 1 1 <t< td=""><td></td><td>-Clarifying questions of</td><td>associated sign</td><td>s and sympt</td><td>toms as related to OPQRST (2 poin</td><td>its)</td><td></td></t<>		-Clarifying questions of	associated sign	s and sympt	toms as related to OPQRST (2 poin	its)	
-Allergies (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) 5 -Medications (1 point) -Last oral intake (1 point) -Events leading to present illness (1 point) 5 Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment] -Cardiovascular -Neurological -Integumentary -Reproductive 5 -Pulmonary -Musculoskeletal -Gl/GU -Psychological/Social 5 Vital signs -Pulse (1 point) -Respiratory rate and quality (1 point each) 5 -Blood pressure (1 point) -AVPU (1 point) -AVPU (1 point) 5 Ust signs 1 -Verbalizes treatment plan for patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 - Transport decision re-evaluated 1 - - - Repeats primary survey 1 Repeats primary survey 1 - Repeats primary survey 1 - - - Cartical time to initiate or call for transport of the patient within 15 minute time limit 0n - - Failure to oxice and utlimately							
-Medications (1 point) -Last oral intake (1 point) Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment] -Cardiovascular -Cardiovascular -Neurological -Integumentary -Reproductive 5 -Pulmonary -Musculoskeletal -Gl/GU -Psychological/Social 1 Vital signs -Pulse (1 point) -Respiratory rate and quality (1 point each) 5 -Blood pressure (1 point) -AVPU (1 point) 5 Diagnostics [blood glucose test, pulse oximetry, etc] as indicated 2 States field impression of patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Transport decision re-evaluated 1 1 Repeats vital signs 1 1 Evaluates response to treatments 1 1 Repeats secondary assessment regarding patient complaint or injuries 1 1 Actual Time Ended:	-	-Dast partinent history (1 point)	-Evente la	eading to present illness (1 point)	5	
Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment] -Cardiovascular -Neurological -Integumentary -Reproductive 5 -Pulmonary -Musculoskeletal -GI/GU -Psychological/Social 5 Vital signs -Pulse (1 point) -Respiratory rate and quality (1 point each) 5 -Blood pressure (1 point) -AVPU (1 point) 5 Diagnostics [blood glucose test, pulse oximetry, etc] as indicated 2 States field impression of patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Repeats primary survey 1 Repeats primary survey Repeats vital signs 1 1 Evaluates response to treatments 1 1 Repeats secondary assessment regarding patient complaint or injuries 1 1 Actual Time Ended:							
-Cardiovascular -Neurological -Integumentary -Reproductive 5 -Pulmonary -Musculoskeletal -GI/GU -Psychological/Social - Vital signs -Biood pressure (1 point) -Respiratory rate and quality (1 point each) 5 - -Blood pressure (1 point) -AVPU (1 point) - 5 - Diagnostics [blood glucose test, pulse oximetry, etc] as indicated 2 2 - States field impression of patient 1 - - Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 - Transport decision re-evaluated 1 - - Repeats primary survey 1 - - Repeats vital signs 1 - - Evaluates response to treatments 1 - - Repeats secondary assessment regarding patient complaint or injuries 1 - - Actual Time Ended:	· · · · · · · · · · · · · · · · · · ·	()	,	dicated. cor	mpletes rapid assessment]		
-Pulmonary -Musculoskeletal -GI/GU -Psychological/Social Vital signs -Pulse (1 point) -Respiratory rate and quality (1 point each) 5 -Blood pressure (1 point) -AVPU (1 point) 5 Diagnostics [blood glucose test, pulse oximetry, etc] as indicated 2 States field impression of patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Transport decision re-evaluated 1 Repeats primary survey 1 Repeats primary survey 1 Repeats vital signs 1 Evaluates response to treatments 1 Actual Time Ended: 1 CRTICAL CRITERIA TOTAL Failure to initiate or call for transport of the patient within 15 minute time limit on Failure to vice and ultimately provide appropriate pPE precautions Failure to vice and ultimately provide appropriate patient Failure to vice and ultimately provide appropriate oxygen therapy Failure to sees/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]	-		-			5	
Vital signs -Respiratory rate and quality (1 point each) 5 -Blood pressure (1 point) -AVPU (1 point) 5 Diagnostics [blood glucose test, pulse oximetry, etc] as indicated 2 States field impression of patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Transport decision re-evaluated 1 Repeats primary survey 1 Repeats vital signs 1 Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended:		-	-		•		
-Pulse (1 point) -Respiratory rate and quality (1 point each) 5 -Blood pressure (1 point) -AVPU (1 point) 2 Diagnostics [blood glucose test, pulse oximetry, etc] as indicated 2 States field impression of patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Transport decision re-evaluated 1 Repeats primary survey 1 Repeats primary survey 1 Repeats response to treatments 1 Repeats response to treatments 1 Actual Time Ended:					, ,		
Diagnostics [blood glucose test, pulse oximetry, etc] as indicated 2 States field impression of patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Transport decision re-evaluated 1 REASSESSMENT 1 Repeats primary survey 1 Repeats riting signs 1 Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended: 1 Failure to initiate or call for transport of the patient within 15 minute time limit on Failure to voice and ultimately provide appropriate oxygen therapy	-	-Respiratory rate	and quality (1 p	oint each)		5	
States field impression of patient 1 Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Transport decision re-evaluated 1 REASSESSMENT 1 Repeats primary survey 1 Repeats vital signs 1 Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended: 1	-Blood pressure (1 point)	-AVPU (1 point)					
Verbalizes treatment plan for patient and calls for appropriate intervention(s) (Internasal Narcan Administrations) 1 Transport decision re-evaluated 1 REASSESSMENT 1 Repeats primary survey 1 Repeats vital signs 1 Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended: 1	Diagnostics [blood glucose test, puls	se oximetry, etc] as indic	ated			2	
Transport decision re-evaluated 1 REASSESSMENT 1 Repeats primary survey 1 Repeats vital signs 1 Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended: 1						1	
REASSESSMENT Repeats primary survey 1 Repeats vital signs 1 Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended: 1 CRITICAL CRITERIA TOTAL Failure to initiate or call for transport of the patient within 15 minute time limit on Failure to take or verbalize appropriate PPE precautions Failure to determine scene safety before approaching patient Failure to voice and ultimately provide appropriate oxygen therapy Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]		t and calls for appropriat	te intervention(s	s) (Internasa	I Narcan Administrations)		
Repeats primary survey 1 Repeats vital signs 1 Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended:						1	
Repeats vital signs 1 Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended: 1 CRITICAL CRITERIA TOTAL Failure to initiate or call for transport of the patient within 15 minute time limit on Failure to take or verbalize appropriate PPE precautions Failure to determine scene safety before approaching patient Failure to voice and ultimately provide appropriate oxygen therapy Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]						<u>г</u> .	1
Evaluates response to treatments 1 Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended:							
Repeats secondary assessment regarding patient complaint or injuries 1 Actual Time Ended:							
Actual Time Ended:	· · · · · · · · · · · · · · · · · · ·	ording notiont complain	torioiurioo				
CRITICAL CRITERIA 48		arding patient complain	torinjunes			I	
Failure to take or verbalize appropriate PPE precautions Failure to determine scene safety before approaching patient Failure to voice and ultimately provide appropriate oxygen therapy Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]					то	TAL 48	
Failure to determine scene safety before approaching patient Failure to voice and ultimately provide appropriate oxygen therapy Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]				ime limit			on
Failure to voice and ultimately provide appropriate oxygen therapy Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]							
Failure to assess/provide adequate ventilation Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]							
Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]			kygen therapy				
			e elete el subbra b	unu harad t	na hannanda ar shash fism (

Does other detailed history or physical examination before assessing and treating threats to airway, breathing, and circulation

_____Failure to determine the patient's primary problem

Orders a dangerous or inappropriate intervention

_____Failure to provide for spinal protection when indicated



National Registry of Emergency Medical Technicians[®] Emergency Medical Responder Psychomotor Examination CARDIAC ARREST MANAGEMENT / AED

2024-Q2: CPR

Candidate:	Examiner:		
Date:	Signature:		
Actual Time Started:		Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions		1	
Determines the scene/situation is safe		1	
Checks patient responsiveness		1	
Direct assistant to retrieve AED		1	
Requests additional EMS assistance		1	
Checks breathing and pulse simultaneously		1	
NOTE: After checking responsiveness, then checking breathing examiner informs candidate, "The patient is unresponsive, apnei		ds,	
Immediately begins chest compressions [adequate depth and rate; allo	ws the chest to recoil completely]	1	
Performs 2 minutes of high-quality, 1-rescuer adult CPR -Adequate depth and rate (1 point) -Correct compression-to-ventilation ratio (1 point) -Allows the chest to recoil completely (1 point) -Adequate volumes for each breath (1 point) -Minimal interruptions of no more than 10 seconds throughout (1 point)	pint)	5	
NOTE: After 2 minutes (5 cycles), candidate assesses patient an candidate operates AED.	d second rescuer resumes compress	ions while	
Turns on power to AED		1	
Follows prompts and correctly attaches AED to patient		1	
Stops CPR and ensures all individuals are clear of the patient during rh		1	
Ensures that all individuals are clear of the patient and delivers shock f	rom AED	1	
Immediately directs rescuer to resume chest compressions		1	
Actual Time Ended:	TOTAL	17	
Critical Criteria	elessness is confirmed PR thm analysis and before delivering shock	nds	

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



National Registry of Emergency Medical Technicians Advanced Level Psychomotor Examination

SUPRAGLOTTIC AIRWAY DEVICE

2024-Q2:SGA

Candidate:	Examiner:	
Date:	Signature:	
Device:		

NOTE: If candidate elects to initially ventilate with BVM attached to reservoir and oxygen, full credit must be awarded for steps denoted by "**" so long as first ventilation is delivered within 30 seconds.

Actual Time Started:	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Opens the airway manually	1	
Elevates tongue, inserts simple adjunct [oropharyngeal or nasopharyngeal airway]	1	
NOTE: Examiner now informs candidate no gag reflex is present and patient accepts adjunct		
**Ventilates patient immediately with bag-valve-mask device unattached to oxygen	1	
**Ventilates patient with room air	1	
NOTE: Examiner now informs candidate that ventilation is being performed without difficulty and that put the patient's blood oxygen saturation is 85%	lse oximetry	indicates
Attaches oxygen reservoir to bag-valve-mask device and connects to high-flow oxygen regulator [12 – 15 L/minute]	1	
Ventilates patient at a rate of 10 – 12/minute (1 ventilation every 5 – 6 seconds) with appropriate volumes	1	
NOTE: After 30 seconds, examiner auscultates and reports breath sounds are present and equal bilaterally has ordered insertion of a supraglottic airway. The examiner must now take over ventilation.	and medical	direction
Checks/prepares supraglottic airway device	1	
Lubricates distal tip of the device [may be verbalized]	1	
NOTE: Examiner to remove OPA and move out of the way when candidate is prepared to insert device.		
Positions head properly	1	
Performs a tongue-jaw lift	1	
Inserts device to proper depth	1	
Properly secures device per manufacturer's instructions	1	
Ventilates patient and confirms proper ventilation by auscultation bilaterally over lungs and over the epigastrium	1	
Adjusts ventilation as necessary	1	
Verifies proper tube placement by secondary confirmation such as capnography, capnometry, EDD or colorimetric device	1	
NOTE: The examiner must now ask the candidate, "How would you know if you are delivering appropriate each ventilation?"	e volumes wi	th
Secures device or confirms that the device remains properly secured	1	
Ventilates patient at proper rate and volume while observing capnography/capnometry and pulse oximeter	1	
Actual Time Ended: TOTAL	. 18	

Critical Criteria

- Failure to initiate ventilations within 30 seconds after using appropriate PPE or interrupts ventilations for greater than 30 seconds at any time Failure to take or verbalize appropriate PPE precautions
- Failure to voice and ultimately provide high oxygen concentration [at least 85%]
- Failure to ventilate the patient at a rate of 10 12/minute (1 ventilation every 5 6 seconds)
- Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
- Failure to pre-oxygenate patient prior to insertion of the supraglottic airway device
- _____Failure to insert the supraglottic airway device at a proper depth or location within 3 attempts
- Failure to properly secure device per manufacturer's instructions
- _____Failure to confirm that patient is being ventilated properly by auscultation bilaterally over lungs and over the epigastrium
- Insertion or use of any adjunct in a manner dangerous to the patient
- ____Failure to manage the patient as a competent EMT
- Exhibits unacceptable affect with patient or other personnel
- Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



Patient Assessment / Management - Trauma

Candidate Name		Date				
Scenario	Start Time:		Points	Points		

Possible Awarded

*Takes or verbalizes appr	ropriate standard precautions	1	
SCENE SIZE-UP			
*Determines the scene sit	tuation is safe (environment, hazards, violence, etc.)	1	
Determines mechanism of	of injury(MOI}/nature of illness (NOi}	1	
Determines the number of	of patients	1	
Requests additional help	if necessary	1	
*Assess for and provide s	spinal stabilization when indicated	1	
*PRIMARY ASSESSMEN	NT/ RESUSCITATION (Must be completed prior to the secondary as	ssessment)	<u></u>
Verbalizes general impre	ssion of patient	1	
Determines responsivene	ess/level of consciousness (AVPU)	1	
*Determines chief compla	int/apparent life threats	1	
*Airway	Assesses for problems	1	
, iii nuy	Assures patent airway	1	
	Assesses breathing rate, rhythm, quality, depth Assures adequate ventilation	1	
*Breathing	Initiates appropriate oxygen therapy	1	
	Manages any injury which may compromise breathing/ventilation	1	
	Assesses pulse rate, rhythm, quality	1	
*Circulation	Assesses/controls major bleeding Assesses skin (color, temp, moisture, cap refill}	1	
*Circulation	Initiates shock management (positions patient properly, conserves	1	
	body heat}		
Vital Signs -Puls	e (1 point) -Respirations (1 point) -Blood Pressure (1 point)	3	
* Identifies patient priority	and makes treatment/transport decision	1	
Considers notifying hospit	tal for Trauma Alert/Activation per Trauma Triage Tool	1	
HISTORY TAKING			L
Obtains S A.M.P. L.E. his	tory if possible	1	
SECONDARY ASSESS	NENT		<u></u>
Assesses the head	Inspects and palpates the scalp and ears	1	
	Assesses the eyes	1	
	Assesses the facial area including oral & nasal area	1	
Assesses the neck	Inspects and palpates the cervical spine	1	
	Assesses for JVD	1	
	Assesses for tracheal deviation	1	
Assesses the chest	Exposes patient in order to: Inspect the chest	1	
	Palpate the chest	1	
	Auscultate the chest	1	
Assesses the	Inspects and palpates the abdomen	1	
abdomen/pelvis	Assesses and palpates the pelvic girdle Verbalizes assessment of genitalia/perineum as needed	1	
		1	
Assesses the	(1 point for each extremity)	4	
extremities	Exposes patient in order to: Inspect, palpate, and assess distal pulses, capillary refill, sensation and movement		
Assesses the posterior	Inspects and palpates thorax/thoracic vertebrae	1	
Assesses the posterior	Inspects and palpates lower back/lumbar vertebrae	1	
	Inspects and palpates flank areas	1	
		1	

		Points Possible	Points Awarded
Manages secondary injuries and wounds appropriately		1	
REASSESSMENT			
Demonstrates reassessment of the patient appropriate to patient condition		1	
*Provides accurate verbal report to arriving EMS unit or receiving facility		1	
Passing score is 38 (at least 80%)	TOTAL:	47	

Stop Time: _____ Elapsed Time: ____ Max Time Allowed: 10 Pass/ Fail

Critical Criteria

Failure to take or verbalize proper standard precautions Failure to determine scene/situation safety before approaching patient Failure to assess for and provide spinal stabilization when indicated Failure to complete primary assessment prior to the secondary assessment Failure to determine chief complain apparent life threats Failure to find problems associated with airway, breathing, hemorrhage or shock Failure to appropriately manage problems associated with airway, breathing, hemorrhage or shock Failure to identify patient priority and make appropriate treatment transport decision Failure to initiate or call for transport of the patient within 10 minute time limit Uses or orders a dangerous or inappropriate intervention Failure to provide an accurate report to arriving EMS unit or receiving facility Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel

You must factually document your rationale for checking any of the above critical items on the form Asterisk denotes Critical Criteria

Failure to perform any Critical Criteria constitutes a failure of this skill station

Evaluator Name:

Printed

Signature