SAFETY DATA SHEET

1. Identification

Product number 1000012582

Product identifier 18 OZ SOLV SAFE LB 12PK

02-13-2015 **Revision date**

MAJOR CHEMICAL COMPANY **Company information**

332 WEST BLAND STREET

CHARLOTTE, NC 28203 United States

General Assistance 704-552-4722 Company phone

Emergency telephone US Emergency telephone outside 1-866-836-8855 1-952-852-4646

Version # 02

08-07-2014 Supersedes date Recommended use Cleaner Recommended restrictions None known.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1 Skin corrosion/irritation Health hazards Category 2 Serious eve damage/eve irritation Category 2A

Germ cell mutagenicity Category 2 Carcinogenicity Category 1

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards Hazardous to the aquatic environment, acute

Hazardous to the aquatic environment,

long-term hazard Not classified.

Label elements

OSHA defined hazards



Signal word Danger

Hazard statement Extremely flammable aerosol. Causes skin irritation. Causes serious eye irritation. May cause

drowsiness or dizziness. Suspected of causing genetic defects. May cause cancer. May damage

Category 3

Category 3

fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable Response

for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If exposed or concerned: Get medical

advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from Storage

sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Product name: 18 OZ SOLV SAFE LB 12PK

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Trichloroethylene		79-01-6	90 - 100
Carbon Dioxide		124-38-9	1 - 2.5
Isopropyl Alcohol		67-63-0	1 - 2.5
1,2-Butylene Oxide		106-88-7	0.1 - 1
Other components below reportable	e levels		0.01 - 0.1

^{#:} This substance has workplace exposure limit(s).

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance.

Call a physician or Poison Control Center immediately. Call a POISON CENTER or

doctor/physician if you feel unwell.

Remove and isolate contaminated clothing and shoes. Wash off with soap and plenty of water. Skin contact

Call a physician or Poison Control Center immediately. If skin irritation occurs: Get medical advice/attention. For minor skin contact, avoid spreading material on unaffected skin.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Call a physician or Poison Control Center immediately.

Ingestion Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delaved

Indication of immediate medical attention and special treatment needed

General information

Irritation of eyes and mucous membranes. May cause drowsiness or dizziness.

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

In case of shortness of breath, give oxygen. IF exposed or concerned: Get medical

advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Keep victim under observation. Keep victim warm. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods

Water fog. None known.

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Fire

may produce irritating, corrosive and/or toxic gases.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective

clothing will only provide limited protection. Firefighters must use standard protective equipment including flame retardant coat, helmet with

face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. In the event of fire and/or explosion do not breathe fumes.

Product #: 1000012582 Version #: 02 Revision date: 02-13-2015 Issue date: 08-07-2014

General fire hazards Extremely flammable aerosol.

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. If possible, turn leaking containers so that gas escapes rather than liquid. Isolate area until gas has dispersed. Collect spillage. Scoop up used absorbent into drums or other appropriate container.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. After removal flush contaminated area thoroughly with water. This material and its container must be disposed of as hazardous waste.

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not handle or store near an open flame, heat or other sources of ignition. Do not re-use empty containers. Do not get in eyes, on skin, or on clothing. Avoid breathing gas. Avoid contact with skin. Avoid contact with eyes. Avoid contact during pregnancy/while nursing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Do not use in areas without adequate ventilation. Wear personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in original tightly closed container. Store in a well-ventilated place. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS). Level 1 Aerosol (NFPA 30B)

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
Carbon Dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
,		5000 ppm	
Isopropyl Alcohol (CAS 67-63-0)	PEL	980 mg/m3	
,		400 ppm	
US. OSHA Table Z-2 (29 CFR 1910.100	0)		
Components	Туре	Value	
Trichloroethylene (CAS 79-01-6)	Ceiling	200 ppm	
,	TWA	100 ppm	

Product name: 18 OZ SOLV SAFE LB 12PK

US. ACGIH Threshold Limit Valu Components	Туре	Value	
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm	
,	TWA	5000 ppm	
Isopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm	
,	TWA	200 ppm	
Trichloroethylene (CAS 79-01-6)	STEL	25 ppm	
·	TWA	10 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3	
,		30000 ppm	
	TWA	9000 mg/m3	
		5000 ppm	
Isopropyl Alcohol (CAS 67-63-0)	STEL	1225 mg/m3	
·		500 ppm	
	TWA	980 mg/m3	
		400 ppm	
Trichloroethylene (CAS 79-01-6)	TWA	25 ppm	
US. Workplace Environmental Ex	kposure Level (WEEL) Guides		
Components	Туре	Value	
1,2-Butylene Oxide (CAS 106-88-7)	TWA	5.9 mg/m3	
•		2 ppm	

Biological limit values

ACGIH Biological Exp	osure Indices
----------------------	---------------

Components	Value	Determinant	Specimen	Sampling Time	
Isopropyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*	
Trichloroethylene (CAS 79-01-6)	15 mg/l	Trichloroacetic acid	Urine	*	
	0.5 mg/l	Trichloroethano I, without hydrolysis	Blood	*	

^{* -} For sampling details, please see the source document.

Exposure guidelines No Exposure standards allocated.

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Provide eyewash station. Avoid

exposure - obtain special instructions before use.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear eye/face protection. Wear safety glasses with side shields (or goggles).

Hand protection Wear protective gloves.

Skin protection

Other Wear chemical protective equipment that is specifically recommended by the manufacturer.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes. Do not get this material in contact with skin. Avoid contact with eyes. Avoid contact with skin. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Product name: 18 OZ SOLV SAFE LB 12PK

9. Physical and chemical properties

Appearance Clear.
Physical state Gas.
Form Aerosol.

Color
Colorless.

Odor
Characteristic.

Odor threshold
Not available.

PH
Not available.

Melting point/freezing point
Not available.

Initial boiling point and boiling

range

Flash point None (Propellant) estimated

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

8 % estimated

Not available.

(%)

Flammability limit - upper

52 % estimated

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 55 - 75 psig @70F estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 788 °F (420 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Specific gravity 1.444 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Risk of ignition. Stable at normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition May include oxides of sulphur. May include oxides of phosphorus.

products

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation Narcotic effects. Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Product name: 18 OZ SOLV SAFE LB 12PK

Product #: 1000012582 Version #: 02 Revision date: 02-13-2015 Issue date: 08-07-2014

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Irritant

effects.

Information on toxicological effects

Acute toxicity Acute LC50: 801 mg/l/4h, Rat, Inhalation

Narcotic effects. In high concentrations, vapors are anesthetic and may cause headache, fatigue,

dizziness and central nervous system effects.

	allentoco aria contra riorvodo c	
Product	Species	Test Results
18 OZ SOLV SAFE LB 12PR	K (CAS Mixture)	
Acute		
Dermal		
LD50	Rat	19254 mg/kg
Inhalation		
LC50	Rat	801 mg/l/4h
Oral		
LD50	Rat	
Components	Species	Test Results
Isopropyl Alcohol (CAS 67-6	63-0)	
Acute		
Dermal		
LD50	Rabbit	16.4 ml/kg, 24 Hours
Inhalation		
LC50	Rat	> 10000 ppm, 6 Hours
Oral		
LD50	Rat	5.84 g/kg
Trichloroethylene (CAS 79-0	01-6)	
Acute		
Dermal		
LD50	Rat	19031 mg/kg
Inhalation		
LC50	Rat	12500 ppm, 4 Hours
		1044 mg/l/4h

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Not expected to be hazardous by OSHA criteria. Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Hazardous by WHMIS criteria. Suspected of causing genetic defects.

Carcinogenicity May cause cancer. Risk of cancer cannot be excluded with prolonged exposure. Potential cancer

hazard.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,2-Butylene Oxide (CAS 106-88-7) 2B Possibly carcinogenic to humans.

Trichloroethylene (CAS 79-01-6) If <1L: Consumer Commodity Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Trichloroethylene (CAS 79-01-6) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity May damage fertility or the unborn child. Not expected to be hazardous by OSHA criteria.

Hazardous by WHMIS criteria.

Specific target organ toxicity -

single exposure

Narcotic effects.

Product name: 18 OZ SOLV SAFE LB 12PK

SDS US

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not likely, due to the form of the product.

Chronic effects

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Further information

Symptoms may be delayed.

12. Ecological information

Ecotoxicity LC50: 42.94 mg/L, Fish, 96.00 Hours

EC50: 2.31 mg/L, Daphnia, 48.00 Hours

Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Product		Species	Test Results
18 OZ SOLV SAFE LE	3 12PK (CAS Mixtu	re)	
Aquatic			
Algae	IC50	Algae	40942 mg/L, 72 Hours
Crustacea	EC50	Daphnia	2.3101 mg/L, 48 Hours
Fish	LC50	Fish	42.936 mg/L, 96 Hours
Components		Species	Test Results
1,2-Butylene Oxide (C	AS 106-88-7)		
Aquatic			
Algae	IC50	Algae	500 mg/L, 72 Hours
Crustacea	EC50	Daphnia	69.8 mg/L, 48 Hours
Fish	LC50	Fish	160, 96 Hours
Isopropyl Alcohol (CA	S 67-63-0)		
Aquatic			
Algae	IC50	Algae	1000.0001 mg/L, 72 Hours
Crustacea	EC50	Daphnia	13299 mg/L, 48 Hours
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Trichloroethylene (CA	S 79-01-6)		
Aquatic			
Crustacea	EC50	Daphnia	2.2 mg/L, 48 Hours
Fish	LC50	Fish	40.8933, 96 Hours
		Flagfish (Jordanella floridae)	3.1 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Isopropyl Alcohol 0.05 Trichloroethylene 2.61

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

Trichloroethylene (CAS 79-01-6) U228

Product name: 18 OZ SOLV SAFE LB 12PK

SDS US

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DOT

UN1950 **UN number**

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk 2.1 Label(s)

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions N82 Packaging exceptions 306 None Packaging non bulk Packaging bulk None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN1950 **UN** number

UN proper shipping name

Transport hazard class(es)

Aerosols, flammable

Class 2.1 Subsidiary risk Label(s) 2.1

Packing group Not applicable.

Environmental hazards No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only **Packaging Exceptions**

Allowed. LTD QTY

IMDG

UN number UN1950 **AEROSOLS UN** proper shipping name

Transport hazard class(es)

2.1 **Class** Subsidiary risk Label(s) 2.1

Not applicable. Packing group

Environmental hazards

Marine pollutant No. F-D. S-U **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions LTD QTY Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

Product #: 1000012582 Version #: 02 Revision date: 02-13-2015 Issue date: 08-07-2014



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,2-Butylene Oxide (CAS 106-88-7) Trichloroethylene (CAS 79-01-6) Listed. Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Trichloroethylene	79-01-6	90 - 100
1,2-Butylene Oxide	106-88-7	0.1 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,2-Butylene Oxide (CAS 106-88-7) Trichloroethylene (CAS 79-01-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Product name: 18 OZ SOLV SAFE LB 12PK

SDS US

Product #: 1000012582 Version #: 02 Revision date: 02-13-2015 Issue date: 08-07-2014

US state regulations

US. Massachusetts RTK - Substance List

1,2-Butylene Oxide (CAS 106-88-7) Carbon Dioxide (CAS 124-38-9) Isopropyl Alcohol (CAS 67-63-0) Trichloroethylene (CAS 79-01-6)

US. New Jersey Worker and Community Right-to-Know Act

1,2-Butylene Oxide (CAS 106-88-7) Carbon Dioxide (CAS 124-38-9) Isopropyl Alcohol (CAS 67-63-0) Trichloroethylene (CAS 79-01-6)

US. Pennsylvania Worker and Community Right-to-Know Law

1.2-Butvlene Oxide (CAS 106-88-7) Carbon Dioxide (CAS 124-38-9) Isopropyl Alcohol (CAS 67-63-0) Trichloroethylene (CAS 79-01-6)

US. Rhode Island RTK

1,2-Butylene Oxide (CAS 106-88-7) Isopropyl Alcohol (CAS 67-63-0) Trichloroethylene (CAS 79-01-6)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

Trichloroethylene (CAS 79-01-6) Listed: April 1, 1988

International Inventories

Country(s) or region

Country(s) or region	inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

08-07-2014 Issue date **Revision date** 02-13-2015

Version # 02

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Plaze cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Product and Company Identification: Product and Company Identification **Revision Information**

Product name: 18 OZ SOLV SAFE LB 12PK

On inventory (yes/no)*