

Certificate of Analysis

Final Product: Cannabidiol Isolate

Lot Number: L25011006

Date of Manufacture: January 2025 Expiration: January 2027



MILE HIGH LABS

To view the certificate of analysis for this product, scan the QR code or visit co.a.milehighlabs.com and enter the lot number



AT A GLANCE

Organoleptics Passed

Potency Passed

Residual Solvents Passed

Elemental Impurities Passed

Mycotoxins Passed

Microbials Passed

Pesticides Passed

Test	Methodology	Specification	Test Results	Pass/Fail
Color and Appearance	TM-004 ¹ / Contract Lab ²	White, crystalline powder free of particulates	Conforms	PASS
CBD Potency (% w/w)	(% w/w) Contract Lab ²	≥ 98.0%	100.0%	PASS
d9-THC Content (% w/w)	d9-THC (% w/w) Contract Lab ²	≤ 0.050%	ND	PASS
	THCA (% w/w) Contract Lab ²	≤ 0.050%	ND	PASS
	Total (d9-THC + THCA * 0.877) (% w/w) Contract Lab ²	≤ 0.050%	ND	PASS
Related Cannabinoid Content (w/w)	CBN (% w/w) Contract Lab ²	≤ 0.050%	ND	PASS
	d8-THC (% w/w) Contract Lab ²	≤ 0.050%	ND	PASS
	THCVA (% w/w) Contract Lab ²	≤ 0.050%	ND	PASS
	THCV (% w/w) Contract Lab ²	≤ 0.050%	ND	PASS
	CBC (% w/w) Contract Lab ²	Report	ND	PASS
	CBDA (% w/w) Contract Lab ²	Report	ND	PASS
	CBDVA (% w/w) Contract Lab ²	Report	ND	PASS
	CBDV (% w/w) Contract Lab ²	Report	0.36%	PASS
	CBGA (% w/w) Contract Lab ²	Report	ND	PASS
	CBG (% w/w) Contract Lab ²	Report	ND	PASS
	CBL (% w/w) Contract Lab ²	Report	ND	PASS
	CBCA (% w/w) Contract Lab ²	Report	ND	PASS
	Total (Sum of all observed RCs) (% w/w) Calculated ³	Report	0.36%	PASS
Total Cannabinoids (CBD plus total RCs) (% w/w)	(% w/w) Calculated ³	Report	100.4%	PASS
Residual Solvents	Acetone Contract Lab ²	< 1000 ppm	ND	PASS
	Benzene Contract Lab ²	< 2 ppm	ND	PASS
	Butanes Contract Lab ²	< 1,000 ppm	ND	PASS
	Ethanol Contract Lab ²	< 1000 ppm	ND	PASS
	Ethyl Acetate Contract Lab ²	< 1,000 ppm	ND	PASS
	Heptanes Contract Lab ²	< 1,000 ppm	236 ppm	PASS
	Hexane Contract Lab ²	< 60 ppm	ND	PASS
	Isopropyl Alcohol Contract Lab ²	< 1,000 ppm	ND	PASS
	Methanol Contract Lab ²	< 600 ppm	ND	PASS
	Pentane Contract Lab ²	< 150 ppm	ND	PASS
	Propane Contract Lab ²	< 1000 ppm	ND	PASS
	Toluene Contract Lab ²	< 180 ppm	ND	PASS
	Total Xylenes (m, p, o-xylenes) Contract Lab ²	< 430 ppm	ND	PASS

Specification: FP-001 Revision: v17.0

697 N. Denver Ave, Ste. 132 Loveland, CO 80537

Page 1/2

US Sales
sales@milehighlabs.com
+1 (833) 223-1011

UK Sales
salesau@milehighlabs.com
+44 (0) 28 2059 5253

The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you, the customer, to decide whether and how to use this information. Mile High Labs or any of its affiliates (the "Company") makes no representations or warranties about the suitability of any of the Company's products for your specific intended use or any use whatsoever. Furthermore, all express or implied warranties of non-infringement, merchantability, or fitness for a particular purpose are hereby and completely disclaimed. The Company expressly disclaims any responsibility whatsoever for any alleged liability or damage(s) arising out of customer's use of any of the Company's products or relating to any of the foregoing. The results of this report relate only to the material or product analyzed. All contract laboratories are accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.

Certificate of Analysis

Final Product: Cannabidiol Isolate

Lot Number: L25011006

Date of Manufacture: January 2025 Expiration: January 2027



MILE HIGH LABS

To view the certificate of analysis for this product, scan the QR code or visit coa.milehighlabs.com and enter the lot number.



Test		Methodology	Specification	Test Results	Pass/Fail
Elemental Impurities	Arsenic	Contract Lab ²	< 10 ppm	ND	PASS
	Cadmium	Contract Lab ²	< 0.4 ppm	ND	PASS
	Lead	Contract Lab ²	< 0.5 ppm	ND	PASS
	Mercury	Contract Lab ²	< 0.2 ppm	ND	PASS
Mycotoxins	B ₁ (AFB ₁)	Contract Lab ²	< 2 ppb	ND	PASS
	B ₂ (AFB ₂)	Contract Lab ²	< 0.5 ppb	ND	PASS
	G ₁ (AFG ₁)	Contract Lab ²	< 0.5 ppb	ND	PASS
	G ₂ (AFG ₂)	Contract Lab ²	< 0.5 ppb	ND	PASS
	Ochratoxin A	Contract Lab ²	< 1.0 ppb	ND	PASS
	Total (B ₁ +B ₂ +G ₁ +G ₂)	Contract Lab ²	< 4 ppb	ND	PASS
Microbials	Salmonella spp.	Contract Lab ²	Absent in 25 g	Absent / 25g	PASS
	Shiga-toxin Producing E. Coli	Contract Lab ²	Absent in 25 g	Absent / 25g	PASS
	Total coliforms	Contract Lab ²	< 100 cfu/g	< 10 cfu/g	PASS
	Total aerobic plate count	Contract Lab ²	< 10,000 cfu/g	< 100 cfu/g	PASS
	Total yeast and mold	Contract Lab ²	< 1,000 cfu/g	< 10 cfu/g	PASS
Pesticides	Individual Pesticide Content	Contract Lab ²	Individual Pesticide Limit ⁴	Conforms	PASS

¹MHL in-house method.

²All contract lab testing is performed by labs that are ISO 17025 and CDPHE certified.

³Calculations performed by MHL Quality.

⁴Refer to tables below for individual pesticides and associated limits. All limits listed as "Report" are required to be below the LOQ of the contract lab for that analyte.

Residual Pesticide Limits (ppm)

Abamectin	< 0.25	Cypermethrin	Report	Fipronil	< 0.01	Permethrin	Report	Tetramethrin	Report
Acephate	< 0.05	Cyprodinil	< 0.01	Flonicamid	< 0.025	Phenothrin	Report	Thiabendazole	Report
Acequinocyl	Report	Daminozide	Report	Fludioxonil	< 0.01	Phosmet	Report	Thiacloprid	< 0.01
Acetamiprid	< 0.05	Deltamethrin	Report	Fluopyram	< 0.01	Piperonyl Butoxide	< 1.25	Thiamethoxam	< 0.01
Aldicarb	< 0.5	Diazinon	Report	Hexythiazox	Report	Pirimicarb	< 0.01	Thiophanate-methyl	Report
Allethrin	< 0.1	Dichlorvos	< 0.05	Imazathil	< 0.01	Prallethrin	Report	Trifloxystrobin	< 0.01
Azinphos	Report	Dimethoate	< 0.01	Imidacloprid	< 0.01	Propiconazole	Report		
Azadirachtin	< 0.5	Dimethomorph	Report	Iprodione	< 0.50	Propoxur	< 0.01		
Azoxystrobin	< 0.01	Dinotefuran	< 0.05	Kinoprene	< 1.25	Pyrethroids	< 0.01		
Benzovindiflupyr	< 0.01	Diuron	Report	Kresoxim-methyl	< 0.15	Pyridaben	Report		
Bifenazate	< 0.01	Dodemorph	Report	(Lambda) Cyhalothrin	Report	Pyriproxyfen	Report		
Bifenthrin	Report	Endosulfan sulfate	< 2.5	Malathion	< 0.01	Quintozene	Report		
Boscalid	< 0.01	Endosulfan-alpha	< 2.5	Methidathion	< 0.01	Resmethrin	< 0.05		
Buprofezin	Report	Endosulfan-beta	< 2.5	Methomyl	< 0.025	Spinetoram	< 0.01		
Carbaryl	< 0.025	Ethionphos	< 0.01	Methoprene	Report	Spinosad	< 0.01		
Carbofuran	< 0.01	Etofenprox	Report	Mevinphos	< 0.025	Spirodolene	Report		
Chlorantraniliprole	Report	Etoxazole	Report	M/GK-264	Report	Spiromesifen	Report		
Chlorphenapyr	< 1.5	Etridiazole	< 0.15	Myclobutanil	< 0.01	Spirotetramat	< 0.01		
Chlorpyrifos	< 0.5	Fenhexamid	Report	Naled	Report	Spirotramine	Report		
Clofentazine	< 0.01	Fenoxycarb	< 0.01	Novaluron	< 0.025	Tebuconazole	< 0.01		
Clothianidin	< 0.025	Fenpyroximate	Report	Oxamyl	< 1.5	Tebuconazole	< 0.01		
Coumaphos	< 0.01	Fensulfotlithion	< 0.01	Paclobutrazol	< 0.01	Tellubenzuron	< 0.025		
Cyrantraniliprole	< 0.01	Fenthion	< 0.01	Parathion-methyl	Report	Tetrachlorvinphos	< 0.01		
Cyfluthrin	Report	Fenvalerate	Report						

Specification: FP-001 Revision: v17.0

697 N. Denver Ave, Ste. 132 Loveland, CO 80537

Page 2/2

Ryan Baxter
Ryan Baxter (Feb 27, 2025 12:36 MST)

Hadassa A. Villalobos

Quality Associate II

Quality Manager 2/27/2025

Prepared by

Date

Approved by

Date

US Sales
sales@milehighlabs.com
+1 (833) 223-1011

UK Sales
sales@milehighlabs.com
+44 (0) 28 9099 5253

The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you, the customer, to decide whether and how to use this information. Mile High Labs or any of its affiliates (the "Company") makes no representations or warranties about the suitability of any of the Company's products for your specific intended use or any use whatsoever. Furthermore, all express or implied warranties of non-infringement, merchantability, or fitness for a particular purpose are hereby and completely disclaimed. The Company expressly disclaims any responsibility whatsoever for any alleged liability or damage(s) arising out of customer's use of any of the Company's products or relating to any of the foregoing. The results of this report relate only to the material or product analyzed. All contract laboratories are accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.