



Received May 22, 2026

Analyses executed KTM

Reported May 27, 2026

KTM - Kratom

Analyzed May 26, 2026 | Instrument HPLC VWD | Method SOP-KTM
The expanded Uncertainty of the Kratom analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND
MGM-15 (MGM)	0.186	0.562	ND	ND
Mitragynine (MITG)	0.018	0.054	1.05	10.53
Speciogynine (SPEG)	0.007	0.02	ND	ND
Speciocillatine (SPCL)	0.004	0.011	0.44	4.43

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Wed, 27 May 2026 11:04:56 -0700

