

PharmLabs San Diego Certificate of Analysts

Sample D00325H



Sampled -  
Analyses executed KTM, 1BD

Received Jan 13, 2026

Reported Jan 14, 2026

### KTM - Kratom

Analyzed Jan 13, 2026 | Instrument HPLC YWD | Method SOP-KTM

The expanded Uncertainty of the Kratom analysis is approximately ±7.87% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND
MGM-15 (MGM)	0.186	0.562	ND	ND
Mitragynine (MITG)	0.016	0.054	85.05	850.52
Speciogynine (SPEG)	0.007	0.02	ND	ND
Specioclatine (SPCL)	0.004	0.011	11.73	117.32
Mitragynine Pseudoindole (MITP)	0.235	0.715	ND	ND

U: Unidentified  
 ND: Not Detected  
 N/A: Not Applicable  
 NT: Not Reported  
 LOD: Limit of Detection  
 LOQ: Limit of Quantification  
 <LOQ: Detected  
 >ULOL: Above upper limit of linearity  
 CFU/g: Colony Forming Units per 1 gram  
 TNTC: Too Numerous to Count



DEA license: SP0911045  
ISO/IEC 17025:2017 Acc. 85369

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
Wed, 14 Jan 2026 11:18:11 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85369

