



Juniper Analytics LLC

63055 Layton Ave # 101
Bend, OR
(541) 382-3796
<http://www.juniperanalyticsllc.com>
ORELAP: License # 4101-001

Apex Super Foods

Bend, OR 97701
(541) 306-0949
Lic. #



Sample: 22JA0481.02

Concentrate/Extract Pesticides - Not for
Compliance - PES-A, Concentrate/Extract
Residual Solvents - Not for Compliance - SOL-
A

Report Date: 7/5/2022
Intake Date: 06/28/2022
Harvest/Prod. Date:

Hemp & Cumin 682022

Strain: Hemp & Cumin 682022
METRC Sample #: ;
External Batch #:



NT

Total THC %

NT

Total CBD %

NT

Total THC mg/g

NT

Total CBD mg/g

Pesticides

Pass

Residual Solvents

Pass

METRC OR Potency

Not Tested

Control Study

THC % RSD Status: N/A

THC % RSD Value: N/A

CBD % RSD Value: N/A

CBD % RSD Status: N/A

See attached sheets for details

This product has been tested by Juniper Analytics LLC, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Juniper Analytics LLC makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Juniper Analytics LLC.

Cassie Ereman
QA Review

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Juniper Analytics LLC
63055 Layton Ave # 101
Bend, OR
(541) 382-3796
<http://www.juniperanalyticsllc.com>
ORELAP: License # 4101-001

Apex Super Foods

Bend, OR 97701
(541) 306-0949
Lic. #



Sample: 22JA0481.02

Concentrate/Extract Pesticides - Not for Compliance - PES-A, Concentrate/Extract Residual Solvents - Not for Compliance - SOL-A

Report Date: 7/5/2022
Intake Date: 06/28/2022
Harvest/Prod. Date:
Pesticides Analysis Date: 07/01/2022

Hemp & Cumin 682022

Strain: Hemp & Cumin 682022
METRC Sample #: ; METRC Batch #: ;
External Batch #: ; Analytical Batch #: Pest-2022-06-30-02

Pesticides

Pass

Analyte	LOQ	Limit	Results	Status	Analyte	LOQ	Limit	Results	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.25	0.50	<LOQ	Pass	Imazalil	0.10	0.20	<LOQ	Pass
Acephate	0.20	0.40	<LOQ	Pass	Imidacloprid	0.20	0.40	<LOQ	Pass
Acequinocyl	1.00	2.00	<LOQ	Pass	Kresoxim Methyl	0.20	0.40	<LOQ	Pass
Acetamiprid	0.10	0.20	<LOQ	Pass	Malathion	0.10	0.20	<LOQ	Pass
Aldicarb	0.20	0.40	<LOQ	Pass	Metalaxyl	0.10	0.20	<LOQ	Pass
Azoxystrobin	0.10	0.20	<LOQ	Pass	Methiocarb	0.10	0.20	<LOQ	Pass
Bifenazate	0.10	0.20	<LOQ	Pass	Methomyl	0.20	0.40	<LOQ	Pass
Bifenthrin	0.10	0.20	<LOQ	Pass	Methyl Parathion	0.10	0.20	<LOQ	Pass
Boscalid	0.20	0.40	<LOQ	Pass	MGK-264	0.10	0.20	<LOQ	Pass
Carbaryl	0.10	0.20	<LOQ	Pass	Myclobutanil	0.10	0.20	<LOQ	Pass
Carbofuran	0.10	0.20	<LOQ	Pass	Naled	0.25	0.50	<LOQ	Pass
Chlorantraniliprole	0.10	0.20	<LOQ	Pass	Oxamyl	0.50	1.00	<LOQ	Pass
Chlorfenapyr	0.50	1.00	<LOQ	Pass	Paclbutrazol	0.20	0.40	<LOQ	Pass
Chlorpyrifos	0.10	0.20	<LOQ	Pass	Permethrins	0.10	0.20	<LOQ	Pass
Clofentezine	0.10	0.20	<LOQ	Pass	Phosmet	0.10	0.20	<LOQ	Pass
Cyfluthrin	0.50	1.00	<LOQ	Pass	Piperonyl Butoxide	1.00	2.00	<LOQ	Pass
Cypermethrin	0.50	1.00	<LOQ	Pass	Prallethrin	0.10	0.20	<LOQ	Pass
Daminozide	0.50	1.00	<LOQ	Pass	Propiconazole	0.20	0.40	<LOQ	Pass
Diazinon	0.10	0.20	<LOQ	Pass	Propoxur	0.10	0.20	<LOQ	Pass
Dichlorvos	0.50	1.00	<LOQ	Pass	Pyrethrins	0.50	1.00	<LOQ	Pass
Dimethoate	0.10	0.20	<LOQ	Pass	Pyridaben	0.10	0.20	<LOQ	Pass
Ethoprophos	0.10	0.20	<LOQ	Pass	Spinosad	0.10	0.20	<LOQ	Pass
Etofenprox	0.20	0.40	<LOQ	Pass	Spiromesifen	0.10	0.20	<LOQ	Pass
Etoxazole	0.10	0.20	<LOQ	Pass	Spirotetramat	0.10	0.20	<LOQ	Pass
Fenoxycarb	0.10	0.20	<LOQ	Pass	Spiroxamine	0.20	0.40	<LOQ	Pass
Fenpyroximate	0.20	0.40	<LOQ	Pass	Tebuconazole	0.20	0.40	<LOQ	Pass
Fipronil	0.20	0.40	<LOQ	Pass	Thiacloprid	0.10	0.20	<LOQ	Pass
Flonicamid	0.50	1.00	<LOQ	Pass	Thiamethoxam	0.10	0.20	<LOQ	Pass
Fludioxonil	0.20	0.40	<LOQ	Pass	Trifloxystrobin	0.10	0.20	<LOQ	Pass
Hexythiazox	0.50	1.00	<LOQ	Pass					

QC Batch ID: Pest-2022-06-30-02
Instrument: LC-MS/MS; Method: AOAC 2007.1-Mod; LOQ = Limit of Quantitation; The reported result is based on wet sample weight for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.Pesticide Analysis (Oregon Compliance Standard OAR 333-008-1190).

Cassie Ereman
QA Review

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Juniper Analytics LLC

63055 Layton Ave # 101
Bend, OR
(541) 382-3796
<http://www.juniperanalyticsllc.com>
ORELAP: License # 4101-001

Apex Super Foods

Bend, OR 97701
(541) 306-0949
Lic. #



Sample: 22JA0481.02

Concentrate/Extract Pesticides - Not for Compliance - PES-A, Concentrate/Extract Residual Solvents - Not for Compliance - SOL-A

Report Date: 7/5/2022
Intake Date: 06/28/2022
Harvest/Prod. Date:
Solvents Analysis Date: 07/01/2022

Hemp & Cumin 682022

Strain: Hemp & Cumin 682022
METRC Sample #: ; METRC Batch #: ;
External Batch #: ; Analytical Batch #: RS-2022-06-30-01

Residual Solvents

Pass

Analyte	LOQ	Limit	Results	Status	Analyte	LOQ	Limit	Results	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
1,4-Dioxane	100	380.00	<LOQ	Pass	Toluene	100	890.00	<LOQ	Pass
2-Butanol	500	5000.00	<LOQ	Pass	Pentanes	500	5000.00	<LOQ	Pass
2-Ethoxy-Ethanol	80	160.00	<LOQ	Pass	n-Pentane			<LOQ	Tested
Acetone	500	5000.00	<LOQ	Pass	Isopentane			<LOQ	Tested
Acetonitrile	100	410.00	<LOQ	Pass	Neopentane			<LOQ	Tested
Benzene	1	2.00	<LOQ	Pass	Butanes	500	5000.00	<LOQ	Pass
Cumene	35	70.00	<LOQ	Pass	n-Butane			<LOQ	Tested
Cyclohexane	500	3880.00	<LOQ	Pass	Isobutane			<LOQ	Tested
Dichloromethane	100	600.00	<LOQ	Pass	Hexanes	50	290.00	<LOQ	Pass
Ethyl-Acetate	500	5000.00	<LOQ	Pass	n-Hexane			<LOQ	Tested
Ethyl-Ether	500	5000.00	<LOQ	Pass	2-Methyl-Pentane			<LOQ	Tested
Ethylene Glycol	300	620.00	<LOQ	Pass	3-Methyl-Pentane			<LOQ	Tested
Ethylene Oxide	20	50.00	<LOQ	Pass	2,2-Dimethyl-Butane			<LOQ	Tested
Heptane	500	5000.00	<LOQ	Pass	2,3-Dimethyl-Butane			<LOQ	Tested
Isopropyl-Acetate	500	5000.00	<LOQ	Pass	Xylenes	300	2170.00	<LOQ	Pass
Isopropanol	500	5000.00	<LOQ	Pass	m-Xylene			<LOQ	Tested
Methanol	500	3000.00	<LOQ	Pass	o-Xylene			<LOQ	Tested
Propane	500	5000.00	<LOQ	Pass	p-Xylene			<LOQ	Tested
Tetrahydrofuran	100	720.00	<LOQ	Pass	Ethyl-Benzene			<LOQ	Tested

Tentatively Identified Compounds: None Detected

QC Batch ID: RS-2022-06-30-01

Instrument: GC/MS; Method: USP 467 - Modified; LOQ = Limit of Quantitation; The reported result is based on wet sample weight for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Residual Solvent Analysis (Oregon Compliance Standard OAR 333-007-0410).

Cassie Ereman
QA Review

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Quality Control Results- Pesticides



Work Group ID: Pest-2022-06-30-02
 Analysis Date: Enter Date

AOAC 2007.1 & EN 15662

Units: ppm (mg/Kg)

Analyte	Method Blank			Laboratory Control Sample				
	Method Blank Result	Method Blank Limits	Qualifiers	LCS Spike	LCS Result	LCS % Recovery	Limits	Qualifiers
Abamectin	*	0.050		0.031	0.030	95.7%	50 - 150%	
Acephate	*	0.040		0.045	0.043	97.2%	60 - 120%	
Acequinocyl	*	0.200		0.092	0.094	102.3%	40 - 160%	
Acetamiprid	*	0.020		0.015	0.016	103.3%	60 - 120%	
Aldicarb	*	0.040		0.038	0.038	99.7%	60 - 120%	
Azoxystrobin	*	0.020		0.019	0.018	97.4%	60 - 120%	
Bifenazate	*	0.020		0.006	0.006	98.5%	60 - 120%	
Bifenthrin	*	0.020		0.014	0.014	102.8%	50 - 150%	
Boscalid	*	0.040		0.037	0.035	95.0%	60 - 120%	
Carbaryl	*	0.020		0.019	0.019	98.9%	60 - 120%	
Carbofuran	*	0.020		0.019	0.020	101.2%	60 - 120%	
Chlorantraniliprole	*	0.020		0.017	0.016	92.8%	60 - 120%	
Chlorfenapyr	*	0.100		0.095	0.087	92.6%	60 - 120%	
Chlorpyrifos	*	0.020		0.014	0.015	102.5%	60 - 120%	
Clofentezine	*	0.020		0.013	0.013	100.2%	60 - 120%	
Cyfluthrin	*	0.100		0.087	0.088	101.6%	50 - 150%	
Cypermethrin	*	0.100		0.076	0.080	105.6%	50 - 150%	
Daminozide	*	0.100		0.300	0.298	99.1%	60 - 120%	
Diazinon	*	0.020		0.016	0.015	95.3%	60 - 120%	
Dichlorvos	*	0.100		0.094	0.094	99.7%	60 - 120%	
Dimethoate	*	0.020		0.020	0.020	101.4%	60 - 120%	
Ethoprophos	*	0.020		0.018	0.018	100.5%	60 - 120%	
Etofenprox	*	0.040		0.023	0.024	103.4%	50 - 150%	
Etoxazole	*	0.020		0.018	0.018	98.9%	60 - 120%	
Fenoxycarb	*	0.020		0.017	0.016	93.8%	60 - 120%	
Fenpyroximate	*	0.040		0.034	0.034	100.1%	60 - 120%	
Fipronil	*	0.040		0.040	0.039	97.5%	60 - 120%	
Flonicamid	*	0.100		0.099	0.099	99.6%	60 - 120%	
Fludioxonil	*	0.040		0.038	0.036	95.0%	50 - 150%	
Hexythiazox	*	0.100		0.081	0.080	99.0%	60 - 120%	
Imazalil	*	0.020		0.017	0.016	97.2%	60 - 120%	
Imidacloprid	*	0.040		0.039	0.039	100.0%	60 - 120%	
Kresoxim-methyl	*	0.040		0.036	0.035	97.5%	60 - 120%	
Malathion	*	0.020		0.018	0.018	97.2%	60 - 120%	
Metalaxyl	*	0.020		0.019	0.019	99.7%	60 - 120%	
Methiocarb	*	0.020		0.019	0.019	98.1%	60 - 120%	
Methomyl	*	0.040		0.036	0.037	102.5%	60 - 120%	
Methyl-parathion	*	0.020		0.019	0.018	98.3%	50 - 150%	
MGK-264	*	0.020		0.020	0.019	99.8%	50 - 150%	
Myclobutanil	*	0.020		0.017	0.017	98.3%	60 - 120%	
Naled	*	0.050		0.033	0.033	98.1%	50 - 150%	
Oxamyl	*	0.200		0.205	0.199	96.9%	60 - 120%	
Paclobutrazol	*	0.040		0.039	0.039	99.1%	60 - 120%	
Permethrins	*	0.020		0.012	0.012	98.8%	50 - 150%	
Phosmet	*	0.020		0.022	0.022	100.0%	50 - 150%	
Piperonyl butoxide	*	0.100		0.082	0.080	98.1%	60 - 120%	
Prallethrin	*	0.020		0.014	0.014	94.7%	60 - 120%	
Propiconazole	*	0.040		0.047	0.048	103.2%	60 - 120%	
Propoxur	*	0.020		0.019	0.019	100.3%	60 - 120%	
Pyrethrins	*	0.100		0.035	0.034	96.9%	60 - 120%	
Pyridaben	*	0.020		0.015	0.015	101.8%	50 - 150%	
Spinosad	*	0.020		0.019	0.019	98.1%	50 - 150%	
Spiromesifin	*	0.020		0.009	0.009	100.3%	60 - 120%	
Spirotetramat	*	0.020		0.015	0.014	90.4%	60 - 120%	
Spiroxamine	*	0.040		0.038	0.038	99.3%	60 - 120%	
Tebuconazole	*	0.040		0.037	0.038	102.9%	60 - 120%	
Thiacloprid	*	0.020		0.021	0.020	95.3%	60 - 120%	
Thiamethoxam	*	0.020		0.019	0.018	97.5%	60 - 120%	
Trifloxystrobin	*	0.020		0.018	0.018	99.1%	60 - 120%	

* < LOQ or Not detected

Quality Control Results- Pesticides



Work Group ID: Pest-2022-06-30-02
 Analysis Date: Enter Date

AOAC 2007.1 & EN 15662

Units: ppm (mg/Kg)

Matrix Spike (MS)/ Matrix Spike Duplicate (MSD) Recoveries

Analyte	Matrix Spike (MS) Result	Matrix Spike Duplicate Result	Matrix Spike	RPD %	MS % Rec	MSD % Rec	Limits	Qualifiers
Abamectin	0.084	0.088	0.050	5.3%	167.1%	176.1%	50 - 150%	A5
Acephate	0.050	0.056	0.050	11.2%	100.9%	112.8%	50 - 150%	
Acequinocyl	0.020	0.021	0.050	4.9%	39.2%	41.1%	50 - 150%	A5
Acetamiprid	0.053	0.052	0.050	1.2%	105.0%	103.8%	50 - 150%	
Aldicarb	0.053	0.052	0.050	0.2%	105.2%	104.9%	50 - 150%	
Azoxystrobin	0.022	0.023	0.050	3.4%	44.3%	45.8%	50 - 150%	A5
Bifenazate	0.033	0.033	0.050	1.1%	65.3%	66.0%	50 - 150%	
Bifenthrin	0.030	0.031	0.050	1.8%	60.5%	61.6%	50 - 150%	
Boscalid	0.029	0.030	0.050	5.5%	57.4%	60.7%	50 - 150%	
Carbaryl	0.053	0.056	0.050	5.3%	105.3%	111.1%	50 - 150%	
Carbofuran	0.052	0.050	0.050	2.3%	103.1%	100.8%	50 - 150%	
Chlorantraniliprole	0.065	0.065	0.050	0.4%	130.5%	129.9%	50 - 150%	
Chlorfenapyr	0.035	0.042	0.050	16.9%	70.6%	83.7%	50 - 150%	
Chlorpyrifos	0.019	0.021	0.050	13.0%	37.6%	42.8%	50 - 150%	A5
Clofentezine	0.036	0.036	0.050	2.1%	72.8%	71.3%	50 - 150%	
Cyfluthrin	0.046	0.053	0.050	12.9%	92.3%	105.1%	50 - 150%	
Cypermethrin	0.042	0.042	0.050	1.9%	83.3%	84.9%	50 - 150%	
Daminozide	0.054	0.056	0.050	4.5%	107.3%	112.2%	50 - 150%	
Diazinon	0.034	0.034	0.050	0.1%	68.4%	68.4%	50 - 150%	
Dichlorvos	0.046	0.048	0.050	5.1%	91.7%	96.5%	50 - 150%	
Dimethoate	0.055	0.058	0.050	4.9%	109.6%	115.0%	50 - 150%	
Ethoprophos	0.048	0.049	0.050	2.3%	96.2%	98.5%	50 - 150%	
Etofenprox	0.028	0.030	0.050	6.7%	56.1%	59.9%	50 - 150%	
Etoxazole	0.026	0.028	0.050	8.9%	51.0%	55.8%	50 - 150%	
Fenoxycarb	0.046	0.048	0.050	3.6%	92.7%	96.1%	50 - 150%	
Fenpyroximate	0.032	0.033	0.050	4.0%	64.0%	66.6%	50 - 150%	
Fipronil	0.058	0.057	0.050	2.3%	116.3%	113.7%	50 - 150%	
Flonicamid	0.051	0.057	0.050	10.6%	102.9%	114.4%	50 - 150%	
Fludioxonil	0.056	0.062	0.050	10.6%	111.8%	124.4%	50 - 150%	
Hexythiazox	0.015	0.015	0.050	3.1%	29.5%	30.5%	50 - 150%	A5
Imazalil	0.049	0.050	0.050	1.8%	97.8%	99.6%	50 - 150%	
Imidacloprid	0.058	0.055	0.050	4.6%	115.2%	110.0%	50 - 150%	
Kresoxim-methyl	0.023	0.025	0.050	8.0%	46.7%	50.6%	50 - 150%	A5
Malathion	0.031	0.032	0.050	2.6%	62.0%	63.7%	50 - 150%	
Metalaxyl	0.051	0.051	0.050	1.2%	101.4%	102.6%	50 - 150%	
Methiocarb	0.051	0.052	0.050	2.4%	101.6%	104.0%	50 - 150%	
Methomyl	0.047	0.051	0.050	8.8%	93.8%	102.4%	50 - 150%	
Methyl-parathion	0.034	0.037	0.050	9.1%	67.4%	73.8%	50 - 150%	
MGK-264	0.018	0.018	0.050	1.4%	36.2%	36.7%	50 - 150%	A5
Myclobutanil	0.053	0.054	0.050	1.7%	105.3%	107.2%	50 - 150%	
Naled	0.042	0.041	0.050	2.7%	83.3%	81.1%	50 - 150%	
Oxamyl	0.051	0.057	0.050	10.3%	102.1%	113.3%	50 - 150%	
Paclobutrazol	0.053	0.053	0.050	0.3%	106.6%	106.3%	50 - 150%	
Permethrins	0.031	0.034	0.050	10.1%	61.3%	67.9%	50 - 150%	
Phosmet	0.016	0.017	0.050	4.9%	31.7%	33.2%	50 - 150%	A5
Piperonyl butoxide	0.032	0.034	0.050	4.6%	64.4%	67.4%	50 - 150%	
Prallethrin	0.034	0.035	0.050	4.3%	67.6%	70.5%	50 - 150%	
Propiconazole	0.070	0.068	0.050	2.0%	139.5%	136.8%	50 - 150%	
Propoxur	0.055	0.056	0.050	0.7%	110.5%	111.2%	50 - 150%	
Pyrethrins	0.017	0.018	0.050	4.2%	33.7%	35.2%	50 - 150%	A5
Pyridaben	0.030	0.032	0.050	6.1%	59.6%	63.4%	50 - 150%	
Spinosad	0.048	0.051	0.050	4.2%	97.0%	101.1%	50 - 150%	
Spiromesifin	0.035	0.036	0.050	2.3%	69.4%	71.1%	50 - 150%	
Spirotetramat	0.069	0.072	0.050	2.9%	138.9%	143.0%	50 - 150%	
Spiroxamine	0.053	0.054	0.050	0.6%	106.5%	107.1%	50 - 150%	
Tebuconazole	0.088	0.087	0.050	1.9%	176.6%	173.2%	50 - 150%	A5
Thiacloprid	0.058	0.056	0.050	4.3%	116.8%	111.9%	50 - 150%	
Thiamethoxam	0.053	0.054	0.050	0.3%	107.0%	107.3%	50 - 150%	
Trifloxystrobin	0.032	0.033	0.050	5.1%	63.7%	67.0%	50 - 150%	

Qualifiers	
A1	Duplicate Relative Percent Difference outside limits
A2	Duplicate result < 5 times LOQ, Duplicate result not applicable
A3	Duplicate RPD non-calculable, analyte outside analytical range
A4	Matrix Spike (MS) recovery outside acceptable limits. Only non-detected or less than LOQ results reported.
A5	Matrix interference affecting spike or surrogate recoveries
A6	Method Blank - Analyte detected, Only non-detected or less than LOQ results reported.
A7	Method Blank - Analyte detected, only sample results greater than 5 x's blank value reported.
A8	LCS recovery high, only non-detected results reported
A9	LCS result high, samples less than action limit reported, considered as passing (biased high).
A10	Quality control outside QC limits. Data acceptable based on remaining QC.
A11	QC outside control limits, results considered estimated
A12	QC failure. Only non detected result reported
A13	Compound not quantified, Screened for Action Limit Only

Disclaimer

The results within this report apply only to the product tested and batched under the batch number identified above. These test results are for the exclusive use of the above named individual or entity. This report must not be altered, and may not be reproduced, except in their entirety, without written consent of Juniper Analytics, LLC. Requests for information regarding these results should be referred to the aforementioned individual or entity.

Quality Control Results- Residual Solvents



Work Group ID: RS-2022-06-30-01
 Analysis Date: 2022-07-01

Instrument: GC/MS
 Method: SOP_JA.014

Solvent	Method Blank Results (ppm)	LCS Results (ppm)	LCS Spike Value (ppm)	LCS (% Recovery) (60-120% Acceptable)	LCS Duplicate RPD (+/-25% Acceptable)	Qualifiers
Propane	<LOQ	332.52	400	83.1%	3.3%	
iso-Butane	<LOQ	425.02	400	106.3%	1.3%	
n-Butane	<LOQ	359.84	400	90.0%	1.5%	
Methanol	<LOQ	384.89	400	96.2%	1.5%	
neo-Pentane	<LOQ	414.81	400	103.7%	1.2%	
Ethylene Oxide	<LOQ	309.22	400	77.3%	5.8%	
iso-Pentane	<LOQ	447.54	400	111.9%	1.4%	
n-Pentane	<LOQ	380.21	400	95.1%	4.9%	
IPA	<LOQ	409.51	400	102.4%	2.5%	
Ethyl ether	<LOQ	328.3	400	82.1%	4.2%	
2,2-dimethylbutane	<LOQ	444.81	400	111.2%	2.7%	
Acetone	<LOQ	418.11	400	104.5%	0.3%	
Acetonitrile	<LOQ	379.18	400	94.8%	1.3%	
2-methylpentane	<LOQ	879.29	800	109.9%	2.5%	
2,3-dimethylbutane	<LOQ	872.24	800	109.0%	2.5%	
Dichloromethane	<LOQ	381.58	400	95.4%	1.4%	
3-methylpentane	<LOQ	414.58	400	103.6%	0.8%	
n-hexane	<LOQ	349.15	400	87.3%	0.4%	
2-butanol	<LOQ	451.47	400	112.9%	0.6%	
Ethyl acetate	<LOQ	425.13	400	106.3%	1.5%	
Tetrahydrofuran	<LOQ	448.88	400	112.2%	1.5%	
Cyclohexane	<LOQ	425.65	400	106.4%	1.4%	
Isopropyl acetate	<LOQ	446.22	400	111.6%	0.3%	
Heptane	<LOQ	352.92	400	88.2%	3.9%	
Benzene	<LOQ	439.07	400	109.8%	0.4%	
Ethylene glycol	<LOQ	469.49	400	117.4%	1.5%	
2-Ethoxyethanol	<LOQ	469.26	400	117.3%	1.8%	
1,4-Dioxane	<LOQ	462.32	400	115.6%	0.3%	
Toluene	<LOQ	432.83	400	108.2%	1.1%	
Ethylbenzene	<LOQ	419.76	400	104.9%	3.4%	
m + p-Xylene	<LOQ	876.04	800	109.5%	2.5%	
o-Xylene	<LOQ	439.97	400	110.0%	0.9%	
Cumene	<LOQ	448.27	400	112.1%	1.0%	

LOQ = Limit of Quantification

Qualifiers	
A1	Duplicate Relative Percent Difference outside limits
A2	Duplicate result < 5 times LOQ, Duplicate result not applicable
A3	Duplicate RPD non-calculable, analyte outside analytical range
A4	Method Blank - Analyte detected, Only non-detected or less than LOQ results reported.
A5	Method Blank - Analyte detected, only sample results greater than 5 x's blank value reported.
A6	LCS recovery high, only non-detected results reported
A7	LCS recovery high, samples less than LOQ reported, considered as passing (biased high).
A8	LCS results low due to known volatility of compound. Results considered acceptable based on remaining QC.
A9	QC outside control limits, results considered estimated
A10	QC outside control limits. Only non detected result reported
A11	Compound not quantified, Screened for Action Limit Only

Disclaimer

The results within this report apply only to the product tested and batched under the batch number identified above. These test results are for the exclusive use of the above named individual or entity. This report must not be altered, and may not be reproduced, except in their entirety, without written consent of Juniper Analytics, LLC. Requests for information regarding these results should be referred to the aforementioned individual or entity.