

NU-WAVE

SCAFFOLDING SYSTEMS



Support US Manufacturing



QUALITY THAT TOWERS ABOVE THE REST



Welcome to Nu-Wave!

Exceptional Quality and Pride of Workmanship are Our Top Priorities!

Manufacturing in the USA means a stronger national economy, job growth and the success of American businesses. It also means we place a priority on Quality - Quality that we refuse to sacrifice in favor of a big name and big profits.

At Nu-Wave, our mission is to bring THE Highest Quality products of our kind to the national market so YOU can stand with confidence!

CONTENTS

Scaffolding	3
Scaffolding Accessories and Replacement Parts	4
Step-Up Mobile Work Stands	5
Extra-Wide Step-Up Mobile Work Stands	6
Step-Up Accessories and Replacement Parts	6
Drywall Carts	7
Lean Construction Material Handling Carts	8
Nu-Wave Green Cart Line	9
Dollies	11
Super Pro Lock Complete System	11
Specialty Items	12

MANUFACTURING IN INDIANAPOLIS, INDIANA

SCAFFOLDING

- Easily and quickly assembled by one person without tools
- Platform heights adjust in 4 inch increments in seconds
- Solid steel stack pins secure stacked units
- NO pins required to secure casters
- Ladders are drilled on both sides and Outriggers are interchangeable for easy assembly
- 29.5" Wide End Frame Access Ladders provide safe access to work platforms
- Narrow width allows for rolling through standard commercial doorways without dismantling
- Scaffolds may be stacked to a maximum of 18 ft. (THREE SECTIONS) when a set of 4 Outriggers and a Guardrail Kit with Toe Boards are installed
- Guardrail Kits and Outriggers sold separately

CAUTION: NEVER MIX COMPETITOR SCAFFOLD COMPONENTS WITH NU-WAVE PRODUCTS, AS THEY ARE NOT BUILT TO THE SAME STRENGTHS, TOLERANCES OR EXACT DIMENSIONS AS NU-WAVE PRODUCTS — OSHA REFERENCE: 1926.451(b)(10)

Nu-Wave Scaffolds Available in Classic and Elite Models

Both Models available in 4 ft., 6 ft., 8 ft. and 10 ft. lengths, and 4 ft. and 6 ft. heights



660CL/PC5B-S

Classic Scaffold w/Standard Caster



660CL/PIC-5

Classic Scaffold w/Heavy Duty Caster



660EL/PIC-5

Elite Scaffold w/Heavy Duty Caster



Classic Models come with brackets for manual Platform positioning



PC5B-S Classic 5" Locking Caster



PIC-5 Elite 5" Locking Heavy Duty Caster



Elite Models come with an automatic Platform positioning mechanism

SCAFFOLD ACCESSORIES AND REPLACEMENT PARTS

All Nu-Wave Classic and Elite Scaffold Components are 100% Interchangeable With Other Nu-Wave Scaffold Components

PP-6CL: Classic Platform
(also comes as PP-4CL, PP-8CL, PP-10CL)



PP-6EL: Elite Platform
(also comes as PP-4EL, PP-8EL, PP-10EL)



Bottom View of PP-6EL

PL-6: Scaffold Ladder
(Replacement Ladder for Both CL and EL Models)



CTB-100-4: Platform Brackets for Classic Models




PBP: Base Plate
(For use on CL and EL Models)



PL-1/2: Half Ladder
(Replacement Ladder for 1/2 Scaffold)



GK-6: Guardrail Kit
(Also comes as GK-4, GK-8, GK-10)




GKC-6: Guardrail Kit Complete
Includes toe boards and brackets
(Also comes as GKC-4, GKC-8, GKC-10)



PT-6: Scaffold Truss
(Also comes as PT-4, PT-8, PT-10)



GR-6: Guardrail
(Also comes as GR-4, GR-8, GR-10)



GRE-2C and GRE-2S: Guardrail End Frames with Midrail Chain or Solid Midrail



PO-100/4: Outriggers
Sold 4 to a Set
(Casters sold separately)



STEP-UPS

Nu-Wave Step-Ups now come in five sizes and serve as utility/material carts and/or convenient work stands. All Nu-Wave Step-Ups are made with 14 gauge Steel Platforms with a non-skid surface and come with Four 5" All Brake Casters. They fold flat for easy storage and convenient transport.



COMPACT

Folds for
easy transport
and storage



SU-4: 4 ft. STEP-UP WORKSTAND:

50.5" H x 48" L x 22" W
Load Capacity: 500 lbs.
Shipping Weight: 71 lbs.



SU-5: 5 ft. STEP-UP WORKSTAND:

61.5" H x 56" L x 25" W
Load Capacity: 600 lbs.
Shipping Weight: 90 lbs.



SU-6: 6 ft. STEP-UP WORKSTAND:

72.5" H x 56" L x 25" W
Load Capacity: 600 lbs.
Shipping Weight: 100 lbs.

EXTRA-WIDE STEP-UPS

**All the same step-up features, but Super-Sized!
They still fold flat, too!**



SU-4XW: 4 ft. EXTRA-WIDE STEP-UP:

FEATURES:

- 48" L x 30" W x 50-1/2" H
- Weight: 82 lbs.
- Distributed Load Capacity: 500 lbs.
- Comes with Extra Wide Frame, 3 Platforms and Four 5" All Brake Casters
- *Telescoping Handrail Sold Separately*



SU-5XW: 5 ft. EXTRA-WIDE STEP-UP:

FEATURES:

- 56" L x 30" W x 60-1/4" H
- Weight: 101 lbs.
- Distributed Load Capacity: 500 lbs.
- Comes with Extra Wide Frame, 3 Platforms and Four 5" All Brake Casters
- *Telescoping Handrail Sold Separately*

STEP-UP ACCESSORY/REPLACEMENT PARTS



STEP-UP TELESCOPING HANDRAIL:

Nu-Wave's Step-Up Telescoping Handrail may be used on all Nu-Wave Step-Up Models, regardless of size.



PIC-54
Step-Up Replacement Caster



PP-2: SU-4, SU-4XW Replacement Platform
(Also comes in PP-3 for the SU-5, SU-6, and PP-3XW for the SU-5XW)

DRYWALL CARTS

Nu-Wave Drywall Carts feature unitized tubular steel frame construction, capacities up to 3,000 lbs., electrostatic epoxy powder coating, and a choice of caster configurations and wheel materials to match your needs.



PD-1: Residential Cart:

Panel Glide can be ordered separately.
Smaller Design Moves Well in Limited Work Space
Inset Back Tube Frame
Hi-Tech Wheels
Platform Dimensions: 9" W x 39.25" L
Overall Dimensions: 47" H x 39.25" L x 17.75" W
Shipping Weight: 50 lbs. (w/o casters)



PD-2: Standard Drywall Cart:

Platform Dimensions: 43.5" L x 12" W
Overall Dimensions: 43.5" L x 22" W x 47" H
Shipping Weight: 50 lbs. (w/o casters)



PD-3: Standard Drywall Cart:

Platform Dimensions: 43.5" L x 12" W
Overall Dimensions: 47" H x 49.75" L x 22.5" W
Shipping Weight: 69 lbs. (w/o casters)



PD-4: Standard Drywall Cart:

Platform Dimensions: 43.5" L x 12" W
Overall Dimensions: 47" H x 49.75" L x 25" W
Shipping Weight: 75 lbs. (w/o casters)

PD-5: Standard Drywall Cart (Not Shown):

Platform Dimensions: 44" L x 12" W
Overall Dimensions in Standard Cart Mode:
44.75" H x 45" L x 24.75" W
Overall Dimensions in Flat Cart Mode:
14" H x 45" L x 35.25" W
Shipping Weight: 72 lbs. (w/o casters)

PPG-1 and PPG-2: Panel Glides sold separately

CASTER OPTIONS



PCHTR-8-S



PCHTS-8-S



PCHTS-8-S/HD



PCRR-8-S




PCRS-8-S



PPLR-S
Position Lock

LEAN CONSTRUCTION MATERIAL HANDLING CARTS



NWD-F66



NWD-F66: FLAT CART

If you've got a big job, this versatile cart will fit the need! Ideal for steel studs, ceiling grid, doors, tile, etc.

FEATURES:

- Load Capacity: 3,200 lbs.
- Comes with 8" Heavy Duty Hi-Tech Swivel Casters with Wheel Locks on All Casters
- Removable Upright Bars
- Weight: 112 lbs.
- Dimensions: 59.5" H x 71" L x 29" W (w/casters)
- Comes in Nu-Wave Green



NWD-F44


NWD-F44: FLAT CART

ALL THE SAME FEATURES ABOVE, JUST SMALLER:

- Weight: 84 lbs.
- Dimensions: 50.5" H x 49" L x 29" W (w/casters)

LEAN TREE ADAPTER

Both NWD F-66 and F-44 have modular vertical bars that are removable. The Lean Tree Adapter may be placed in the vertical bar slots making conversion simple. Fits Both Cart Sizes (Adapter Sold Separately)



MODULAR VERTICAL BARS



GREEN CART LINE



NWD-234 Drywall Cart
with Removable Material Kickers
(Material Kicker Shown here)



PCHTS-8-S/HD
Heavy Duty Caster



PCHTS-8-S/HD-WLK
Heavy Duty Caster
w/Wheel Lock

NWD-234: DRYWALL CART

FEATURES:

- Larger Wheel Base: 36.5" L x 18.5" W
- 12% Larger than the PD-2 & 3 and 8% Larger than the PD-4
- Larger Platform Deck: 43.75" L x 13" W 8% Larger than the PD-2, 3 & 4
- Bumper/Lifting Handles
- Load Capacity: 2,400 lbs.
- Optional Removable/Replaceable Material Kickers
- Choice of 4 Hi-Tech Swivel Casters or 4 Rubber-to-Metal Swivel Casters
- Comes in Nu-Wave Green

NWD-HD234: HEAVY DUTY CART

FEATURES:

Comes with all of the features of the NWD-234 listed above but with:

- 8" Heavy Duty Hi-Tech Swivel Casters (Shown left)
- Load Capacity: 3,000 lbs.

DEALER EDITION

NWD-R11/BP - RESIDENTIAL CART

Nu-Wave's newest residential cart now features the longest-lasting HD panel glide in the Industry!

FEATURES:

- Comes with an Installed Panel Glide for ease in loading and unloading sheets
- Four 8" Swivel Casters
- Load Capacity: 2,000 lbs.
- Weight: 62 lbs.
- Dimensions: 45" H x 40" L x 17" W
- Deck Dimension: 40" L x 9.25" W
- Comes in Nu-Wave Green



Visit us at: www.nuwavescaffold.com

NWD-R11: RESIDENTIAL CART

Nu-Wave's residential cart may be small but it's tough!

FEATURES:



- Comes with an Installed Panel Glide for ease in loading and unloading sheets
- Four 8" Swivel Casters
- Load Capacity: 2,000 lbs.
- Weight: 62 lbs.
- Dimensions: 45" H x 40" L x 17" W
- Deck Dimension: 40" L x 9.25" W

NWD-22XL: UTILITY CART



- Load Capacity: 3,200 lbs.
- Platform Dimensions: 48" L x 19" W
- Overall Dimensions: 47" H x 48" L x 29.25" W
- Weight: 102 lbs. w/casters; 78 lbs. w/o casters

NWD-22XL/RCB/PPG: UTILITY CART

All the features of the NWD-22XL with a Recessed Bumper and Panel Glide (Photo Not Shown)

NWD-FTV88: A-FRAME CART



- Heavy Duty Unitized Steel Frame/Powder Coated
- Approximately 8" Loading Area on Each Deck
- Panels may be loaded on both sides w/room between up-rights for other materials
- Cross-Bar Handles on Each End for Ease of Transport
- 1" High Lipped Edge on Both Decks for Load Retention
- Distributed Load Capacity: 2,400 lbs. w/Hi-Tech Swivel Casters or 3,200 lbs. w/Heavy Duty Hi-Tech Swivel Casters
- Overall Dimensions: 48" L x 30" W x 59-1/2" H
- Weight: 109 lbs. w/o casters
- 131 lbs. w/Hi-Tech Swivel Casters
- 133 lbs. w/Heavy Duty Hi-Tech Swivel Casters

NWD-F77HD: HEAVY DUTY CART



- Heavy Duty 1/8" Thick Steel Frame/Powder Coated
- Comes w/2 Removable Upright Bars that Fit in Any of 6 Positions Along Cart Frame (Additional Uprights Sold Separately)
- Will Accommodate Up to 6 Upright Bars
- Convenient Storage Brackets Keep Uprights Stored w/Cart When Not in Use
- Handles on Each End for Ease of Transport
- Distributed Load Capacity: 2,400 lbs. w/Hi-Tech Swivel Casters or 3,200 lbs. w/Heavy Duty Hi-Tech Swivel Casters
- Overall Dimensions: 53" L x 27" W x 49" H (w/Uprights and Casters Installed)
- Dimensions as Flat Cart: 53" L x 27" W x 11-1/2" H (w/ Uprights Stored in Storage Brackets)
- Weight: 60 lbs. w/Casters



DOLLIES



NWD-PD/1000: PANEL/DOOR DOLLY

- 10" Duraflex Cushion Rubber Wheels
- Heavy Duty Steel Construction/Powder-Coated Finish
- Ships Fully Assembled
- 1,000 lb. Weight Capacity

SPECS:
Dimensions: 13.25" H x 16" L x 10.5" W
(4.5" W Interior Channel)
Weight: 24 lbs.



NWD-HPD/1000: PANEL/DOOR DOLLY

- 10" Duraflex Cushion Rubber Wheels
- Heavy Duty Steel Construction/Powder-Coated Finish
- Twin Handles for Grasping or Strapping
- Ships Fully Assembled
- 1,000 lb. Weight Capacity

SPECS:
Dimensions: 10" H x 18" L x 10.5" W
(4" W Interior Channel)
Weight: 25 lbs.



NWD-SD/1400: STEEL DOLLY

FEATURES:

- Heavy Duty Steel Construction
- Durable Powder-Coated Finish
- Comes with Four 4" Black Polyethylene Swivel Casters
- 1,400 lb. Weight Capacity Per Unit

SPECS:
Dimensions: 8" H x 12.25" L x 12.25" W (w/wheels)
Weight: 33 lbs.

SPLC: SUPER PRO LOCK COMPLETE SYSTEM



FEATURES:

- Telescoping Handrails on Both Sides Provide Extra Safety
- 4 Mini Stabilizers widen the base to meet OSHA Standards.
- Reference 1926.452(w)(6)(i-v)(ii) Height of scaffold-to-base width ratio
- STABILIZERS MUST BE USED ON ALL NU-WAVE SUPER PRO LOCK SYSTEMS

WARNING: Use only on clean, level floors. Make sure toggle lever is fully engaged. Follow OSHA standards for scaffold construction and use. Failure to use as directed could cause serious injury.




SPECIALTY ITEMS



MBK-300: MATERIAL BRACKETS

FEATURES:

- Brackets hold ceiling grid, fluorescent lights, conduit, etc.
- For 4' Cross Tees the width of Scaffold/Mains on length of scaffold
- Installs easily over stack pins
- Can be used either on the length or width of the scaffold



TBX-200: Tool Box

FEATURES:

- UPS Shippable
- Large Capacity: 28" x 6.75" x 6.5"
- Constructed of 14 Ga. Steel for strength and durability
- Locates on ladder rung for easy installation
- Safety latch pin to hold in position



550CL: 550 Classic Scaffold

FEATURES:

- UPS Shippable; Non-Stackable
- Utilizes either PC5B-S or PIC-5 scaffold casters
- 24" Wide End Frame Access Ladders provide safe access to work platforms
- Narrow width allows for rolling through narrow places and doorways without dismantling.
- Assembles quickly without tools.
- Holes on both sides of end frame for ease of assembly
- One person can adjust platform heights in 4 in. increments in a matter of seconds.
- Load Capacity: 750 lbs.
- Platform: Large 1,305 sq. in. platform surface
- Dimensions: 5' H x 5' L x 2' W

CUSTOM COLORS AND ID BRANDING AVAILABLE

800-428-7200

customerservice@nuwavescaffold.com

www.nuwavescaffold.com

Nu-Wave Manufactures in Indianapolis, Indiana

