



PHI LIFE SCIENCES REQUISITION FORM - PGX

CLIA# 42D2114196
645 MEETING ST., SUITE 3, CHARLESTON, SC 29403
CLIA# 21D2158103
9430 KEY WEST AVE., #130 ROCKVILLE, MD 20850

AFFIX BAR CODE HERE

PATIENT INFORMATION

Last Name	First Name	M.I.	DOB (MM/DD/YYYY)
Street Address	City	State	Zip Code
Phone Number	Ethnicity	Race	Gender ☐ Male ☐ Female

FACILITY INFORMATION

Facility Name	Phone		
Address	City	State	Zip Code

PHYSICIAN INFORMATION

Name	Phone Number	NPI Number	
Address	City	State	Zip Code

PAYMENT OPTIONS / INSURANCE INFORMATION

Payment by: ☐ Self-Pay (check or credit card payment is required) ☐ Insurance (See Below)

Is the Patient the Primary Insurance Holder? ☐ Yes ☐ No If no, Primary Insurance Holder Name: _____

Primary Insurance Holder DOB: (MM/DD/YYYY) _____ Patient Relationship to Primary Insurance Holder (spouse, child, etc.) _____

Primary Insurance Carrier Name	Primary Policy ID#	Primary Policy Group#
--------------------------------	--------------------	-----------------------

Does the patient have a secondary insurance?
☐ Yes ☐ No

SPECIMEN INFORMATION

Collection Date (MM/DD/YYYY)	Collection Time ☐ AM ☐ PM	Initials
Test Type ☐ PGX	Swab Type ☐ Saliva	

COMPREHENSIVE

☐ GENERAL GENE PANEL

ABCG2, ANKK1/DRD2, Apolipoprotein E, COMT, CYP1A2, CYP2B6, CYP2C19, CYP2C9, CYP2D6, CYP3A4, CYP3A5, DPYD, DRD2, F2, F5, HTR2A, HTR2C, ITGB3, LPA, MTHFR, OPRM1, SLC01B1, TPMT, VKORC1

CARDIO & THROMBOSIS

☐ CARDIAC GENE PANEL

ABCG2, APOE, COMT, CYP1A2, CYP2C19, CYP2C9, CYP2D6, CYP3A4, CYP3A5, F2, F5, ITGB3, LPA, MTHFR, SLC01B1, VKORC1

PSYCHIATRY

☐ PSYCH GENE PANEL

ANKK1/DRD2, COMT, CYP1A2, CYP2B6, CYP2C19, CYP2C9, CYP2D6, CYP3A4, CYP3A5, HTR2A, HTR2C, MTHFR, OPRM1, SLC01B1, TPMT, VKORC1

INDIVIDUAL GENES

☐ ABCG2 ☐ APOLIPOPROTEIN E ☐ CYP1A2 ☐ CYP2C19 ☐ CYP2D6 ☐ CYP3A5 ☐ DPYD ☐ F2 ☐ HTR2A ☐ ITGB3 ☐ MTHFR ☐ SLC01B1 ☐ VKORC1
☐ ANKK1/DRD2 ☐ COMT ☐ CYP2B6 ☐ CYP2C9 ☐ CYP3A4 ☐ DAT1 ☐ DRD2 ☐ F5 ☐ HTR2C ☐ LPA ☐ OPRM1 ☐ TPMT

MEDICAL HISTORY (PLEASE ATTACH MEDICATION LIST)

ICD-10 Codes: PLEASE REFER TO PAGES 2-3 FOR ICD-10 CODES THAT MEET COVERAGE ELIGIBILITY

Current Medication List: (Attach clinical notes)

☐ Request pre-test genetic consultation
☐ Request post-test genetic consultation

PATIENT INFORMED CONSENT

Patient acknowledgment and authorization for insurance billing and report release: If I have provided my insurance information for direct insurance/3rd party billing: I hereby authorize my insurance benefits to be paid directly to Phi Life Sciences and authorize Phi Life Sciences to release medical information concerning my testing, including upon request my genetic testing results, to my insurer and any business associate of the insurer (TPB, TPA, etc.). I authorize Phi Life Sciences to be my Designated Representative for purposes of appealing any denial of health benefits. I understand that I am responsible for any amounts Phi Life Sciences bills directly to me, including amounts that my insurer determines are my responsibility after calculating deductibles, co-payments and co-insurance due under my policy. I understand that I am legally responsible for sending Phi Life Sciences any money received from my health insurance company for performance of this genetic test. If you would like to opt out of the use of your sample in research, please send a letter to Phi Life Sciences, 645 Meeting Street, Charleston, SC 29403. **Patient acknowledgment of provider-patient relationship:** I hereby confirm that I have an ongoing provider-patient relationship with the provider that ordered the testing services being conducted by Phi Life Sciences. It is my understanding that the test results provided by Phi Life Sciences to my provider will be utilized by my provider in the provision of healthcare services to me. **I affirm that I have given consent to my treating physician, to communicate with a specialist about the results of my genetic test, and I am aware of the applicable cost-sharing (applicable only if a genetic consultation is requested).**

PATIENT SIGNATURE: _____ DATE: _____

CONFIRMATION OF INFORMED CONSENT AND MEDICAL NECESSITY

Informed Consent and Statement of Medical Necessity: I hereby confirm that the test(s) are medically reasonable and necessary for the diagnosis, treatment of illness or injury, and/or plan of care for the patient. I further hereby confirm that I have an ongoing provider-patient relationship with the patient, and that the test results provided by Phi Life Sciences will be utilized in the provision of healthcare services to the patient. I further hereby confirm that the information has been supplied about genetic testing and that an appropriate Phi Life Sciences informed consent has been signed by the patient and is on file with the ordering healthcare professional. **I would like to have an independent medical geneticist review and provide advice on my patients' genetic test results. To opt-out, check here ☐.**

PHYSICIAN SIGNATURE: _____ DATE: _____

PGx ICD-10 CODES - TABLE 1 (PRIMARY CODES)

THE ICD-10 CODES IN TABLE 1 CAN BE USED AS STAND ALONE CODES OR PAIRED WITH ANY OF THE ICD-10'S IN TABLE 2

ICD-10 Code	DESCRIPTION	ICD-10 Code	DESCRIPTION
☐ F20.0	Paranoid schizophrenia	☐ I21.09	ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall
☐ F20.1	Disorganized schizophrenia	☐ I21.11	ST elevation (STEMI) myocardial infarction involving right coronary artery
☐ F20.2	Catatonic schizophrenia	☐ I21.19	ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall
☐ F20.3	Undifferentiated schizophrenia	☐ I21.29	ST elevation (STEMI) myocardial infarction involving other sites
☐ F20.5	Residual schizophrenia	☐ I21.4	Non-ST elevation (NSTEMI) myocardial infarction
☐ F20.81	Schizophreniform disorder	☐ I21.A1	Myocardial infarction type 2
☐ F31.0	Bipolar disorder, current episode hypomanic	☐ I21.A9	Other myocardial infarction type
☐ F31.11	Bipolar disorder, current episode manic without psychotic features, mild	☐ I24.0	Acute coronary thrombosis not resulting in myocardial infarction
☐ F31.12	Bipolar disorder, current episode manic without psychotic features, moderate	☐ I24.1	Dressler's syndrome
☐ F31.13	Bipolar disorder, current episode manic without psychotic features, severe	☐ I25.110	Atherosclerotic heart disease of native coronary artery with unstable angina pectoris
☐ F31.2	Bipolar disorder, current episode manic severe with psychotic features	☐ I25.111	Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm
☐ F31.31	Bipolar disorder, current episode depressed, mild	☐ I25.118	Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris
☐ F31.32	Bipolar disorder, current episode depressed, moderate	☐ I25.710	Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris
☐ F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features	☐ I25.711	Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm
☐ F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features	☐ I25.718	Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris
☐ F31.61	Bipolar disorder, current episode mixed, mild	☐ I25.720	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris
☐ F31.62	Bipolar disorder, current episode mixed, moderate	☐ I25.721	Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm
☐ F31.63	Bipolar disorder, current episode mixed, severe, without psychotic features	☐ I25.728	Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris
☐ F31.64	Bipolar disorder, current episode mixed, severe, with psychotic features	☐ I25.730	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris
☐ F31.71	Bipolar disorder, in partial remission, most recent episode hypomanic	☐ I25.731	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm
☐ F31.73	Bipolar disorder, in partial remission, most recent episode manic	☐ I25.738	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris
☐ F31.75	Bipolar disorder, in partial remission, most recent episode depressed	☐ I25.750	Atherosclerosis of native coronary artery of transplanted heart with unstable angina
☐ F31.77	Bipolar disorder, in partial remission, most recent episode mixed	☐ I25.751	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm
☐ F32.1	Major depressive disorder, single episode, moderate	☐ I25.758	Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris
☐ F32.2	Major depressive disorder, single episode, severe without psychotic features	☐ I25.760	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina
☐ F32.3	Major depressive disorder, single episode, severe with psychotic features	☐ I25.761	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm
☐ F32.4	Major depressive disorder, single episode, in partial remission	☐ I25.768	Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris
☐ F33.1	Major depressive disorder, recurrent, moderate	☐ I25.790	Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris
☐ F33.2	Major depressive disorder, recurrent severe without psychotic features	☐ I25.791	Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm
☐ F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms	☐ I25.798	Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris
☐ F33.41	Major depressive disorder, recurrent, in partial remission		
☐ F41.0	Panic disorder [episodic paroxysmal anxiety]		
☐ F43.11	Post-traumatic stress disorder, acute		
☐ F43.12	Post-traumatic stress disorder, chronic		
☐ F60.5	Obsessive-compulsive personality disorder		
☐ F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type		
☐ F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type		
☐ F90.2	Attention-deficit hyperactivity disorder, combined type		
☐ F90.8	Attention-deficit hyperactivity disorder, other type		
☐ I20.0	Unstable angina		
☐ I20.1	Angina pectoris with documented spasm		

PGx ICD-10 CODES - TABLE 2 (SECONDARY CODES)

THE ICD-10 CODES IN TABLE 2 ARE NOT STAND ALONE. THEY MUST BE PAIRED WITH 1 OR MORE ICD-10 CODES IN TABLE 1

ICD-10 Code	DESCRIPTION	ICD-10 Code	DESCRIPTION
☐ F20.89	Other schizophrenia	☐ I25.701	Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm
☐ F40.11	Social phobia, generalized	☐ I25.708	Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris
☐ F41.1	Generalized anxiety disorder	☐ I25.709	Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris
☐ F41.3	Other mixed anxiety disorders	☐ I25.719	Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris
☐ F41.8	Other specified anxiety disorders	☐ I25.729	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris
☐ I20.8	Other forms of angina pectoris	☐ I25.739	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris
☐ I20.9	Angina pectoris, unspecified	☐ I25.759	Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris
☐ I21.3	ST elevation (STEMI) myocardial infarction of unspecified site	☐ I25.769	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris
☐ I21.9	Acute myocardial infarction, unspecified	☐ I25.799	Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris
☐ I24.8	Other forms of acute ischemic heart disease	☐ T88.7xxA	Adverse Drug Reaction
☐ I24.9	Acute ischemic heart disease, unspecified		
☐ I25.119	Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris		
☐ I25.700	Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris		

PHI LIFE SCIENCES - GENES - GENERAL PGx

GENE	CPT CODE	GENERIC NAME	TRADE NAME(S)
CYP2C19	81225	☐ brivaracetam	☐ Briviact
CYP2C19	81225	☐ clobazam	☐ Onfi
CYP2C19	81225	☐ citalopram	☐ Celexa
CYP2C19	81225	☐ escitalopram	☐ Lexapro
CYP2C19	81225	☐ sertraline	☐ Zoloft
CYP2C19	81225	☐ amitriptyline	☐ Elavil
CYP2C19	81225	☐ clomipramine	☐ Anafranil
CYP2C19	81225	☐ doxepin	☐ Silenor
CYP2C19	81225	☐ imipramine	☐ Tofranil
CYP2C19	81225	☐ trimipramine	☐ Surmontil
CYP2C19	81225	☐ voriconazole	☐ Vfend
CYP2C19	81225	☐ flibanserin	☐ Addyl
CYP2C19	81225	☐ clopidogrel	☐ Plavix
CYP2C19	81225	☐ dexlansoprazole	☐ Dexilant
CYP2C19	81225	☐ lansoprazole	☐ Prevacid
CYP2C19	81225	☐ omeprazole	☐ Prilosec
CYP2C19	81225	☐ pantoprazole	☐ Protonix
CYP2D6	81226	☐ carvedilol	☐ Coreg
CYP2D6	81226	☐ propafenone	☐ Rythmol
CYP2D6	81226	☐ fluvoxamine	☐ Luvox
CYP2D6	81226	☐ paroxetine	☐ Paxil
CYP2D6	81226	☐ venlafaxine	☐ Effexor
CYP2D6	81226	☐ vortioxetine	☐ Trintellix ☐ Brintellix
CYP2D6	81226	☐ amitriptyline	☐ Elavil
CYP2D6	81226	☐ clomipramine	☐ Anafranil
CYP2D6	81226	☐ desipramine	☐ Norpramin
CYP2D6	81226	☐ doxepin	☐ Silenor
CYP2D6	81226	☐ imipramine	☐ Tofranil
CYP2D6	81226	☐ nortriptyline	☐ Pamelor ☐ Aventyl
CYP2D6	81226	☐ trimipramine	☐ Surmontil
CYP2D6	81226	☐ meclizine	☐ Antivert
CYP2D6	81226	☐ ondansetron	☐ Zofran ODT
CYP2D6	81226	☐ tropisetron	☐ Topisetron
CYP2D6	81226	☐ gefitinib	☐ Iressa
CYP2D6	81226	☐ tamoxifen	☐ Soltamox ☐ Nolvadex
CYP2D6	81226	☐ aripiprazole	☐ Abilify
CYP2D6	81226	☐ aripiprazole lauroxil	☐ Aristrada
CYP2D6	81226	☐ brexpiprazole	☐ Rexulti
CYP2D6	81226	☐ clozapine	☐ Clozaril ☐ Versacloz ☐ FazaClo ODT
CYP2D6	81226	☐ iloperidone	☐ Fanapt

GENE	CPT CODE	GENERIC NAME	TRADE NAME(S)
CYP2D6	81226	☐ perphenazine	☐ Trilafon ☐ Etrafon ☐ Triavil ☐ Triptafen
CYP2D6	81226	☐ pimozide	☐ Orap
CYP2D6	81226	☐ thioridazine	☐ Mellaril ☐ Melleril
CYP2D6	81226	☐ amphetamine	☐ Evekeo ☐ Dyanavel XR ☐ Adzenys XR-ODT
CYP2D6	81226	☐ atomoxetine	☐ Strattera
CYP2D6	81226	☐ metoclopramide	☐ Reglan ☐ Metozolv ODT
CYP2D6	81226	☐ eliglustat	☐ Cerdelga
CYP2D6	81226	☐ deutetrabenazine	☐ Austedo
CYP2D6	81226	☐ tetrabenazine	☐ Nitoman, Xenazine
CYP2D6	81226	☐ pitolisant	☐ Wakix
CYP2D6	81226	☐ codeine	☐ Nalex AC ☐ BroveX CB ☐ BroveX CBX ☐ EndaCof-AC
CYP2D6	81226	☐ oliceridine	☐ Olinvyk
CYP2D6	81226	☐ tramadol	☐ Ultram
CYP2D6	81226	☐ lofexidine	☐ Lucemyra
CYP2D6	81226	☐ cevimeline	☐ Evoxac
CYP2D6	81226	☐ tolterodine	☐ Detrol
CYP2D6	81226	☐ valbenazine	☐ Ingrezza
CPY2C9	81227	☐ warfarin	☐ Coumadin ☐ Jantoven
CPY2C9	81227	☐ fosphenytoin	☐ Cerebyx
CPY2C9	81227	☐ phenytoin	☐ Dilantin
CPY2C9	81227	☐ dronabinol	☐ Marinol
CPY2C9	81227	☐ erdafitinib	☐ Balversa
CPY2C9	81227	☐ siponimod	☐ Mayzent
CPY2C9	81227	☐ celecoxib	☐ Celebrex
CPY2C9	81227	☐ flurbiprofen	☐ Ansaid ☐ Ocufen ☐ Strepfen
CPY2C9	81227	☐ lornoxicam	☐ Xefo ☐ Xafon ☐ Lorcam ☐ Acabel
CPY2C9	81227	☐ meloxicam	☐ Mobic
CPY2C9	81227	☐ piroxicam	☐ Feldene
CPY2C9	81227	☐ tenoxicam	☐ Mobiflex
DPYD	81232	☐ capecitabine	☐ Xeloda
DPYD	81232	☐ fluorouracil	☐ Aducril
TPMT	81335	☐ azathioprine	☐ Azasan
TPMT	81335	☐ mercaptopurine	☐ Purixan
TPMT	81335	☐ thioguanine	☐ Tabloid