

Bayntons Reptiles

Parasites & Panacur



Panacur is packaged for use in horses however, herpetologists and reptile enthusiasts have been using this product for years with great success.

Vets recommend a dose of 50-100 mg/kg, once every two weeks for reptiles, until a negative faecal is obtained. This usually takes 2-3 doses.

Side effects from Panacur are low and almost unheard of.

PANACUR WILL TREAT:

- Pinworms
- Hookworms
- Hepatic worms
- Roundworms
- Strongyles
- Pentastmoids

TO CALCULATE THE DOSAGE:

- Get weight of reptile (in grams)
- Multiply weight (in grams) by .0005 (**for 50mg/kg dosage**)
- Or multiply by .001 (**for 100 mg/kg dosage**)
- ***Or use the chart on the following page by determining the weight of your reptile in grams, and then by using the chart to determine the dosage.***



PANACUR 50 mg/kg (low) dose	
Reptile weight in grams	Dose in cc's/ml's
50	0.03
75	0.04
100	0.05
125	0.06
150	0.08
175	0.09
200	0.1
225	0.11
250	0.13
275	0.14
300	0.15
325	0.16
350	0.18
375	0.19
400	0.2
425	0.21
450	0.23
475	0.24
500	0.25
525	0.26
550	0.28
575	0.29
600	0.3

PANACUR 100 mg/kg (high) dose	
Reptile weight in grams	Dose in cc's/ml's
50	0.05
75	0.08
100	0.1
125	0.13
150	0.15
175	0.18
200	0.2
225	0.23
250	0.25
275	0.28
300	0.3
325	0.33
350	0.35
375	0.38
400	0.4
425	0.43
450	0.45
475	0.48
500	0.5
525	0.53
550	0.55
575	0.58
600	0.6

Bayntons Reptiles
Reptile Breeder and Supplier

PHONE: 0435 070 830

EMAIL: bayntonreptiles@gmail.com

FACEBOOK: www.facebook.com/BayntonReptiles

