



ROW
24

ROW
35

ROW
22

TRANSFORM SHELVING INTO A HIGH-DENSITY STORAGE SOLUTION



Stop storing air!

- Replace inefficient shelving as your only storage solution
- Increase storage capacity by as much as **50% or more**
- Improve retrieval time of key parts
- Upgrade to a high-density storage solution for a fraction of the cost of replacing your existing shelving

Increase storage capacity by **as much as 50% or more** by storing smaller items in Shelf Converter® System drawers. Or use your space savings to reclaim needed floor space.

Please contact your Lista representative for more information about the new shelf converter storage solution.



SHELF CONVERTER® SYSTEM FEATURES

Key features

- High density:** With Lista® drawers, you use the full cubic capacity of your storage space.
- Drawer subdividing system:** Lista® extensive selection of drawer partitioning accessories allows you to create compartments that exactly fit what you're storing.
- 400lb or 200lb full extension drawers:** Lista® drawers stand up to the challenge of even the heaviest storage needs,* holding up to 440 lbs (3" drawer as only 200lb capacity) per drawer, even when fully extended.
- The perfect solution for retrofitting into existing industrial shelving:** Fits a number of standard shelving brands, including Metalware, Penco Clipper, Rousseau Spider, Tennsco Q-Line and Western Pacific Deluxe.
- Right-sized storage:** Store small-to-medium sized items in drawers, large bulky items on shelves.
- Easy installation:** Just attach our unique frame system to your shelving uprights, insert drawer tracks and pop in the drawers.
- Expandability:** As your storage needs change, the Shelf Converter® System can be removed and re-installed, or added to.
- Drawer labeling system:** Using our unique hinged drawer handles and free Lista® Script software, you always know where everything is.
- Ideal for a number of industries and uses:** The perfect solution in a wide range of manufacturing settings, maintenance and repair operations and parts cribs, as well as a lower-cost retrofit for automotive parts departments.

**Do not exceed the maximum storage capacity of your shelving. If total drawer loads for a Shelf Converter® unit will exceed.*

Shelf Converter® Sizes

WIDTHS	DEPTHs	DRAWER HEIGHTS
30"	18"	3"
36"	24"	4"
42"		5"
48"		6"
		7"
		8"

Drawer Capacity

200LB	200LB OR 400LB
3"	4"
	5"
	6"
	7"
	8"
	Trays



With traditional shelf storage (left side), you end up storing a lot of air. Smaller items make poor use of cubic space when stored on shelves, and are difficult to locate and keep track of. With the Shelf Converter® System (right side), you can store small-to-medium sized items in high-density drawers and larger items on shelves, where they belong.



Compare the disorganized, inefficient storage in this auto dealership parts department (left) with organized storage using the Shelf Converter® System of shelving drawer inserts (right).

NOTE: Lista does not recommend installing a Shelf Converter unit in a stand-alone shelving section.

COMPUTER CABINET FEATURES AND OPTIONS

Lista's computer cabinet is packed with powerful features

- Air intake fan with guard and fine filter (replaceable from the outside) creates positive pressure, eliminates dust and possible damage to electrical components
- Large keyboard tray with hinged front gate allows space for mouse
- Monitor door has clear plexiglas window for visibility and protection
- Retractable door option for convenient access to touch screen monitors
- Monitor and lower door locks are keyed alike
- Lower sections provide secure storage for CPU and printer—printer tray extends for ease of access
- Surge suppressor protects equipment and hardware using advanced circuitry, eliminates dangers caused by surges, spikes and EMI/RFI noise
- 6 ½" wide rear access panel for ease of connection and routing of cables
- Several base options available
- Optional fan for lower section of cabinet
- Optional exterior folding shelf for additional storage



A technician accesses a Lista computer cabinet which houses a diagnostic computer. The computer cabinet's mobility allows it to be relocated within the department as needed.



COMPUTER CABINET EASY-ORDER COMBINATION AND ACCESSORIES

Easy-Order Computer Cabinet Combination

Easy-Order computer cabinet comes with:


- Hinged upper section door with plexiglas window (opening for monitor is 24" wide x 19 1/2" high x 24" deep)
- Double hinged lower section doors
- Keyboard tray with hinged front gate
- Printer tray
- Bottom shelf
- Back access panel
- Cord channel/outlet strip
- Upper fan

Other options and accessories to augment cabinets must be ordered from the charts to the right.

28 1/4" WIDE X 57 1/8" HIGH X 29 1/2" DEEP

PART NO.

CWS1350-



A mobile computer cabinet is paired with a mobile industrial workbench in Toyota Racing Development's machine shop.

How to order an Easy-Order Computer Cabinet

1. Select Easy-Order Computer Cabinet combination.

2. Select base type.

NB = none

FT = fork truck

2FB = 2" frame base

4FB = 4" frame base

6FB = 6" frame base

4B = 4" mobile base

6B = 6" mobile base

2LB = 2" leveling base

4LB = 4" leveling base

6LB = 6" leveling base

For base descriptions, see SC cabinet bases on page 42-65.

3. Select lock type.

RG = individual

KA = keyed-alike

MA = master

For additional lock options, see page 82-83.

4. Select paint color. For color chart, see inside back cover.

EXAMPLE: to order a CWS1350 cabinet with a fork truck base, an individual lock and Bright Blue paint, the part number would be

CWS1350-FTRGBB.



Retractable Door

Door slides out and back for access to monitor. Provides convenient access to touch screens. Reduces opening height by 2 1/2".

PART NO.

RD525/SC-P

Folding Shelves

Shelf can be mounted on either the left or right side of cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 28 1/2" deep.

PART NO.

FS-36DX15-L

MOUNTS TO

left side

FS-36DX15-R

right side

Electrical and Fan Options

PART NO.	DESCRIPTION
FAN-CWS	second fan for lower section
CWS-OUT/36U	second outlet strip and bracket

Mobile Handles

Handles are mounted to either the side or front of cabinet. Cabinets are pre-drilled and handles are mounted in the field. Hardware included. For descriptions, see page 108.

PART NO. DESCRIPTION

HSG-HNDL/36 side push metal handle

MHAN front push plastic handles (pair)

CONTROL STATIONS

The secure, durable and flexible Lista Control Station is ideal for meeting the needs of a wide array of manufacturing floor applications:

- Quality station or foreman's workstation on the manufacturing floor
- Gauging station on an automotive assembly line
- Line supervisor's station in an assembly plant
- Shipping dock

This unique combination of a workbench, bookshelf and cabinet offers a private, protected, lockable workspace with organized storage and ready access to manuals and tools. The work area features a pegboard and one or two bookshelves. The Control Station is available in two heights – 91 1/2" or 99 3/8" tall.

The Control Station is available in all Lista paint colors (see inside back cover); the tambour door is available in dove gray only.



The Control Station features a slide-down tambour door that can be locked at the desktop or at the base of the station.



Model CS2200/5

EASY-ORDER CONTROL STATION COMBINATIONS

The Control Station is available in 3 Easy-Order configurations. These 3 models are designed to accommodate the broadest range of Control Station sizes and features.

Basic Control Station

60 1/4" wide x 29 3/4" deep

Equipped as shown with lockable tambour door, bookshelf, pegboard, fluorescent light and 1 3/4" thick butcher block counter top. A variety of optional stationary and mobile cabinets can be placed under the counter top; see the cabinet section of this catalog to select the cabinet size that best fits your needs.

Control Station – Configurable

60 1/4" wide x 29 3/4" deep




Equipped as shown with lockable tambour door, bookshelf, pegboard, fluorescent light, 1 3/4" thick butcher block counter top and a 750 height framework for SC Standard Width drawers. To select drawers for the framework, see page 69-71.

Control Station – Pre-configured

60 1/4" wide x 29 3/4" deep

Equipped as shown with lockable tambour door, bookshelf, pegboard, fluorescent light, 1 3/4" thick butcher block counter top and a 750 height Standard Width framework, containing 1 each of the following height drawers:

- 75F (2")
- 100F (3")
- 125F (4")
- 150F (5")
- 300F-FFH (11") drawer with a letter-size file folder hanger (see photo to right).



Basic Control Station

PART NO.	HEIGHT	NO. OF BKSHV.	PEGBOARD HEIGHT
CS2000-AL	91 1/2"	1	18"
CS2200-AL	99 3/8"	2	15"

WITHOUT TAMBOUR DOOR

CS2000-ND	78 3/4"	1	18"
CS2200-ND	86 5/8"	2	15"

Control Station – Configurable

PART NO.	HEIGHT	NO. OF BKSHV.	PEGBOARD HEIGHT
CS2000/1-AL	91 1/2"	1	18"
CS2200/1-AL	99 3/8"	2	15"

WITHOUT TAMBOUR DOOR

CS2000/1-ND	78 3/4"	1	18"
CS2200/1-ND	86 5/8"	2	15"

Control Station – Pre-configured


PART NO.	HEIGHT	NO. OF BKSHV.	PEGBOARD HEIGHT
CS2000/5-AL	91 1/2"	1	18"
CS2200/5-AL	99 3/8"	2	15"

WITHOUT TAMBOUR DOOR

CS2000/5-ND	78 3/4"	1	18"
CS2200/5-ND	86 5/8"	2	15"



The Control Station's work area offers protection from dust and dirt for your expensive computer equipment, instruments and gauges. The Station's pegboard and bookshelves let you keep manuals and tools close at hand. The worksurface height at the butcher block top is 35 1/4".



The Control Station's storage cabinets can be outfitted with modular drawers in a variety of sizes. Drawers can be configured for compartmentalized storage of tools and parts, or to hold hanging files.

SINK CABINETS

Sink cabinet includes a cabinet housing, flush door or double flush doors, a bottom shelf, and cut-outs for sink and plumbing. Does not include counter top or sink basin.

How to order an Easy-Order Sink Cabinet

1. Select a cabinet from the charts to the right.

2. **■ Select base type.**

- FT** = fork truck
- PT** = pallet truck
- 2FB** = 2" frame
- 2LB** = 2" leveling base
- 4LB** = 4" leveling base
- 6LB** = 6" leveling base

3. **■ Select lock type.**

- RG** = individual
- KA** = keyed-alike
- MA** = master

For additional lock options, see pages 82-83.

4. **□ Select paint color.** For color chart, see inside back cover.

EXAMPLE: to order an MW750SINK sink cabinet with a fork truck base, an individual lock and Bright Blue paint, the part number would be **MW750SINK-FTRGBB**.



FILE DRAWER CABINET

File drawer cabinet housing is 16 7/8" (428mm) wide x 28 1/2" (725mm) deep. Drawers are full extension with 165 lb. (75kg) maximum load capacity. For letter-sized files only.

How to order an Easy-Order File Drawer Cabinet

1. Select file drawer cabinet combination.

2. **■ Select base type.**

- NB** = none
- 2FB** = 2" frame base
- 4FB** = 4" frame base
- 2LB** = 2" leveling base
- 4LB** = 4" leveling base

3. **■ Select lock type.**

- NL** = none
- RG** = individual
- KA** = keyed-alike
- MA** = master
- KP** = keypad

For additional lock options, see pages 82-83.

4. **□ Select paint color.** For color chart, see inside back cover.

EXAMPLE: to order an NW0900-0301N file cabinet with a 2" frame base, an individual lock and Bright Blue paint, the part number would be **NW0900-0301N-2FBRGBB**.



Sink Cabinets – Flush Door

PART NO.	HOUSING	HEIGHT*
28 1/4" WIDE X 28 1/2" DEEP		
SC750SINK-■□ SC	SC	33 1/2"
SC900SINK-■□ SC	SC	39 3/8"

28 1/4" WIDE X 22 1/2" DEEP

ST750SINK-■□ ST	ST	33 1/2"
ST900SINK-■□ ST	ST	39 3/8"

*does not include height of counter top or base

Sink Cabinets – Double Flush Door

PART NO.	HOUSING	HEIGHT*
47" WIDE X 28 1/2" DEEP		
MW750SINK-■□ MW	MW	33 1/2"
MW900SINK-■□ MW	MW	39 3/8"

56 1/2" WIDE X 28 1/2" DEEP

DW750SINK-■□ DW	DW	33 1/2"
DW900SINK-■□ DW	DW	39 3/8"

40 1/4" WIDE X 22 1/2" DEEP

HS750SINK-■□ HS	HS	33 1/2"
HS900SINK-■□ HS	HS	39 3/8"

*does not include height of counter top or base

DRAWER HT.

11" (300N-FFH)

11" (300N-FFH)

PART NO.

DRWS. HT.

NW0600-0201N-■□	2	27 1/2"
-----------------	---	---------

DRAWER HT.

11" (300N-FFH)

11" (300N-FFH)

11" (300N-FFH)

PART NO.

DRWS. HT.

NW0900-0301N-■□	3	39 3/8"
-----------------	---	---------

DRAWER HT.

11" (300N-FFH)

11" (300N-FFH)

11" (300N-FFH)

PART NO.

DRWS. HT.

NW1200-0401N-■□	4	52 3/16"
-----------------	---	----------

MEZZANINES AND STACKED CABINETS

Lista Storage Wall® Systems (see pages 138-149) and stacked cabinets serve as ideal mezzanine supports. Our technical support and design team can help you determine the option that best suits your space and needs.

Stacked cabinets

With their all-steel construction, Lista cabinets can be stacked to help you maximize your floor space. You can rapidly re-arrange storage layouts to suit your changing needs.



When Osram Sylvania needed to relocate a 3,300 square foot stockroom into a 1,500 square foot space, a mezzanine was the answer. The company combined new Lista cabinet housings and drawers with existing Lista cabinets to create this space- and money-saving solution.



To add a second level of storage space without adding an additional floor to their maintenance area, Gulf States Paper Corp. utilizes a mezzanine system. The system is home to 49 sets of stacked cabinets.



Storage Walls Systems and stacked cabinets lend themselves to a variety of mezzanine configurations that take advantage of all available height. Examples pictured here are (clockwise from top) installations at a utility maintenance department, an aircraft repair facility and an automotive manufacturing plant.