


Dry Environments

Crown offers top-performing dry area floor mats for virtually any application.

From Industrial assembly lines to work stations and packing areas, these mats are designed and manufactured to provide outstanding support against muscular fatigue, as well as aid in the ongoing efforts to make every commercial environment as safe as possible for your workforce. In addition, our Fusion Technology, which permanently bonds two surfaces without the use of glue or adhesive, provides unmatched durability.

With both traditional and made-to-finish products, you won't find a more versatile selection anywhere.





As resilient as your workforce. As tough as your workplace.

Zedlan foam is the byproduct of two scientists' mission to develop a foam, hard-wearing enough to withstand the harshest environments, yet resilient enough to support the ergonomic needs of your workforce. With three-times the "bounce" of standard vinyl foam, our patented Zedlan foam truly defines high-performance for the industry.

Strong. Resilient. Safe. Three critical matting features that can dramatically influence the success your workforce and your business. Zedlan foam was developed with these workplace imperatives in mind. Here's how we back it up:

- **Strong** - Zedlan foam outwears similar products by nearly three to one
- **Resilient** - Zedlan foam has three times the bounce of traditional anti-fatigue products
- **Safe** - combined with our exclusive slip resistant technology, Zedlan foam offers superior traction compared to standard foam products

Zedlan foam. Just one more way we support our customers by developing industry leading products that support their workforce.

TAILORED SOLUTIONS

Heavy machinery and concrete floors don't move easily, so we've made our mats hard-wearing and easy to work with. From custom cut and finish, to adaptable and expandable "build to suit" products, we've got you and your floors covered.

Our commitment to providing the right solution for unique environments means our products can be produced in a vast variety of configurations, cuts-outs, and shapes (including angles and semi-circles) as well as seamed for larger-width offerings. We've also developed optional nosing for many of our products, providing even more design choices to meet even the most elaborate environmental challenges. Crown's Total Customization offering provides a turn-key approach to a tailored matting solution you simply won't find anywhere else. If you have a matting challenge you've been working hard to resolve, give us a call. We're here to help, and we're pretty confident we can.



Look for the Zedlan Foam icon in this catalog to identify products containing our patented formulation.



Exclusive technology that permanently bonds two surfaces without use of glues or adhesives.



The Spark Resistant icon indicates FMVSS302 certified products.



The Anti-Static icon indicates static dissipative resistivity



Contains recycled content



The D.I.N.P Free icon indicates products that comply with the State of California's Proposition 65 regulations.



Our Slip-Resistant icon indicates foam products coated with our unique slip-resistant formulation to provide additional safety benefits.



The Oily Areas icon indicates products that have been approved for use in certain oily environments. Please see the chemical resistance guide on page 25.



The High Voltage icon indicates Non-Conductive High- Voltage applications



The ThermoGrip icon indicates products with our exclusive red backing, which provides an anti-microbial solution.



Exclusive ThermoFlex technology offers increased durability and allows for customization.




Our Logo icon indicates matting that is part of our custom logo program.



The Gray ThermoGrip icon indicates products with our exclusive black ThermoGrip backing, which provides an anti-microbial solution.

#531/#541 Workers-Delight Spiffy Vinyl

DRY AREA



FEATURES

- Puncture resistant PVC top surface allows for better durability and stability
- Patented Zedlan foam combined with our fusion technology creates an unmatched level of durability and comfort
- New slip resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- Use for finishing stations, assembly station, work stations and pharmacies
- 25% Recycled content

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12'

Rolls Sizes: 2' x 60' 3' x 60' 4' x 60'

Total Customization: 2', 3', 4' widths

Thickness:

#531 - Standard - 9/16"

#541 - Supreme - 5/8"


Colors: Black, French Gray

WARRANTY

Total Confidence



Vinyl top surface




Zedlan foam with slip-resistant coating



Rounded corners and beveled edges

#530/#540/#550 Workers-Delight Deck Plate

DRY AREA



FEATURES

- Deck plate PVC surface offers comfort and durability
- Patented Zedlan foam combined with our fusion technology creates an unmatched level of durability and comfort
- New slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- Use for assembly lines, work stations, cart traffic areas, finishing stations or assembly stations
- Up to 25% recycled content

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12' 4' x 6' 4' x 12'

Roll Sizes: 2' x 75' 3' x 75' 4' x 75'

Total Customization: 2', 3', 4' widths

Thickness:

#530 - Standard - 9/16"

#540 - Supreme - 5/8" (25% recycled content)

#550 - Ultra - 7/8" provides 25 % more comfort (20% recycled content)

Colors: Black & Yellow, Gray, Black

WARRANTY

Total Confidence



Deck plate PVC surface



Zedlan foam with slip-resistant coating



Rounded corners and beveled edges

#534 Workers-Delight Corrugated Rubber

DRY AREA



Corrugated rubber surface



Zedlan foam with slip-resistant coating



Rounded corners and beveled edges

FEATURES

- Corrugated rubber surface offers directional traction
- Patented Zedlan foam combined with our fusion technology creates an unmatched level of durability and comfort
- New slip resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- Use for areas with incidental chemical spillage

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12'
 Roll Sizes: 2' x 75' 3' x 75' 4' x 75'
 Total Customization: Up to 12' wide
 Thickness: 9/16"
 (30% recycled content)
 Colors: Black

WARRANTY
 Total Confidence




#535 Workers-Delight Spark-Safe

DRY AREA



Spark-Resistant rubber top surface



Zedlan foam with slip-resistant coating



Rounded corners and beveled edges

FEATURES

- Specially formulated spark-resistant rubber surface (passes FMVSS302) repels sparks and hot metal shards
- Patented Zedlan foam combined with our fusion technology creates an unmatched level of durability and comfort
- New slip resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- For use in machine shops, assembly lines, steel mills or maintenance departments

SPECIFICATIONS


Standard Sizes: 2' x 3' 3' x 5' 3' x 12'
 Roll Sizes: 2' x 75' 3' x 75' 4' x 75'
 Total Customization: 2', 3', 4' widths
 Thickness: 9/16"
 (30% recycled content)
 Colors: Black

WARRANTY
 Total Confidence



#560/#562 Wear-Bond Comfort-King

DRY AREA



FEATURES

- Wear-Bond process molecularly bonds foam injected PVC top surface with Zedlan foam, creating greater overall comfort than rigid PVC/rubber-type surfaces
- Patented Zedlan foam combined with our fusion technology creates an unmatched level of durability and comfort
- Use for work stations, pick modules, pharmacies, packaging areas or cashier stations

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12'

4' x 6' 4' x 12'

Roll Sizes: 2' x 75' 3' x 75' 4' x 75'

Total Customization: 2', 3', 4' widths

Thickness: 9/16"

Colors:

#562 Pebble Surface: Black & Yellow, Black, Gray

#560 Deck-Top Surface: Black & Yellow, Black

WARRANTY

Total Confidence



#562 Foam injected PVC pebble embossed surface



#560 Foam injected PVC deck-top surface



Zedlan foam

#465 Alleviator Comfort-King

DRY AREA



FEATURES

- Double thick patented Zedlan foam adds unmatched comfort and resilience
- Specifically designed for employee work stations
- Use for cashier stations, hotel front desks, pharmacies or retail work counters

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12'

Roll Sizes: 2' x 30' 3' x 30' 4' x 30'

Total Customization: Up to 30'

Thickness: 7/8"

Colors: Black

WARRANTY

Total Confidence



Textured surface



Zedlan foam



Beveled edges

#440/#445 Comfort-King


DRY AREA



Textured surface



Zedlan foam



Tapered edges

FEATURES

- Patented Zedlan Foam outwears other foam products by nearly three to one
- Anti-microbial additives to help prevent mold, mildew, and bacterial growth
- Use for work stations, finishing/assembly stations, cashier stations or pharmacies

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12' 4' x 6' 4' x 12'

Roll Sizes: 2' x 60' 3' x 60' 4' x 60' 6' x 60'

**Not available with yellow borders*

Total Customization: Up to 60'


Thickness:

#440 - Standard – 3/8"

#445 - Supreme – 1/2" provides 33% more comfort

Colors: Black & Yellow, Steel Gray, Royal Blue, Black

WARRANTY
Total Confidence




#537 Nirvana

DRY AREA | HEAVY TRAFFIC



Berber Style Surface

Zedlan foam backing



Beveled edges

FEATURES

- Raised, crush resistant berber-style surface that scrapes dirt and removes moisture efficiently.
- Highly-energized Zedlan sponge with anti-microbial additives that combined softness and resilience for exceptional ergonomic value.
- Durable Anti-Fatigue mat


SPECIFICATIONS

Standard Sizes: 3'x2', 3'x5'

Thickness: 1/2"


Colors: Charcoal

WARRANTY
Total Confidence



#500/#505 Industrial Deck Plate

DRY AREA



FEATURES

- Deck plate surface fused to an industrial grade PVC foam backing offers durability and comfort
- Durable slip resistant surface tolerates cart traffic
- Use for finishing stations, assembly stations or work stations
- Up to 30% recycled content

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12' 4' x 6' 4' x 12'

Roll Sizes: 2' x 75' 3' x 75' 4' x 75'

Total Customization: 2', 3', 4' widths

Thickness:

#500 - Standard - 9/16"

#505 - Ultra - 7/8"

Colors: Black & Yellow, Gray, Black

WARRANTY

Total Confidence



Deck plate surface



Industrial grade foam



Rounded corners and beveled edges

#580 Spark-Safe

DRY AREA



FEATURES

- Specially formulated spark-resistant rubber surface (passes FMVSS302) repels sparks and hot metal shards
- Durable industrial-grade foam base provides excellent anti-fatigue relief
- Use for machine shops, assembly lines, steel mills or maintenance departments

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12'

Roll Sizes: 2' x 75' 3' x 75' 4' x 75'


Total Customization: Lengths up to 75

Thickness: 1/2"


Colors: Black

WARRANTY


Total Confidence



Spark-resistant rubber top surface



Industrial grade foam



Rounded corners and beveled edges

#685 Safety-Step Solid-Top

DRY AREA



Solid rubber



Rubber nubs on underside



Modular built-in connectors

FEATURES

- Solid rubber interlocking system allows for unlimited length and width onsite configurations (1' increments)
- Optional snap on ramps available in black or yellow
- Use for factory work stations, large work cells or assembly lines
- 47% recycled content

SPECIFICATIONS

Standard Sizes: 3' x 3'

Total Customization: up to 12' x 30'

Thickness: 5/8"

Colors:


Black with built in connectors, Yellow ramp or beveled black available Adds 3" to size

WARRANTY
Total Confidence



#695 Yoga-Flex

DRY AREA



Bubble-top surface



Industrial grade rubber



Interlocking design with beveled edges

FEATURES

- High/Low bubble surface encourages micro-movements that reduce fatigue and muscle pain
- Interlocking system allows for unlimited length of matting (47" increments)
- Use for factories, work stations, finishing / assembly stations or shipping and packaging areas

SPECIFICATIONS

Standard Sizes: Mat: 2' x 3'

Modular Center: 35" x 47"


Modular End: 35" x 47"

Total Customization: Unavailable

Thickness: 1/2"


Colors: Black

WARRANTY
Total Confidence



#520/#522 Wear-Bond Tuff-Spun

DRY AREA



FEATURES

- Wear-Bond process molecularly bonds foam injected PVC top surface with industrial-grade foam, creating greater overall comfort than rigid PVC/rubber-type surfaces
- Use for assembly stations, packaging areas, service counters or cashier stations

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12' 4' x 6' 4' x 12'

Roll Sizes: 2' x 75' 3' x 75' 4' x 75'

Total Customization: 2', 3', 4' widths

Thickness: 9/16"


Colors:

#520 Deck-Top Surface: Black & Yellow, Black

#522 Pebble Surface: Black & Yellow, Black, Gray

WARRANTY

Total Confidence



#522 Foam injected PVC pebble embossed surface




#520 Foam injected PVC deck-top surface



Industrial grade foam

#406/#407/#400/#410 Tuff-Spun Foot-Lover #411#414/#430/#431/#432 DRY AREA



FEATURES

- Closed-cell PVC foam optimizes economical comfort and fatigue relief
- Beveled edges help reduce tripping hazards
- Use for service counters, mailrooms, cashier stations or warehousing/packaging stations

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 12' 27" x 3' 4' x 6' 4' x 12'

Roll Sizes: 2' x 60' 3' x 60' 4' x 60' 6' x 60'

2'x30', 3'x30', 4'x30', 6'x30'

(*available in 5/8" thickness only)

Total Customization: Up to 60'

Thickness: 1/4"**- 3/8"- 5/8"***

* Not available in 5/8" thickness

** Not available with yellow borders

Colors:

#406, #410, #430 Ribbed Surface:

Black & Yellow, Black, Gray


#407, #411, #431 Pebble Surface:

Black & Yellow, Black, Gray

#400, #414, #432 Diamond Surface: Black & Yellow, Black, Gray

WARRANTY

Total Confidence



#410/#430 Ribbed embossed surface



#411/#431 Pebble embossed surface



#414/#432 Diamond embossed surface