




Wet / Oily Environments

Industrial and commercial settings bring plenty of flooring challenges. Add water, chemicals, or any other fluids to the already complicated environment, and your safety and health concerns multiply ... quickly. To help you address those concerns, we've built one of the most comprehensive and proven wet/oily environment matting lines available. We offer both solid surface and drainage mats and that's just the start. Need grit for extra traction? Nitrile infused mats that can handle industrial fluids without breaking down? Perforated surfaces to move fluid through quickly and reduce slip/fall hazards? Modular mats for easy on-site custom solutions? Pick one, or tell us your needs and we'll problem-solve with you. Chances are we've got what you're looking for.

#775/#776/#777/#779 Ergo X-Treme

OILY AREA



FEATURES

- 100% molded nitrile rubber offers ten times the lifespan of standard rubber mats
- Aggressively patterned top surface ensures maximum foot traction in slippery environments
- Use for factories, machine shops, auto manufacturers, power transmission facilities

SPECIFICATIONS

Standard Sizes: 18" x 18" tiles (8 per case)

Pre-Constructed Mats:

3' x 4' 3' x 6' 3' x 9'

Total Customization: Up to 9' x 21'

Thickness: 3/4"

Finish: Safety ramps available with or without grit

Colors:

#775: Black solid-top surface

#776: Black with drainage slots

#777: Black with drainage slots and Grit-Safe

#779: Black with open drainage and Grit-Safe

WARRANTY


Total Confidence




#775 Solid Top



#776 Drainage Slots



#777 Drainage slots and Grit-Safe




#779 Open drainage and Grit-Safe



Interlocking system allows for unlimited length and width customization

#752/#753 Dura-Step II

OILY AREA



FEATURES

- 100% molded nitrile rubber offers resistance to a wide range of oils and fluids
- High-traction Grit-Safe coating provides extreme slip resistance and added safety in highly oily areas
- Use for machine shops, auto manufacturers, power transmission facilities or garages – anywhere there are greasy work stations

SPECIFICATIONS

Standard Sizes: 3' x 3'

Total Customization: Up to 12' x 30'

Thickness: 5/8"

Finish: Safety ramps available in black or yellow


Colors:

#752: Black


#753: Black with Grit-Safe

WARRANTY

Total Confidence



#752 Black without Grit-Safe



#753 Black with Grit-Safe



Interlocking system allows for unlimited length and width configurations

#630/#635/#636 Safewalk

WET / OILY AREA



#636 Nitrile rubber blend terra cotta



#635 General purpose rubber



#630 Pre-assembled yellow ramps available

FEATURES

- Terra Cotta nitrile rubber blend offers resistance to a wide range of greases
- Heavy-duty rubber allows easy drainage of liquid and debris
- Use for industrial work stations, food processing, kitchens, bars or cafeterias
- Up to 40% recycled content

SPECIFICATIONS

Standard Sizes: 3' x 5'

3 Sides Pre-assembled*:

26"x 40" 38"x 40" 38"x 64" 38"x 124"

4 Sides Pre-assembled*:

28"x 40" 40"x 40" 40"x 64" 40"x 124"

* general purpose (black) only

Total Customization: Unavailable

Thickness: 7/8"

Finish: #630 Pre-assembled yellow ramps available

Colors:

#630 Black with pre-assembled Yellow ramps

#635 Black


#636 Blend Terra Cotta

WARRANTY

Total Confidence




Food Service Matting




#680/#681 Safety-Step Perforated

WET / OILY AREA



#681 Nitrile rubber blend terra cotta



#680 General purpose rubber



5/8" thick nibbed backing

FEATURES

- Terra Cotta nitrile rubber blend offers resistance to a wide range of greases
- Heavy-duty modular rubber allows easy drainage of liquid and customization of sizes
- Use for factories, irregularly-sized work stations, sanding stations, grinding stations or food service
- up to 47% recycled content

SPECIFICATIONS

Standard Sizes: 3' x 3'

Total Customization: Up to 12' x 30'

Thickness: 5/8"

Finish: Beveled male/female ramps available

Adds 3" to size

Colors:

#680 Rubber Black (general purpose, 47% recycled)


#681 Nitrile Rubber Blend Terra Cotta (grease resistant, 15% recycled)

WARRANTY

Total Confidence




Food Service Matting



#648 Safe-Flow Plus

OILY AREA



FEATURES

- 100% nitrile rubber offers maximum resistance to water, oil, grease, chemicals and animal fats
- Contains anti-microbial agent that inhibits the growth of odor-causing bacteria and fungi
- Use for food processing and packaging, kitchens, industrial work stations or freezers / cold storage
- 15% recycled content

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' 3' x 9'

Total Customization: unavailable

Thickness: 3/8"

Colors: Black

WARRANTY
Total Confidence



Food Service Matting



100% Nitrile rubber with drainage holes




3/8" Thick



Framed design to contain liquids

#645/#646 Safewalk-Light

WET / OILY AREA



FEATURES

- Low profile mat with molded beveled borders for increased safety
- Raised surface rings provide excellent traction
- Use for bars / dishwashing areas, food processing / packaging or laundry rooms
- up to 60% recycled content

SPECIFICATIONS

Standard Sizes: 3' x 5' 3' x 10' 3' x 15' 3' x 20'
10' length mats and longer have a seam every 5'

Total Customization: Unavailable

Thickness: 1/2"

Colors:


#645 Rubber Black (general purpose)

#646 Nitrile Rubber Blend Terra Cotta (grease resistant)

WARRANTY
Total Confidence



Food Service Matting



#646 Nitrile rubber blend terra cotta



#645 General purpose rubber



1/2" Thick

#133 Diamond-Deluxe with Grit-Safe

OILY AREA



Black diamond embossed pattern



1/2" Thick



Lengths cuts
up to 40'

FEATURES

- Durable open loop design elevates workers while allowing fluids to flow through
- Specially formulated oil-resistant vinyl resists water and most oils
- Use for factories / garages, work stations, oil changing pits, steel mills or outdoor entrances

SPECIFICATIONS

Standard Sizes: 3' x 5'
Roll Sizes: 3' x 40' 4' x 40'
Total Customization: 3' 4' widths
Thickness: 1/2"
Colors: Black


WARRANTY

Total Confidence



#667 Sani-Tred

WET AREA



Slip-resistant, embossed surface



3/8" Thick

FEATURES

- Open-grid construction made from non-porous extruded PVC
- Sanitized anti-bacterial and anti-fungal additives
- Use for health clubs, showers, spas, swimming pools, saunas and Jacuzzis or where barefoot traffic is extensive

SPECIFICATIONS

Roll Sizes: 2' x 40' 3' x 40' 4' x 40'
Rolls Only
Total Customization: Unavailable
Thickness: 3/8"
Colors:
Ocean Blue, Charcoal Gray, Mulberry Red


WARRANTY

Total Confidence




#786 Imperial Mat

WET / OILY AREA



non-slip textured back



grit top surface with drain slots

FEATURES

- Durable SBR Rubber
- Grit top surface ensures maximum foot traction in slippery environments
- Drain slots allow fluids to escape the surface
- Non-slip textured backing prevents mat movement

SPECIFICATIONS

Standard Sizes: 3' x 5'
Total Customization: unavailable
Thickness: 11/32"
Weight: 32 lbs.
Colors: Black

WARRANTY

Total Confidence



Food Service Matting

