



## STORAGE WALL FEATURES

The Lista Storage Wall System is packed wall-to-wall with unequaled features and benefits. This unique System's extraordinary flexibility means you get the exact solution that your storage needs demand.

1. **Feature:** Six stackable heights. Storage Wall Systems come in six standard sizes up to 118  $\frac{1}{8}$ " high. They can be arranged as multi-story installations with mezzanines.

**Benefit:** Maximum use of storage space by using available height

2. **Feature:** Adjustable drawers, shelves and roll-out trays. For your current or changing needs, drawers, shelves and roll-out trays can be combined in any sequence in any section and easily rearranged

**Benefit:** Total flexibility

3. **Feature:** Roll-out trays. Full extension roll-out trays roll smoothly with their full 440 lb. or 770 lb. load capacities

**Benefit:** Heavy items are easily accessible

4. **Feature:** Variety of locking systems. Individual sections can be locked for added, specific security

**Benefit:** Your security requirements can be totally satisfied

5. **Feature:** 100% full extension drawers. Drawers ride smoothly on a unique precision suspension system

**Benefit:** Full use of all drawer space and easy access to farthest corners

6. **Feature:** Six different full sidewall height drawers. Sidewall and partition height are equal to usable drawer height

**Benefit:** Full use of cubic volume with no wasted space

7. **Feature:** Hinged drawer handle covers/label holders. Unique handle cover has hinged plastic cover that easily opens and closes to allow labels to be added and changed, while protecting labels from handling, tears and dirt. Drawers and contents can be labeled with free, downloadable Lista Script software.

**Benefit:** Faster retrieval and easier inventory control

8. **Feature:** Custom compartments. All drawers have partitioning slots on all four sides, and Lista offers a wide variety of partitioning accessories

**Benefit:** Maximum organization and faster retrieval

SHALLOW DEPTH STORAGE WALL SYSTEM  
21  $\frac{3}{4}$ " DEEP




FULL DEPTH STORAGE WALL SYSTEM  
27 3/4" DEEP





## HOW TO CONFIGURE A STORAGE WALL® SYSTEM

**Length of Storage Wall® Systems**

To determine actual Storage Wall length, add together the sections you are assembling and add an additional 2". If end panels are used, add 29/32" for each.

SECTION WIDTH	LENGTH BETWEEN SIDE FRAME CTRS.
CL/MP width (27 units)	22 1/16" (561mm)
ST/SC width (36 units)	28 1/8" (714mm)
ES/EW width (45 units)	34 1/8" (867mm)
HS/HW width (54 units)	40 5/32" (1020mm)
MS/MW width (64 units)	46 7/8" (1190mm)
HT/DW width (78 units)	56 1/4" (1428mm)

1. Select Vertical Side Frames.
2. Select universal panels and optional lock system panels.
3. Select rear panel or sway braces and optional end panels.
4. Select drawers, shelves, and roll out trays.
5. Select system options – doors, book cases, etc.
6. Select paint colors.

System frame and panels can be a different color from drawer fronts, but drawer interiors are always gray.

1. Select Vertical Side Frames - Heavy duty one-piece vertical uprights with welded horizontal struts. Uprights are slotted at 1" increments for placement of drawers, roll-out trays or shelves.
2. Select Universal Panels - Steel sheet universal panels measure 2" (50mm) in height and are fastened to the top and bottom of the vertical side frames to complete each section. Sections with vertical side frames 2200 or greater must have a third intermediate universal panel.
3. Select Rear Panels or Sway Braces and Optional End Panels -
  - Rear Panels - Panels are bolted to the vertical side frames to enclose the rear of each section and provide lateral stability.
  - Sway Braces - Used for units without rear panels to provide the necessary lateral stability. Diagonal braces must be fitted at least every fourth section.
  - End Panels. These optional steel sheet panels enclose the ends of the completed units. Hardware included.
4. Select Drawers Shelves and Roll-Out Trays - Roll-out trays can be mounted in any sequence or combination with drawers and shelves. Each tray uses the equivalent height of a 100 drawer (100mm high). Trays have full length handles, galvanized insert

panels, and 1 3/4" rear and side retaining walls. Be sure to order trays to match the particular section width and depth you are outfitting.

- Usable depth of tray or shelf is based on system depth and referenced in charts on corresponding sections.
- Heavy Duty Roll-Out Tray - Weight capacity is 770 lbs. for evenly distributed loads.
- Adjustable Shelves - Steel shelves can easily be moved at any time and used in any combination or sequence with drawers and roll-out trays. Shelves are 1" (25mm) high.

**5. Select Storage Wall® accessories, doors book cases etc. -**

- Shelf Dividers - Steel dividers fit over lip of shelf.
- Shelf End Panels - Steel sheet panel provides side wall for shelves.
- Frame Top Fill-In Strip - Steel sheet strip, covers top of vertical side frames to create a smooth continuous surface.
- Ladders can be used with hinged & sliding door sets only with additional Ladder/EXT bracket sold separately. **Not for use on vertical tambour doors.**
- Hinged Door Sets Max height 2200 - Protect inventory and equipment from dirt and theft with full-height hinged doors.
- Sliding Door Sets Max height 3000 - Doors move smoothly on ball bearings.
- Vertical Tambour Doors Max height 2500 - Individual Storage Wall sections can be locked with vertical tambour door. Vertical door rides effortlessly on tracks mounted to the vertical side frames and retracts into a box mounted on the top of the section. The box adds 8" to the height of the unit.

6. Select paint colors - For color chart, see inside back cover.

## FULL DEPTH STORAGE WALL® SYSTEM

(27 3/4" deep—705mm)

Full depth Storage Wall sections come in six different widths. Section widths correspond to MP, SC, EW, HW, MW and DW components.

### Width center line to center line dimensions of Vertical Side Frames (VSF's)

MP WIDTH (27U)	SC WIDTH (36U)	EW WIDTH (45U)	HW WIDTH (54U)	MW WIDTH (64U)	DW WIDTH (78U)
22 1/16" (561mm)	28 1/8" (714mm)	34 1/8" (867mm)	40 1/8" (1020mm)	46 7/8" (1190mm)	56 1/4" (1428mm)

To determine actual Storage Wall length, add together the sections you are assembling and an additional 2". If your end panels are used, add 29/32" for each.

At any time additional sections can be added, and drawers, roll-out trays and shelves can be easily reconfigured to accommodate growth and changing needs.

### Ordering

All Basic components are ordered separately from the charts on the following pages. Be sure to match widths and depths of the drawers, shelves, etc. to the section width and depth you are building. For step-by-step directions for ordering, see page 80-81.



Vertical Side Frame      End Panel

### Vertical Side Frames (VSF), End Panels (EP) & Inside Panels (IP)

OVERALL SYSTEM HEIGHT	USABLE SYSTEM HEIGHT	1 VSF PART NO.	3 EP PART NO.	IP PART NO.
39 3/8" (1000mm)	35 7/16" (900mm)	VSF1000	EP1000/36U	IP1000/36U
57 1/8" (1450mm)	53 1/8" (1350mm)	VSF1450	EP1450/36U	IP1450/36U
78 3/4" (2000mm)	74 3/4" (1900mm)	VSF2000	EP2000/36U	IP2000/36U
86 5/8" (2200mm)	80 3/4" (2050mm)	VSF2200	EP2200/36U	IP2200/36U
98 7/16" (2500mm)	92 1/2" (2350mm)	VSF2500	EP2500/36U	IP2500/36U
118 1/8" (3000mm)	112 1/4" (2850mm)	VSF3000	EP3000/36U	IP3000/36U



Inside Panel



Universal Panel

### Universal Panels (UP), Universal Mounting Panels (UMP) & Adjustable Shelves (AS)

SECTION WIDTH	2 UP PART NO.	2 UMP PART NO.	4 AS PART NO.	USABLE WIDTH FOR UP, UMP & AS	USABLE DEPTH FOR UP, UMP & AS
27U	UP/27U	UP/27U-UM	AS-P/2736U	20" (508mm)	27 1/2" (699mm)
36U	UP/36U	UP/36U-UM	AS-P/36U	26" (661mm)	27 1/2" (699mm)
45U	UP/4536U	UP/4536U-UM	AS-P/4536U	32 1/16" (814mm)	27 1/2" (699mm)
54U	UP/5436U	UP/5436U-UM	AS-P/5436U	38 1/16" (967mm)	27 1/2" (699mm)
64U	UP/64U	UP/64U-UM	AS-P/64U	44 3/4" (1137mm)	27 1/2" (699mm)
78U	UP/78U	UP/78U-UM	AS-P/78U	54 1/8" (1375mm)	27 1/2" (699mm)
Capacities	550 lbs. (250kg)	550 lbs. (250kg)	440 lbs. (200kg)		



Real Panel

### 3 Rear Panels (RP)

OVERALL SYSTEM HEIGHT	27U WIDE RP PART NO.	36U WIDE RP PART NO.	45U WIDE RP PART NO.	54U WIDE RP PART NO.	64U WIDE RP PART NO.	78U WIDE RP PART NO.
39 3/8" (1000mm)	RP1000/27U	RP1000/36U	RP1000/45U	RP1000/54U	RP1000/64U	RP1000/78U
57 1/8" (1450mm)	RP1450/27U	RP1450/36U	RP1450/45U	RP1450/54U	RP1450/64U	RP1450/78U
78 3/4" (2000mm)	RP2000/27U	RP2000/36U	RP2000/45U	RP2000/54U	RP2000/64U	RP2000/78U
86 5/8" (2200mm)	RP2200/27U	RP2200/36U	RP2200/45U	RP2200/54U	RP2200/64U	RP2200/78U
98 7/16" (2500mm)	RP2500/27U	RP2500/36U	RP2500/45U	RP2500/54U	RP2500/64U	RP2500/78U
118 1/8" (3000mm)	RP3000/27U	RP3000/36U	RP3000/45U	RP3000/54U	RP3000/64U	RP3000/78U



Sway Braces

### 3 Sway Braces (SB)

SB-27U	SB-36U	SB-45U	SB-54U	SB-64U	SB-78U
--------	--------	--------	--------	--------	--------

**FULL DEPTH**

See pages 66–75 for dimensional information on drawers

**4 Drawers and Trays - Capacity = 440 lbs. (200kg)**

USABLE HEIGHT	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
2.17" (55mm)	MP75F	SC75F	EW75F	HW75F	MW75F	DW75F
3.15" (80mm)	MP100F	SC100F	EW100F	HW100F	MW100F	DW100F
4.13" (105mm)	MP125F	SC125F	EW125F	HW125F	MW125F	DW125F
5.12" (130mm)	MP150F	SC150F	EW150F	HW150F	MW150F	DW150F
6.10" (155mm)	MP175F	SC175F	EW175F	HW175F	MW175F	DW175F
7.09" (180mm)	MP200F	SC200F	EW200F	HW200F	MW200F	DW200F
8.07" (205mm)	MP225F	SC225F	EW225F	HW225F	MW225F	DW225F
9.06" (230mm)	MP250F	SC250F	EW250F	HW250F	MW250F	DW250F
10.04" (255mm)	MP275F	SC275F	EW275F	HW275F	MW275F	DW275F
11.02" (280mm)	MP300F	SC300F	EW300F	HW300F	MW300F	DW300F
12.01" (305mm)	MP325F	SC325F	EW325F	HW325F	MW325F	DW325F
12.99" (330mm)	MP350F	SC350F	EW350F	HW350F	MW350F	DW350F
13.98" (355mm)	MP375F	SC375F	EW375F	HW375F	MW375F	DW375F
14.96" (380mm)	MP400F	SC400F	EW400F	HW400F	MW400F	DW400F
Uses 100 points	MP-TCF	SC-TCF	EW-TCF	HW-TCF	MW-TCF	DW-TCF
Usable Width	18" (457mm)	24" (610mm)	30" (763mm)	36 1/16" (916mm)	42 3/4" (1086mm)	52 1/8" (1324mm)
Usable Depth	24" (610mm)	24" (610mm)	24" (610mm)	24" (610mm)	24" (610mm)	24" (610mm)

**4 Heavy Duty Trays - Capacity = 770 lbs. (350kg)**


USES 225 POINTS	HDTCF/MP	HDTCF/SC	HDTCF/EW	HDTCF/HW	HDTCF/MW	HDTCF/DW
Usable Width	17" (433mm)	23 1/16" (586mm)	29 1/8" (739mm)	35 1/8" (892mm)	41 1/8" (1045mm)	57 1/4" (1452mm)

**Accessories**

ITEM	PART NO.	HEIGHT	SPACING
Shelf End Panels	X684/03	6" (150mm)	8" (200mm)
	X684/05	8" (200mm)	10" (250mm)
	X684/07	10" (250mm)	12" (300mm)
ITEM	PART NO.	HEIGHT	
Shelf Dividers	SWSD100/36	4" (100mm)	
	SWSD150/36	6" (150mm)	
	SWSD200/36	8" (200mm)	
Self-Adhesive Label Holder	18.926	4 1/8" (105mm)	
	18.927	8 1/4" (201mm)	
	18.929	39 3/8" (1000mm)	
Frame Top Fill-In Strip	X699		
Intermediate Fill-In Strip	X700		



Shelf Ends



Shelf Dividers



Frame Top Fill-In Strip



Intermediate Fill-In Strip

## SHALLOW DEPTH STORAGE WALL® SYSTEM

(21 3/4" Deep - 502mm)

Full depth Storage Wall sections come in six different widths. Section widths correspond to CL, ST, ES, HS, MS and HT components.

### Width center line to center line dimensions of Vertical Side Frames (VSF's)

CL WIDTH (27U)	ST WIDTH (36U)	ES WIDTH (45U)	HS WIDTH (54U)	MS WIDTH (64U)	HT WIDTH (78U)
22 1/16" (561mm)	28 1/8" (714mm)	34 1/8" (867mm)	40 1/8" (1020mm)	46 7/8" (1190mm)	56 1/4" (1428mm)

To determine actual Storage Wall length, add together the sections you are assembling and an additional 2". If your end panels are used, add 29/32" for each.

At any time additional sections can be added, and drawers, roll-out trays and shelves can be easily reconfigured to accommodate growth and changing needs.

### Ordering

All Basic components are ordered separately from the charts on the following pages. Be sure to widths and depths of the drawers, shelves, etc. to the section width and depth you are building. For step-by-step directions for ordering, see page 80-81.



Vertical Side Frame

End Panel

### Vertical Side Frames (VSF), End Panels (EP) & Inside Panels (IP)

OVERALL SYSTEM HEIGHT	USABLE SYSTEM HEIGHT	1 VSF PART NO.	3 EP PART NO.	IP PART NO.
39 3/8" (1000mm)	35 7/16" (900mm)	VSF1000/B255	EP1000/27U	IP1000/27U
57 1/8" (1450mm)	53 1/8" (1350mm)	VSF1450/B255	EP1450/27U	IP1450/27U
78 3/4" (2000mm)	74 3/4" (1900mm)	VSF2000/B255	EP2000/27U	IP2000/27U
86 5/8" (2200mm)	80 3/4" (2050mm)	VSF2200/B255	EP2200/27U	IP2200/27U
98 7/16" (2500mm)	92 1/2" (2350mm)	VSF2500/B255	EP2500/27U	IP2500/27U
118 1/8" (3000mm)	112 1/4" (2850mm)	VSF3000/B255	EP3000/27U	IP3000/27U



Inside Panel



Universal Panel

### Universal Panels (UP), Universal Mounting Panels (UMP) & Adjustable Shelves (AS)

SECTION WIDTH	2 UP PART NO.	2 UMP PART NO.	4 AS PART NO.	USABLE WIDTH FOR UP, UMP & AS	USABLE DEPTH FOR UP, UMP & AS
27U	UP/2727U	UP/2727U-UM	AS-P/2727U	20" (508mm)	21 1/2" (546mm)
36U	UP/3627U	UP/3627U-UM	AS-P/3627U	26" (661mm)	21 1/2" (546mm)
45U	UP/4527U	UP/4527U-UM	AS-P/4527U	32 1/16" (814mm)	21 1/2" (546mm)
54U	UP/54U	UP/54U-UM	AS-P/54U	38 1/16" (967mm)	21 1/2" (546mm)
64U	UP/6427U	UP/6427U-UM	AS-P/6427U	44 3/4" (1137mm)	21 1/2" (546mm)
78U	UP/7827U	UP/7827U-UM	AS-P/7827U	54 1/8" (1375mm)	21 1/2" (546mm)
Capacities	550 lbs. (250kg)	550 lbs. (250kg)	440 lbs. (200kg)		



Real Panel

### 3 Rear Panels (RP)

OVERALL SYSTEM HEIGHT	27U WIDE RP PART NO.	36U WIDE RP PART NO.	45U WIDE RP PART NO.	54U WIDE RP PART NO.	64U WIDE RP PART NO.	78U WIDE RP PART NO.
39 3/8" (1000mm)	RP1000/27U	RP1000/36U	RP1000/45U	RP1000/54U	RP1000/64U	RP1000/78U
57 1/8" (1450mm)	RP1450/27U	RP1450/36U	RP1450/45U	RP1450/54U	RP1450/64U	RP1450/78U
78 3/4" (2000mm)	RP2000/27U	RP2000/36U	RP2000/45U	RP2000/54U	RP2000/64U	RP2000/78U
86 5/8" (2200mm)	RP2200/27U	RP2200/36U	RP2200/45U	RP2200/54U	RP2200/64U	RP2200/78U
98 7/16" (2500mm)	RP2500/27U	RP2500/36U	RP2500/45U	RP2500/54U	RP2500/64U	RP2500/78U
118 1/8" (3000mm)	RP3000/27U	RP3000/36U	RP3000/45U	RP3000/54U	RP3000/64U	RP3000/78U

### 3 Sway BracesSB54U

SB27U	SB36U	SB45U	SB54U	SB64U	SB78U

Sway Braces

## SHALLOW DEPTH

See pages 32–39 for dimensional information on drawers

### 4 Drawers and Trays - Capacity = 440 lbs. (200kg)

USABLE HEIGHT	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
2.17" (55mm)	CL75F	ST75F	ES75F	HS75F	MS75F	HT75F
3.15" (80mm)	CL100F	ST100F	ES100F	HS100F	MS100F	HT100F
4.13" (105mm)	CL125F	ST125F	ES125F	HS125F	MS125F	HT125F
5.12" (130mm)	CL150F	ST150F	ES150F	HS150F	MS150F	HT150F
6.10" (155mm)	CL175F	ST175F	ES175F	HS175F	MS175F	HT175F
7.09" (180mm)	CL200F	ST200F	ES200F	HS200F	MS200F	HT200F
8.07" (205mm)	CL225F	ST225F	ES225F	HS225F	MS225F	HT225F
9.06" (230mm)	CL250F	ST250F	ES250F	HS250F	MS250F	HT250F
10.04" (255mm)	CL275F	ST275F	ES275F	HS275F	MS275F	HT275F
11.02" (280mm)	CL300F	ST300F	ES300F	HS300F	MS300F	HT300F
12.01" (305mm)	CL325F	ST325F	ES325F	HS325F	MS325F	HT325F
12.99" (330mm)	CL350F	ST350F	ES350F	HS350F	MS350F	HT350F
13.98" (355mm)	CL375F	ST375F	ES375F	HS375F	MS375F	HT375F
14.96" (380mm)	CL400F	ST400F	ES400F	HS400F	MS400F	HT400F
Uses 100 points	CL-TCF	ST-TCF	ES-TCF	HS-TCF	MS-TCF	HT-TCF
Usable Width	18" (457mm)	24" (610mm)	30" (763mm)	36 1/16" (916mm)	42 3/4" (1086mm)	52 1/8" (1324mm)
Usable Depth	24" (610mm)	24" (610mm)	24" (610mm)	24" (610mm)	24" (610mm)	24" (610mm)

### 4 Heavy Duty Trays - Capacity = 770 lbs. (350kg)


USES 225 POINTS	HDTCF/CL	HDTCF/ST	HDTCF/ES	HDTCF/HS	HDTCF/MS	HDTCF/HT
Usable Width	17" (433mm)	23 1/16" (586mm)	29 1/8" (739mm)	35 1/8" (892mm)	41 1/8" (1045mm)	57 1/4" (1452mm)

## Accessories

ITEM	PART NO.	HEIGHT	SPACING
Shelf End Panels	X612/03	6" (150mm)	8" (200mm)
	X612/05	8" (200mm)	10" (250mm)
	X612/07	10" (250mm)	12" (300mm)
ITEM	PART NO.	HEIGHT	
Shelf Dividers	SWSD100/27	4" (100mm)	
	SWSD150/27	6" (150mm)	
	SWSD200/27	8" (200mm)	
Self-Adhesive Label Holder	18.926	4 1/8" (105mm)	
	18.927	8 1/4" (201mm)	
	18.929	39 3/8" (1000mm)	
Frame Top Fill-In Strip	X611		
Intermediate Fill-In Strip	X600		



Shelf Ends



Shelf Dividers



Frame Top Fill-In Strip



Intermediate Fill-In Strip

## STORAGE WALL® SYSTEM DOORS

Storage Wall doors come in three different styles. They are Vertical Tambour Door, Sliding Door Sets and Hinged Door Sets. Vertical Tambour and Hinged Doors cover a single Storage Wall section. Sliding Doors cover two sections which must be of equal width (a triple section can be ordered for odd number of bays by contacting your Lista representative). All doors are available in 27U (CL&MP) width (except tambour door), 36U (SC&ST) width, 45U (ES&EW) width, 54U (HS&HW) width, 64U (MS&MW) width and 78U (HT&DW) width. Doors can be added to existing sections to accommodate your changing needs.

### Ordering

Hinged and Sliding Door Sets are sold as on as starter and adder concept for running in a series. Vertical Tambour Doors are sold for single section and can be run in a series as well. For additional information please contact your Lista representative.



### Vertical Tambour Doors

OVERALL HEIGHT PART NO.

#### 36U WIDE DOOR SET ST&SC WIDTH

69 3/32" (1755mm)	VD1450/36-AL
90 3/4" (2305mm)	VD2000/36-AL
98 5/8" (2505mm)	VD2200/36-AL
110 7/16" (2805mm)	VD2500/36-AL

#### 45U WIDE DOOR SET ES&EW WIDTH

69 3/32" (1755mm)	VD1450/45-AL
90 3/4" (2305mm)	VD2000/45-AL
98 5/8" (2505mm)	VD2200/45-AL
110 7/16" (2805mm)	VD2500/45-AL

#### 54U WIDE DOOR SET HS&HW WIDTH

69 3/32" (1755mm)	VD1450/54-AL
90 3/4" (2305mm)	VD2000/54-AL
98 5/8" (2505mm)	VD2200/54-AL
110 7/16" (2805mm)	VD2500/54-AL

#### 64U WIDE DOOR SET MS&MW WIDTH

69 3/32" (1755mm)	VD1450/64-AL
90 3/4" (2305mm)	VD2000/64-AL
98 5/8" (2505mm)	VD2200/64-AL
110 7/16" (2805mm)	VD2500/64-AL

#### 78U WIDE DOOR SET HT&DW WIDTH

69 3/32" (1755mm)	VD1450/78-AL
90 3/4" (2305mm)	VD2000/78-AL
98 5/8" (2505mm)	VD2200/78-AL
110 7/16" (2805mm)	VD2500/78-AL



### Vertical Tambour Door Full Height End Panels

OVERALL HEIGHT	FULL DEPTH 36U	SHALLOW DEPTH 27U
69 3/32" (1755mm)	EP1450/VD-AL	EP1450/V/AL/B255
90 3/4" (2305mm)	EP2000/VD-AL	EP2000/V/AL/B255
98 5/8" (2505mm)	EP2200/VD-AL	EP2200/V/AL/B255
110 7/16" (2805mm)	EP2500/VD-AL	EP2500/V/AL/B255

For use on left and/or right side of Storage Wall and can only be used at row ends.





## Sliding Door Starter and Adder Sets

OVERALL HEIGHT      STARTER SET PART NO.    ADDER SET PART NO.

### 27U WIDE DOOR SET STANDARD WIDTH (SC) DOOR SET CL&MP WIDTH

79 1/8" (2010mm)	SD2000/27-S	SD2000/27-A
87" (2210mm)	SD2200/27-S	SD2200/27-A
98 13/16" (2510mm)	SD2500/27-S	SD2500/27-A
118 1/2" (3010mm)	SD3000/27-S	SD3000/27-A

### 36U WIDE DOOR SET ST&SC WIDTH

79 1/8" (2010mm)	SD2000/36-S	SD2000/36-A
87" (2210mm)	SD2200/36-S	SD2200/36-A
98 13/16" (2510mm)	SD2500/36-S	SD2500/36-A
118 1/2" (3010mm)	SD3000/36-S	SD3000/36-A

### 45U WIDE DOOR SET STANDARD WIDTH (SC) DOOR SET ES&EW WIDTH

79 1/8" (2010mm)	SD2000/45-S	SD2000/45-A
87" (2210mm)	SD2200/45-S	SD2200/45-A
98 13/16" (2510mm)	SD2500/45-S	SD2500/45-A
118 1/2" (3010mm)	SD3000/45-S	SD3000/45-A

### 54U WIDE DOOR SET HS&HW WIDTH

79 1/8" (2010mm)	SD2000/54-S	SD2000/54-A
87" (2210mm)	SD2200/54-S	SD2200/54-A
98 13/16" (2510mm)	SD2500/54-S	SD2500/54-A
118 1/2" (3010mm)	SD3000/54-S	SD3000/54-A

### 64U WIDE DOOR SET MS&MW WIDTH

79 1/8" (2010mm)	SD2000/64-S	SD2000/64-A
87" (2210mm)	SD2200/64-S	SD2200/64-A
98 13/16" (2510mm)	SD2500/64-S	SD2500/64-A
118 1/2" (3010mm)	SD3000/64-S	SD3000/64-A

### 78U WIDE DOOR SET HT&DW WIDTH

79 1/8" (2010mm)	SD2000/78-S	SD2000/78-A
87" (2210mm)	SD2200/78-S	SD2200/78-A
98 13/16" (2510mm)	SD2500/78-S	SD2500/78-A
118 1/2" (3010mm)	SD3000/78-S	SD3000/78-A

## Hinged Door Starter and Adder Sets

OVERALL HEIGHT      STARTER SET PART NO.    ADDER SET PART NO.

### 27U WIDE DOOR SET MP-WIDTH (MP)

78 3/4" (2000mm)	DHD2000/27SW-S	DHD2000/27SW-A
86 5/8" (2200mm)	DHD2200/27SW-S	DHD2200/27SW-A

### 36U WIDE DOOR SET STANDARD WIDTH (SC)

78 3/4" (2000mm)	DHD2000/36SW-S	DHD2000/36SW-A
86 5/8" (2200mm)	DHD2200/36SW-S	DHD2200/36SW-A

### 45U WIDE DOOR SET WIDTH (SC)

78 3/4" (2000mm)	DHD2000/45SW-S	DHD2000/45SW-A
86 5/8" (2200mm)	DHD2200/45SW-S	DHD2200/45SW-A

### 54U WIDE DOOR SET HS-WIDTH WIDTH (HS)

78 3/4" (2000mm)	DHD2000/54SW-S	DHD2000/54SW-A
86 5/8" (2200mm)	DHD2200/54SW-S	DHD2200/54SW-A

### 64U WIDE DOOR SET MID-WIDTH (MW)

78 3/4" (2000mm)	DHD2000/64SW-S	DHD2000/64SW-A
86 5/8" (2200mm)	DHD2200/64SW-S	DHD2200/64SW-A

### 78U WIDE DOOR SET DOUBLE WIDTH (DW)

78 3/4" (2000mm)	DHD2000/78SW-S	DHD2000/78SW-A
86 5/8" (2200mm)	DHD2200/78SW-S	DHD2200/78SW-A