

CABINETS: Shelf Cabinets

LISTA®

Shelf cabinets are an efficient means for storing bulky items that don't lend themselves to drawer storage. Shelf cabinets are built with the same all-steel construction as all Lista cabinets.

Sliding door shelf cabinets are often stacked on complementary sized drawer cabinets, so smaller drawer contents and bulky items can be stored and locked together. The sliding door lock can be positioned at the door bottom to facilitate stacking.

Lista rides to the rescue at Harley Davidson's Vehicle Maintenance and Repair Department. Lista sliding door shelf cabinets, housing large items such as motor oil, greasing and cleaning agents, sit atop drawer cabinets, which store small parts such as nuts, bolts and o-rings.



At the Production Control Center of San Diego's Naval Air Depot, double hinged door cabinets safely and securely store a wide variety of electronic test equipment and supplies used for the precision modification and repair of tactical air navigation transmission boxes.



Stacked sliding door cabinets at Marine Spill, a marine emergency response company, maximize use of available floor space, while providing inventory control and fast retrieval.

SLIDING AND HINGED DOOR SHELF CABINETS

Shelves have a maximum load capacity of 440 lbs. (200kg) evenly distributed and can be moved up or down in 1" increments for the greatest flexibility in arrangement. All units have a stationary bottom shelf and are equipped with the number of adjustable shelves shown in the charts to the right. Optional vertical dividers are also available. All models are shipped fully assembled as described. (See page 80-81 for cabinet dimensions.)



Self-Adhesive Label Holders

Plastic hinged label holder adheres to face of shelf to allow identification of shelf contents. 13/16" high. Does not include label paper. For Lista Script, use 18.932 labels.

PART NO.	LENGTH
18.926	4 1/8" (105mm)
18.927	8 1/4" (210mm)
18.929	39 3/8" (1000mm)

Additional Adjustable Shelves and Shelf Dividers

Made of steel sheet with reinforcing ribs welded on, each shelf has a load capacity of 440 lbs. Support brackets included.

Color: gray.

PART NO.	DESCRIPTION	HT.
VSD100/36	4" shelf divider	4"(102mm)
VSD150/36	6" shelf divider	6"(152mm)

SHALLOW DEPTH SHELF AND DIVIDERS

VSD100/27	4" shelf divider	4"(102mm)
VSD150/27	6" shelf divider	6"(152mm)

Extra Shelves

DEPTH	PART NO.			
Full	EW-AS	HW-AS	MW-AS	DW-AS
Shallow	ES-AS	HS-AS	MS-AS	HT-AS

How to order a Preconfigured Shelf Cabinet

1. Select cabinet from charts.

2. Select base type.

NB = none
FT = fork truck
2LB = 2" leveling base
4LB = 4" leveling base

Additional bases for all cabinets can be found on page 85.

3. Select lock type.

RG = individual
KA = keyed-alike
MA = master

Lock is required. For additional lock options, see page 82-83. To have lock installed at bottom of sliding or hinged door, add "/LB" to the end of the part number.

4. Select paint color. For color chart, see inside back cover.

EXAMPLE: to order a DWSD900 cabinet with no base, an individual lock installed at the bottom of the door and Bright Blue paint, the part number would be

DWSD900-NBRGBB/LB



Sliding Door Shelf Cabinets

Sliding doors roll smoothly to give access to 50% of cabinet interior at a time.

Full Depth Sliding Doors (SD) Cabinets

EW PART NO.	HW PART NO.	MW PART NO.	DW PART NO.	QTY* OF ADJ. SHELVES
EWSD450	HWS450	MWSD450	DWSD450	0
EWSD600	HWS600	MWSD600	DWSD600	1
EWSD750	HWS750	MWSD750	DWSD750	2
EWSD900	HWS900	MWSD900	DWSD900	2
EWSD1050	HWS1050	MWSD1050	DWSD1050	2
EWSD1200	HWS1200	MWSD1200	DWSD1200	3
EWSD1350	HWS1350	MWSD1350	DWSD1350	3
EWSD1500	HWS1500	MWSD1500	-	3

*Quantity not including bottom shelf

Shallow Depth Sliding Doors (SD) Cabinets

ES PART NO.	HS PART NO.	MS PART NO.	HT PART NO.	QTY* OF ADJ. SHELVES
ESSD450	HSSD450	MSSD450	HTSD450	0
ESSD600	HSSD600	MSSD600	HTSD600	1
ESSD750	HSSD750	MSSD750	HTSD750	2
ESSD900	HSSD900	MSSD900	HTSD900	2
ESSD1050	HSSD1050	MSSD1050	HTSD1050	2
ESSD1200	HSSD1200	MSSD1200	HTSD1200	3
ESSD1350	HSSD1350	MSSD1350	HTSD1350	3
ESSD1500	HSSD1500	MSSD1500	-	3

*Quantity not including bottom shelf

Hinged Door Shelf Cabinets

Double hinged doors open to give complete access to cabinet interior.

Full Depth Hinged Doors (HD) Shelf Cabinets

EW PART NO.	HW PART NO.	MW PART NO.	DW PART NO.	QTY* OF ADJ. SHELVES
EWHD450	HWHD450	MWHD450	DWHD450	0
EWHD600	HWHD600	MWHD600	DWHD600	1
EWHD750	HWHD750	MWHD750	DWHD750	2
EWHD900	HWHD900	MWHD900	DWHD900	2
EWHD1050	HWHD1050	MWHD1050	DWHD1050	3
EWHD1200	HWHD1200	MWHD1200	DWHD1200	3
EWHD1350	HWHD1350	MWHD1350	DWHD1350	3
EWHD1500	HWHD1500	MWHD1500	-	3

*Quantity not including bottom shelf

Shallow Depth Hinge Doors (HD) Shelf Cabinets

ES PART NO.	HS PART NO.	MS PART NO.	HT PART NO.	QTY* OF ADJ. SHELVES
ESHD450	HSHD450	MSHD450	HTHD450	0
ESHD600	HSHD600	MSHD600	HTHD600	1
ESHD750	HSHD750	MSHD750	HTHD750	2
ESHD900	HSHD900	MSHD900	HTHD900	2
ESHD1050	HSHD1050	MSHD1050	HTHD1050	3
ESHD1200	HSHD1200	MSHD1200	HTHD1200	3
ESHD1350	HSHD1350	MSHD1350	HTHD1350	3
ESHD1500	HSHD1500	MSHD1500	-	3

*Quantity not including bottom shelf

HOW TO ORDER A CUSTOM CONFIGURED CABINET

Select cabinet housing


Select the particular cabinet housing that best suits your needs. When choosing your housing height, keep in mind the cabinet top's potential use as a worksurface. See page 86.

Select a lock

Choose from a wide array of locking options. See page 82-83.

Select a cabinet base (optional)

A number of optional bases to suit a wide variety of uses. See page 84-85.



Select drawers, shelves, roll-out trays and doors

Drawers, shelves and roll-out trays can be used in any sequence or combination you wish. See pages 88-89.

Select drawer handle cover option


Drawers come standard with hinged handle cover/label holder but when labeling is not required covers can be upgraded. Three finishes of an aluminum extruded cover are available. See page 90.

The total drawer and/or door model numbers must add up to the model number of the housing.


EXAMPLES:

Model 900 Housing

(2) 100 drawers	=	200
(2) 150 drawers	=	300
(2) 200 drawers	=	400



(2) 150 drawers	=	300
(1) 600 drawers	=	400
		900



Sample Cabinet Order

QUANTITY	PART NO.	DESCRIPTION
1	SC900	housing
1	KA	keyed alike lock
1	SC-FTB	fork truck base
1	SC1BCT	butcher block top
2	SC100F	drawers
2	SC150F	drawers
2	SC200F	drawers
2	DR316-100	drawer interiors
2	DR206-150	drawer interiors
2	DR104-200	drawer interiors
1	Housing: BB	
1	Drawers: LG	
		Bright Blue
		Light Gray


CHOOSING THE CORRECT CABINET AND DRAWER SIZE(S)

When selecting your cabinet and drawers you will need to consider all of the following:

- The size of the items you will be storing from both a plan and elevation perspective
 - See usable drawer dimensions on next pages to determine if items will fit within the drawer
 - See usable height in the drawer table to select the appropriate drawer height
- The area within your facility you have available
 - See cabinet footprints dimensions on next pages to select the model required (drawer and cabinet footprint designation must match)
- The aisle space required between cabinets and in front of cabinet for proper access to drawer contents
 - Below you can see the typical space requirements for both full and shallow depth cabinet aisles



This overhead view shows two rows of Lista shallow depth cabinets on either side of a comfortable 36" wide access aisle. The aisle leaves enough room for a fully extended drawer and the person accessing it. The cabinets and aisle occupy a total depth of 6' 9".



This overhead view shows two rows of industry standard cabinets on either side of a 42" wide access aisle. This width aisle is required to accommodate a fully extended standard drawer and the person accessing it. The cabinets and aisle occupy a total depth of 8' 2".




HOUSING HEIGHT:

For both Full and Shallow Depth Cabinets



Dimensions: Full Depth

Housing Footprint and
Usable Drawer Space



Full Depth

1. Select your Full Depth Housing

Full Depth

Model Ht. (Points)	Cabinet Height	NW	MP	SC	EW	HW	MW	DW
300	15.75" (400mm)	NW300	MP300	SC300	EW300	HW300	MW300	
450	21.65" (550mm)	NW450	MP450	SC450	EW450	HW450	MW450	DW450
600	27.56" (700mm)	NW600	MP600	SC600	EW600	HW600	MW600	DW600
750	33.46" (850mm)	NW750	MP750	SC750	EW750	HW750	MW750	DW750
900	39.37" (1000mm)	NW900	MP900	SC900	EW900	HW900	MW900	DW900
1050	45.28" (1150mm)	NW1050	MP1050	SC1050	EW1050	HW1050	MW1050	DW1050
1200	51.18" (1300mm)	NW1200	MP1200	SC1200	EW1200	HW1200	MW1200	DW1200
1350	57.09" (1450mm)	NW1350	MP1350	SC1350	EW1350	HW1350	MW1350	DW1350
1500	62.99" (1600mm)	NW1500	MP1500	SC1500	EW1500	HW1500	MW1500	




CABINETS

Cabinets



Dimensions: Shallow Depth

Housing Footprint and
Usable Drawer Space



Shallow Depth

1. Select your Shallow Depth Housing



Shallow Depth


Model Ht. (Points)	Cabinet Height	NS	CL	ST	ES	HS	MS	HT
200	11.81" (300mm)	NS200						
300	15.75" (400mm)	NS300	CL300	ST300	ES300	HS300	MS300	
450	21.65" (550mm)	NS450	CL450	ST450	ES450	HS450	MS450	HT450
600	27.56" (700mm)	NS600	CL600	ST600	ES600	HS600	MS600	HT600
750	33.46" (850mm)	NS750	CL750	ST750	ES750	HS750	MS750	HT750
900	39.37" (1000mm)	NS900	CL900	ST900	ES900	HS900	MS900	HT900
1050	45.28" (1150mm)		CL1050	ST1050	ES1050	HS1050	MS1050	HT1050
1200	51.18" (1300mm)		CL1200	ST1200	ES1200	HS1200	MS1200	HT1200
1350	57.09" (1450mm)		CL1350	ST1350	ES1350	HS1350	MS1350	HT1350
1500	62.99" (1600mm)			ST1500	ES1500	HS1500	MS1500	

2. SELECT LOCK AND KEYING OPTIONS

If you have locking and security needs other than the individual lock (lock and 2 keys) that comes with all cabinets, select from the options below.

Individual Lock (RG)

- Cabinets come with an individual lock and 2 keys
- Each cabinet lock is keyed differently



No Lock (NL)

- Specify if no cylinder lock is desired for cabinet housing
- Cabinet will still include PrevenTip® one-drawer-at-a-time safety feature
- Not available for double hinged door cabinets

Key Pad (KP) Lock

- Able to program up to 25 different user codes
- Eliminates lost keys
- retrofittable into existing Lista drawer cabinets/door




PART NO.	LOCK TYPE
KP/CAB	Cabinet Factory Installed
KP/CAB-RETRO	Cabinet Field Installed
KP/FD-DR	Flush Door Factory Installed
KP/FD-DR-RETRO	Flush Door Field Installed

Keyed Alike Lock (KA)

- All cabinets have identical locks, each with 2 keys; the same key opens all cabinets
- Each cabinet in the keyed alike group must have keyed alike (KA) specified on the order
- Cabinets containing drawers and doors will only be keyed alike if specified


PART NO.	LOCK TYPE
KA	keyed alike lock



Master Keyed Lock (MA)

- Each cabinet has a different lock with 2 keys
- Each cabinet in the master key group must have master keyed lock (MA) specified on the order
- Master key (MK) that opens all locks must be ordered separately

PART NO.	LOCK TYPE
MA	master lock
MK	group master key
GMK	grand master key



Hasp Lock

Rotates 90° clockwise to disengage latch. For use with hinged and double hinged doors (cannot be used with single hinged flush doors or retractable doors). Secured with padlock (not included). Maximum padlock latch diameter is $\frac{3}{8}$ ". For ordering information, please contact your Lista representative.



Hinged Locking Bars

Particularly suitable for mobile applications or wherever additional security is desired. Hinged locking bar mounts to the left or right of any drawer cabinet on the vertical housing support. Indicate side for mounting by writing an "L" for left or "R" for right in place of the red box in the part number. A padlock (not included) secures the bar. Maximum padlock latch diameter is $\frac{5}{16}$ ". To retrofit to existing cabinet, please contact your Lista representative.



PART NO.	FOR CABINET HEIGHT
HLB300- 	300
HLB450- 	450
HLB600- 	600
HLB750- 	750
HLB900- 	900
HLB1050- 	1050
HLB1200- 	1200
HLB1225- 	1225
HLB1350- 	1350
HLB1500- 	1500
HLB1525- 	1525

Security Panel

Individual locks for each drawer, with a central lock for the cabinet as a whole. Each drawer has a steel security panel between it and the drawer above, so contents are secure even when individual drawers have been removed. Available only for NW, MP, SC and ST Width cabinets and drawer sizes 125, 175, 225, 275, 325 and 350. For ordering information, please contact your Lista representative.





Core Lock

Lista's cylinder lock comes standard with all drawer cabinets. It features a removable core that can be easily removed from the cylinder housing using a release tool (must be ordered separately, see below). Each lock is provided with 2 keys.



Replacement Lock Assemblies

Used to replace locks installed before March 2005.

PART NO.	LOCK TYPE
IC-CYL-RG	individual cylinder lock
IC-CYL-KA	keyed alike cylinder lock
IC-CYL-MA	master cylinder lock
IC-MDR-RG	individual flush door lock
IC-MDR-KA	keyed alike flush door lock
IC-MDR-MA	master flush door lock

Replacement Lock Cores

For field replacement of lock cores.

Available for drawer housing and flush door locks shipped after March 2005.



PART NO.	LOCK TYPE
IC-CORE-RG	individual
IC-CORE-KA	keyed alike
IC-CORE-MA	master

Lock Core Release Tool

For extracting interchangeable cylinder core. Works only in conjunction with the original Lista key supplied with the core.



PART NO.	DESCRIPTION
IC-REL-TOOL	lock release tool

Locking Option Application Chart

PART NO.	LOCK TYPE	DRAWER CABINET	FLUSH DOORS	RETRACT. DOORS	DOUBLE HINGED DOORS	SLIDING DOORS	TAMBOUR DOORS
NL	No Lock	✓	✓	✓			
RG	Regular Lock	✓	✓	✓	✓	✓	✓
KA	Keyed alike Lock	✓	✓	✓	✓	✓	✓
MA	Master Series Lock	✓	✓	✓	✓	✓	✓
KP	Keypad Lock	✓	✓				
/H	Hasp Lock		✓	✓	✓		
HLB-300	Hinged Locking Bar	✓	✓	✓			
HLB-450	Hinged Locking Bar	✓	✓	✓			
HLB-600	Hinged Locking Bar	✓	✓	✓			
HLB-750	Hinged Locking Bar	✓	✓	✓			
HLB-900	Hinged Locking Bar	✓	✓	✓			
HLB-1050	Hinged Locking Bar	✓	✓	✓			
HLB-1200	Hinged Locking Bar	✓	✓	✓			
HLB-1225	Hinged Locking Bar	✓	✓	✓			
HLB-1350	Hinged Locking Bar	✓	✓	✓			
HLB-1500	Hinged Locking Bar	✓	✓	✓			
HLB-1525	Hinged Locking Bar	✓	✓	✓			

3. SELECT BASE (OPTIONAL)

Leveling Base

Allows for quick and easy leveling from inside of cabinet. Includes a front cover that adjusts as cabinet is leveled. Base is available in multiple heights in cold-rolled, galvannealed steel with matching covers or stainless steel cover option. Adjustment tool, side skirts, anchor kit and glide cap kit are also available.



Fork Truck Base

Steel fork truck base permits moving of fully loaded cabinets. Base has snap-on front and rear covers, and is recessed 1 1/8" (30mm) from the front of the housing. Bases are pre-punched to allow stacking. Color: to match housing.



Wet Clean Base

Allows for easy cleaning below housing in areas where floors are often washed (such as labs and hospitals), or where wet floors are an issue. Raises cabinet housing 4 9/16" above floor. Individual leg height is further adjustable to allow for leveling (up to 1 3/4" additional height), even on extremely uneven surfaces. Cabinet can be lifted and moved with a hand pallet truck.



Mobile Caster Base

A set of 2 fixed and 2 swivel casters. Each swivel caster has an individual wheel lock. Casters are factory mounted to the base. (See page 108-109 for other mobile accessories.)



Frame Base

Steel base is used to bring cabinets up to desired work height. Base is recessed 1 1/8" (30mm) from the front of the housing. Color: to match housing.



FULL DEPTH BASES

TYPE	OVERALL BASE HEIGHT	WHEEL DIA. X WIDTH	WEIGHT CAPACITY	NW PART NO.	MP PART NO.	SC PART NO.	EW PART NO.	HW PART NO.	MW PART NO.	DW PART NO.	*MI PART NO.
Leveling Base	2"		8000 lbs.		LB-MP2	LB-SC2	LB-EW2	LB-HW2	LB-MW2	LB-DW2	LB-MI2
	4"		8000 lbs.		LB-MP4	LB-SC4	LB-EW4	LB-HW4	LB-MW4	LB-DW4	LB-MI4
	6"		8000 lbs.		LB-MP6	LB-SC6	LB-EW6	LB-HW6	LB-MW6	LB-DW6	LB-MI6
Fork Truck Base	2.36"			NW-FTB	MP-FTB	SC-FTB	EW-FTB	HW-FTB	MW-FTB	DW-FTB	*MI-FTB
Wet Clean Base	4.56" - 6"			WCB-NW	WCB-MP	WCB-SC	WCB-EW	WCB-HW	WCB-MW	WCB-DW	WCB-MI
Mobile Base	4.75"	3.5" x 1.25""	900 lbs.	CB-NW3.5X1							
	5.6"	4" x 1.25""	1000 lbs.		CB-MP4X1	CB-SC4X1	CB-EW4X1	CB-HW4X1	CB-MW4X1	CB-DW4X1	CB-MI4X1
	6.2"	4" x 2"	1400 lbs.		CB-MP4B	CB-SC4B	CB-EW4B	CB-HW4B	CB-MW4B	CB-DW4B	CB-MI4B
	6.2"	4" x 2"	2400 lbs.		CB-MP4ML	CB-SC4ML	CB-EW4ML	CB-HW4ML	CB-MW4ML	CB-DW4ML	CB-MI4ML
	8"	6" x 2"	2400 lbs.		CB-MP6B	CB-SC6B	CB-EW6B	CB-HW6B	CB-MW6B	CB-DW6B	CB-MI6B
	8"	6" x 2"	3600 lbs.		CB-MP6ML	CB-SC6ML	CB-EW6ML	CB-HW6ML	CB-MW6ML	CB-DW6ML	CB-MI6ML
	8"	6" x 2"	4800 lbs.		CB-MP6TS/TL	CB-SC6TS/TL	CB-EW6TS/TL	CB-HW6TS/TL	CB-MW6TS/TL	CB-DW6TS/TL	CB-MI6TS/TL
Frame Base	2"			NW-2							
	4"			NW-4							
	6"			NW-6							
Glide Kit	Adds 0.4"			GLIDE/KIT							
Frame Base	2.4"			NW-2G							
w/Glides	4.4"			NW-4G							
	6.4"			NW-6G							

SHALLOW DEPTH BASES

TYPE	OVERALL BASE HEIGHT	WHEEL DIA. X WIDTH	WEIGHT CAPACITY	NS PART NO.	CL PART NO.	ST PART NO.	ES PART NO.	HS PART NO.	MS PART NO.	HT PART NO.	*ML PART NO.
Leveling Base	2"		8000 lbs.		LB-CL2	LB-ST2	LB-ES2	LB-HS2	LB-MS2	LB-HT2	LB-ML2
	4"		8000 lbs.		LB-CL4	LB-ST4	LB-ES4	LB-HS4	LB-MS4	LB-HT4	LB-ML4
	6"		8000 lbs.		LB-CL6	LB-ST6	LB-ES6	LB-HS6	LB-MS6	LB-HT6	LB-ML6
Fork Truck Base	2.36"			NS-FTB	CL-FTB	ST-FTB	ES-FTB	HS-FTB	MS-FTB	HT-FTB	*ML-FTB
Wet Clean Base	4.56" - 6"			WCB-NS	WCB-CL	WCB-ST	WCB-ES	WCB-HS	WCB-MS	WCB-HT	WCB-ML
Mobile Base	4.75"	3.5" x 1.25""	900 lbs.	CB-NS3.5X1							
	5.6"	4" x 1.25""	1000 lbs.		CB-CL4X1	CB-ST4X1	CB-ES4X1	CB-HS4X1	CB-MS4X1	CB-HT4X1	CB-ML4X1
	6.2"	4" x 2"	1400 lbs.		CB-CL4B	CB-ST4B	CB-ES4B	CB-HS4B	CB-MS4B	CB-HT4B	CB-ML4B
	6.2"	4" x 2"	2400 lbs.		CB-CL4ML	CB-ST4ML	CB-ES4ML	CB-HS4ML	CB-MS4ML	CB-HT4ML	CB-ML4ML
	8"	6" x 2"	2400 lbs.		CB-CL6B	CB-ST6B	CB-ES6B	CB-HS6B	CB-MS6B	CB-HT6B	CB-ML6B
	8"	6" x 2"	3600 lbs.		CB-CL6ML	CB-ST6ML	CB-ES6ML	CB-HS6ML	CB-MS6ML	CB-HT6ML	CB-ML6ML
	8"	6" x 2"	4800 lbs.		CB-CL6TS/TL	CB-ST6TS/TL	CB-ES6TS/TL	CB-HS6TS/TL	CB-MS6TS/TL	CB-HT6TS/TL	CB-ML6TS/TL
Frame Base	2"			NS-2							
	4"			NS-4							
	6"			NS-6							
Glide Kit	Adds 0.4"			GLIDE/KIT							
Frame Base	2.4"			NS-2G							
w/Glides	4.4"			NS-4G							
	6.4"			NS-6G							

4. SELECT CABINET TOP OR COUNTER TOP (OPTIONAL)

Retainer Tops with Mat

Retainer top, painted to match housing with raised edges on back and sides, provides a practical non-skid worksurface. Height is $\frac{3}{4}$ ". Ribbed mat is included.



Butcher Block Cabinet Tops

Tops are satin finish $1\frac{3}{4}$ " thick hardwood and are flush to the cabinet side-to-side and front-to-back.



Plastic Laminate Cabinet Tops

Tops are $1\frac{1}{16}$ " thick plastic laminate over particle board core and are flush to the cabinet side-to-side and front-to-back. Dove gray is standard but other colors are available on request.




Stainless Steel Cabinet Covers

Cover is constructed of durable, heavy gauge stainless steel. Fits over top and sides of cabinet, and provides easy access to locking system. Adds $\frac{1}{16}$ " to overall cabinet height and $\frac{1}{8}$ " to overall width and depth.



Phenolic Resin Cabinet Tops

Top is a high-pressure laminate designed for laboratory worksurfaces and mounts flush to the cabinet side-to-side and front-to-back. Resistant to chemicals, stains or discoloration. Top is 1" thick phenolic resin, available in black.



Stainless Steel Over Wood Core (SS)

Worksurface is constructed of durable heavy gauge, 304 stainless steel cover, fitted over top and sides of wood core, $1\frac{3}{16}$ " thick.



Cabinet Tops - Full Depth

TOP TYPE	# OF CABINETS	NW	MP	SC	EW	HW	MW	DW
Retainer Top w/Mat	1	NW-RT	MP-RT	SC-RT	EW-RT	HW-RT	MW-RT	DW-RT
Retainer Top w/Mat	2	2NW-RT	2MP-RT	-	-	-	-	-
Butcher Block	1	NW1BCT	MP1BCT	SC1BCT	EW1BCT	HW1BCT	MW1BCT	DW1BCT
Plastic Laminate	1	NW1PCT	MP1PCT	SC1PCT	EW1PCT	HW1PCT	MW1PCT	SC2PCT
Stainless Steel Cabinet Cover 1		NW1SSC	MP1SSC	SC1SSC	EW1SSC	HW1SSC	MW1SSC	DW1SSC
Phenolic Resin	1	NW1RCT	MP1RCT	SC1RCT	EW1RCT	HW1RCT	MW1RCT	SC2RCT

Counter Tops - Full Depth

TOP TYPE	# OF CABS. SPANNED	NW	MP	SC	EW	HW	MW	DW
Butcher Block	2	NW2BCT	MP2BCT	SC2BCT	EW2BCT	HW2BCT	MW2BCT	SC4BCT
	3	NW3BCT	MP3BCT	SC3BCT	EW3BCT	-	-	-
	4	NW4BCT	MP4BCT	SC4BCT	-	-	-	-
	5	NW5BCT	MP5BCT	-	-	-	-	-
Plastic Laminate	2	NW2PCT	MP2PCT	SC2PCT	EW2PCT	HW2PCT	MW2PCT	SC4PCT
	3	NW3PCT	MP3PCT	SC3PCT	EW3PCT	-	-	-
	4	NW4PCT	MP4PCT	SC4PCT	-	-	-	-
Stainless Steel Counter Tops	1	NW1LSSCT	MP1LSSCT	SC1LSSCT	EW1LSSCT	HW1LSSCT	MW1LSSCT	SC2LSSCT
	2	NW2LSSCT	MP2LSSCT	SC2LSSCT	EW2LSSCT	HW2LSSCT	MW2LSSCT	SC4LSSCT
	3	NW3LSSCT	MP3LSSCT	SC3LSSCT	EW3LSSCT	-	-	-
	4	NW4LSSCT	MP4LSSCT	SC4LSSCT	-	-	-	-
Phenolic Resin	2	NW2RCT	MP2RCT	SC2RCT	EW2RCT	HW2RCT	MW2RCT	SC4RCT
	3	NW3RCT	MP3RCT	SC3RCT	EW3RCT	-	-	-
	4	NW4RCT	MP4RCT	SC4RCT	-	-	-	-

Cabinet Tops - Shallow Depth

TOP TYPE	# OF CABINETS	NS	CL	ST	ES	HS	MS	HT
Retainer Top w/Mat	1	NS-RT	CL-RT	ST-RT	ES-RT	HS-RT	MS-RT	HT-RT
Butcher Block	1	NS1BCT	CL1BCT	ST1BCT	ES1BCT	HS1BCT	MS1BCT	HT1BCT
Plastic Laminate	1	NS1PCT	CL1PCT	ST1PCT	ES1PCT	HS1PCT	MS1PCT	ST2PCT
Stainless Steel Cabinet Cover 1		NS1SSC	CL1SSC	ST1SSC	ES1SSC	HS1SSC	MS1SSC	HT1SSC
Phenolic Resin	1	NS1RCT	CL1RCT	ST1RCT	ES1RCT	HS1RCT	MS1RCT	ST2RCT

Counter Tops - Shallow Depth

TOP TYPE	# OF CABS. SPANNED	NS	CL	ST	ES	HS	MS	HT
Butcher Block	2	NS2BCT	CL2BCT	ST2BCT	ES2BCT	HS2BCT	MS2BCT	ST4BCT
	3	NS3BCT	CL3BCT	ST3BCT	ES3BCT	-	-	-
	4	NS4BCT	CL4BCT	ST4BCT	-	-	-	-
	5	NS5BCT	CL5BCT	-	-	-	-	-
Plastic Laminate	2	NS2PCT	CL2PCT	ST2PCT	ES2PCT	HS2PCT	MS2PCT	ST4PCT
	3	NS3PCT	CL3PCT	ST3PCT	ES3PCT	-	-	-
	4	NS4PCT	CL4PCT	ST4PCT	-	-	-	-
Stainless Steel Counter Tops	1	NS1LSSCT	CL1LSSCT	ST1LSSCT	ES1LSSCT	HS1LSSCT	MS1LSSCT	ST2LSSCT
	2	NS2LSSCT	CL2LSSCT	ST2LSSCT	ES2LSSCT	HS2LSSCT	MS2LSSCT	ST4LSSCT
	3	NS3LSSCT	CL3LSSCT	ST3LSSCT	ES3LSSCT	-	-	-
	4	NS4LSSCT	CL4LSSCT	ST4LSSCT	-	-	-	-
Phenolic Resin	2	NS2RCT	CL2RCT	ST2RCT	ES2RCT	HS2RCT	MS2RCT	ST4RCT
	3	NS3RCT	CL3RCT	ST3RCT	ES3RCT	-	-	-
	4	NS4RCT	CL4RCT	ST4RCT	-	-	-	-

5. SELECT DRAWERS, SHELVES, ROLL-OUT TRAYS AND/OR DOORS

Drawers, shelves and roll-out trays can be arranged and re-arranged in a cabinet housing in any sequence. See the graphic on page 78 for information on configuring the correct height(s) of drawers and doors to fit the housing you have selected.

Drawers

Drawers are 100% full extension, allowing complete use of the furthest corners and easy access to all contents. Each drawer has a maximum load capacity of either 440 lb. (200kg) or 165 lb. (75kg).



Shelves

Fixed bottom shelves and adjustable upper shelves can be moved up or down in 1" increments. Vertical dividers are available to sub-divide shelves. Shelf cabinets are often stacked above drawer cabinets for maximum space savings. Maximum load capacity of 440 lbs. (200kg) evenly distributed.



Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the furthest corner. 100% full extension, 440 lb. (200 kg) or 165 lb. (75kg) maximum load capacity.



Retractable Door

Door slides out and back, stored out of the way when not in use. Door is provided with handles, individual lock (RG) and 2 keys. Only bottom and adjustable shelves may be installed behind retractable doors – no drawers or roll-out trays. See pages 82-83 for lock options.



Options: Add “-P” for window option on 450 and taller
See page 82 for locking options

Full Depth Retractable Doors

MP PART NO.	SC PART NO.	EW PART NO.	HW PART NO.	MW PART NO.	DW PART NO.
RD300/MP	RD300/SC	RD300/EW	RD300/HW	RD300/MW	RD300/DW
RD450/MP	RD450/SC	RD450/EW	RD450/HW	RD450/MW	RD450/DW
RD600/MP	RD600/SC	RD600/EW	RD600/HW	RD600/MW	RD600/DW

Shallow Depth Retractable Doors

CL PART NO.	ST PART NO.	ES PART NO.	HS PART NO.	MS PART NO.	HT PART NO.
RD300/CL	RD300/ST	RD300/ES	RD300/HS	RD300/MS	RD300/HT
RD450/CL	RD450/ST	RD450/ES	RD450/HS	RD450/MS	RD450/HT



Flush Hinged Doors

NS/NW PART NO.	CL/MP PART NO.	ST/SC PART NO.
FD300/19	FD300/27	-
FD450/19	FD450/27	FD450/36
FD600/19	FD600/27	FD600/36
FD750/19	FD750/27	FD750/36
FD900/19	FD900/27	FD900/36
FD1050/19	FD1050/27	FD1050/36
FD1200/19	FD1200/27	FD1200/36
FD1350/19	FD1350/27	FD1350/36

Options

add “R” for right hinged or “L” for left hinged
add “-W” for acrylic window cutout (optional)
add “-PF” for perforated cutout (optional)
add “__” for lock option (RG is default) see pages 80-81 for other locking options

Part number example: FD 750 27 R -W -KP

Flush Door
750 Points
27U Width

Keypad Lock
Window Cutout
Right Hinged

Drawers (Full Depth)

HEIGHT (POINTS)	USABLE HEIGHT	SIDEWALL HEIGHT	NW 165 LB. (75KG)	MP 440 LB. (200KG)	SC 440 LB. (200KG)	EW 440 LB. (200KG)	HW 440 LB. (200KG)	MW 440 LB. (200KG)	DW 440 LB. (200KG)
75	2.17" (55mm)	1.97" (50mm)	NW75N	MP75F	SC75F	EW75F	HW75F	MW75F	DW75F
100	3.15" (80mm)	3.03" (77mm)	NW100N	MP100F	SC100F	EW100F	HW100F	MW100F	DW100F
125	4.13" (105mm)	3.03" (77mm)	NW125N	MP125F	SC125F	EW125F	HW125F	MW125F	DW125F
150	5.12" (130mm)	5.00" (127mm)	NW150N	MP150F	SC150F	EW150F	HW150F	MW150F	DW150F
175	6.1" (155mm)	5.00" (127mm)	NW175N	MP175F	SC175F	EW175F	HW175F	MW175F	DW175F
200	7.09" (180mm)	6.97" (177mm)	NW200N	MP200F	SC200F	EW200F	HW200F	MW200F	DW200F
225	8.07" (205mm)	6.97" (177mm)	NW225N	MP225F	SC225F	EW225F	HW225F	MW225F	DW225F
250	9.06" (230mm)	8.94" (227mm)	NW250N	MP250F	SC250F	EW250F	HW250F	MW250F	DW250F
275	10.04" (255mm)	8.94" (227mm)	NW275N	MP275F	SC275F	EW275F	HW275F	MW275F	DW275F
300	11.02" (280mm)	10.91" (277mm)	NW300N	MP300F	SC300F	EW300F	HW300F	MW300F	DW300F
300-FFH	11.02" (280mm)	10.00" (254mm)	NW300-FFH*	-	-	-	-	-	-
325	12.01" (305mm)	10.91" (277mm)	NW325N	MP325F	SC325F	EW325F	HW325F	MW325F	DW325F
325-FFH	12.01" (305mm)	10.00" (254mm)	NW325-FFH*	-	-	-	-	-	-
350	12.99" (330mm)	10.91" (277mm)	NW350N	MP350F	SC350F	EW350F	HW350F	MW350F	DW350F
375	13.98" (355mm)	10.91" (277mm)	NW375N	MP375F	SC375F	EW375F	HW375F	MW375F	DW375F
400	14.96" (380mm)	10.91" (277mm)	NW400N	MP400F	SC400F	EW400F	HW400F	MW400F	DW400F
Bottom Shelf	N/A	1.2" (30mm)	-	MP-BS	SC-BS	EW-BS	HW-BS	MW-BS	DW-BS
Adjustable Shelf	N/A	1.2" (30mm)	NW-AS	MP-AS	SC-AS	EW-AS	HW-AS	MW-AS	DW-AS
TCF Tray	N/A	1.2" (30mm)	-	MP-TCF	SC-TCF	EW-TCF	HW-TCF	MW-TCF	DW-TCF
TCN Tray	N/A	1.2" (30mm)	-	MP-TCN	SC-TCN	-	-	-	-

*Hanging File Folder Drawer (not sub-dividable)

Drawers (Shallow Depth)

HEIGHT (POINTS)	USABLE HEIGHT	SIDEWALL HEIGHT	NS 165 LB. (75KG)	CL 440 LB. (200KG)	ST 440 LB. (200KG)	ES 440 LB. (200KG)	HS 440 LB. (200KG)	MS 440 LB. (200KG)	HT 440 LB. (200KG)
75	2.17" (55mm)	1.97" (50mm)	NS75N	CL75F	ST75F	ES75F	HS75F	MS75F	HT75F
100	3.15" (80mm)	3.03" (77mm)	NS100N	CL100F	ST100F	ES100F	HS100F	MS100F	HT100F
125	4.13" (105mm)	3.03" (77mm)	NS125N	CL125F	ST125F	ES125F	HS125F	MS125F	HT125F
150	5.12" (130mm)	5.00" (127mm)	NS150N	CL150F	ST150F	ES150F	HS150F	MS150F	HT150F
175	6.1" (155mm)	5.00" (127mm)	NS175N	CL175F	ST175F	ES175F	HS175F	MS175F	HT175F
200	7.09" (180mm)	6.97" (177mm)	NS200N	CL200F	ST200F	ES200F	HS200F	MS200F	HT200F
225	8.07" (205mm)	6.97" (177mm)	NS225N	CL225F	ST225F	ES225F	HS225F	MS225F	HT225F
250	9.06" (230mm)	8.94" (227mm)	NS250N	CL250F	ST250F	ES250F	HS250F	MS250F	HT250F
275	10.04" (255mm)	8.94" (227mm)	NS275N	CL275F	ST275F	ES275F	HS275F	MS275F	HT275F
300	11.02" (280mm)	10.91" (277mm)	NS300N	CL300F	ST300F	ES300F	HS300F	MS300F	HT300F
300-FFH	11.02" (280mm)	10.00" (254mm)	NS300-FFH*	-	-	-	-	-	-
325	12.01" (305mm)	10.91" (277mm)	NS325N	CL325F	ST325F	ES325F	HS325F	MS325F	HT325F
325-FFH	12.01" (305mm)	10.00" (254mm)	NS325-FFH*	-	-	-	-	-	-
350	12.99" (330mm)	10.91" (277mm)	NS350N	CL350F	ST350F	ES350F	HS350F	MS350F	HT350F
375	13.98" (355mm)	10.91" (277mm)	NS375N	CL375F	ST375F	ES375F	HS375F	MS375F	HT375F
400	14.96" (380mm)	10.91" (277mm)	NS400N	CL400F	ST400F	ES400F	HS400F	MS400F	HT400F
Bottom Shelf	N/A	1.2" (30mm)	-	CL-BS	ST-BS	ES-BS	HS-BS	MS-BS	HT-BS
Adjustable Shelf	N/A	1.2" (30mm)	NS-AS	CL-AS	ST-AS	ES-AS	HS-AS	MS-AS	HT-AS
TCF Tray	N/A	1.2" (30mm)	-	CL-TCF	ST-TCF	S-TCF	HS-TCF	MS-TCF	HT-TCF
TCN Tray	N/A	1.2" (30mm)	-	CL-TCN	ST-TCN	-	-	-	-

*Hanging File Folder Drawer (not sub-dividable)

For Preconfigured Shallow Depth Drawer Interiors see pages 32-39. For full depth drawer interiors see pages 66-75. For the full range of drawer interior accessories see pages 262-271.

Drawers come standard with a unique handle cover with a hinged plastic outer cover which allows quick and easy adding or changing of labels while protecting them from handling, tearing and dirt. Drawers and contents can be labeled with free, down-loadable Lista Script software. For those not requiring labeling of drawer or contents aluminum extrude covers are available in three finishes including: gloss black, chrome color, and brushed silver. See page 90.