

Wire Shelves



Genuine Quantum modular wire systems offer a unique combination of shelf and post sizes in a variety of finishes to work in any application. The all welded shelf construction is supported with architectural wire trusses to provide between up to 600 lb. and 1,000 lb. capacity per shelf.




CHROME

304 STAINLESS
STEELPROFORM
GREEN EPOXY

GRAY EPOXY

BLACK EPOXY

**2460HD**
Heavy-Duty Wire Shelf

All welded construction with thicker gauge wires and additional wire trussing allowing for up to 1,000 lb. capacity

PERFORMANCE FEATURES:

- All welded construction with additional wire trussing for high strength characteristics
- Top mat wires run front to back (except on 12" x 36" size) for ease of loading and unloading and superior strength
- Wire allows air to circulate and light to penetrate for increased product visibility
- Minimal dirt accumulation
- Split sleeve connectors secure shelf corners to posts
- Numbered grooved posts on 1 inch increments for quick assembly
- No tools required for assembly
- Adjustable foot levelers allow for perfect stability
- Durable finishes
- Aesthetically pleasing
- Optional accessories (see pgs. 163-166)
- National Sanitation Foundation (NSF) Approved
- Shipped KD Class 70
- Up to 600 and 1,000 lb. capacity per shelf



Up to 600-800 lb.
LOAD CAPACITY
PER SHELF

Up to 1,000 lb.
LOAD CAPACITY PER
HEAVY-DUTY SHELF (HD Models)

		CHROME	STAINLESS STEEL	EPOXY		
				PROFORM GREEN	GRAY	BLACK
SHELF W" x L"	SHIP WGT	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.
12" Deep - Wire Shelves						
12" x 24"	6 lbs	1224C	-	1224P	1224GY	1224BK
12" x 30"	6 lbs	1230C	-	1230P	1230GY	1230BK
12" x 36"	7 lbs	1236C	1236S	1236P	1236GY	1236BK
12" x 42"	8 lbs	1242C	-	1242P	1242GY	1242BK
12" x 48"	9 lbs	1248C	1248S	1248P	1248GY	1248BK
12" x 60"	14 lbs	1260C	1260S	1260P	1260GY	1260BK
12" x 72"	17 lbs	1272C	1272S	1272P	1272GY	1272BK
14" Deep - Wire Shelves						
14" x 24"	6 lbs	1424C	-	1424P	1424GY	1424BK
14" x 30"	7 lbs	1430C	1430S	1430P	1430GY	1430BK
14" x 36"	8 lbs	1436C	1436S	1436P	1436GY	1436BK
14" x 42"	10 lbs	1442C	1442S	1442P	1442GY	1442BK
14" x 48"	11 lbs	1448C	1448S	1448P	1448GY	1448BK
14" x 54"	12 lbs	1454C	1454S	1454P	1454GY	1454BK
14" x 60"	14 lbs	1460C	1460S	1460P	1460GY	1460BK
14" x 72"	17 lbs	1472C	1472S	1472P	1472GY	1472BK
18" Deep - Wire Shelves						
18" x 24"	7 lbs	1824C	1824S	1824P	1824GY	1824BK
18" x 30"	8 lbs	1830C	1830S	1830P	1830GY	1830BK
18" x 36"	10 lbs	1836C	1836S	1836P	1836GY	1836BK
18" x 42"	11 lbs	1842C	1842S	1842P	1842GY	1842BK
18" x 48"	14 lbs	1848C	1848S	1848P	1848GY	1848BK
18" x 54"	15 lbs	1854C	1854S	1854P	1854GY	1854BK
18" x 60"	17 lbs	1860C	1860S	1860P	1860GY	1860BK
18" x 72"	20 lbs	1872C	1872S	1872P	1872GY	1872BK
21" Deep - Wire Shelves						
21" x 24"	8 lbs	2124C	2124S	2124P	2124GY	2124BK
21" x 30"	9 lbs	2130C	2130S	2130P	2130GY	2130BK
21" x 36"	11 lbs	2136C	2136S	2136P	2136GY	2136BK
21" x 42"	12 lbs	2142C	2142S	2142P	2142GY	2142BK
21" x 48"	14 lbs	2148C	2148S	2148P	2148GY	2148BK
21" x 54"	16 lbs	2154C	2154S	2154P	2154GY	2154BK
21" x 60"	18 lbs	2160C	2160S	2160P	2160GY	2160BK
21" x 72"	24 lbs	2172C	2172S	2172P	2172GY	2172BK
24" Deep - Wire Shelves						
24" x 24"	9 lbs	2424C	2424S	2424P	2424GY	2424BK
24" x 30"	11 lbs	2430C	2430S	2430P	2430GY	2430BK
24" x 36"	13 lbs	2436C	2436S	2436P	2436GY	2436BK
24" x 42"	15 lbs	2442C	2442S	2442P	2442GY	2442BK
24" x 48"	16 lbs	2448C	2448S	2448P	2448GY	2448BK
24" x 54"	18 lbs	2454C	2454S	2454P	2454GY	2454BK
24" x 60"	20 lbs	2460C	2460S	2460P	2460GY	2460BK
24" x 66"	23 lbs	2466C	-	2466P	2466GY	-
24" x 72"	25 lbs	2472C	2472S	2472P	2472GY	2472BK
24" Deep Heavy-Duty - Wire Shelves (Up To 1,000 lb. Capacity)						
24" x 60"	25 lbs	2460CHD	-	-	-	-
24" x 72"	30 lbs	2472CHD	-	-	-	-
30" Deep - Wire Shelves						
30" x 30"	12 lbs	-	-	-	3030GY	-
30" x 36"	15 lbs	3036C	3036S	3036P	3036GY	3036BK
30" x 42"	18 lbs	3042C	3042S	3042P	3042GY	3042BK
30" x 48"	21 lbs	3048C	3048S	3048P	3048GY	3048BK
30" x 60"	27 lbs	3060C	3060S	3060P	3060GY	3060BK
30" x 72"	31 lbs	3072C	3072S	3072P	3072GY	3072BK
36" Deep - Wire Shelves						
36" x 36"	18 lbs	3636C	3636S	3636P	3636GY	3636BK
36" x 48"	23 lbs	3648C	3648S	3648P	3648GY	3648BK
36" x 60"	29 lbs	3660C	3660S	3660P	3660GY	3660BK
36" x 72"	35 lbs	3672C	3672S	3672P	3672GY	3672BK

Posts



All posts are fabricated from 16 gauge carbon steel with location grooves on one inch increments and ease for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for quick identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters. Custom post heights are available, call for additional information.

DESCRIPTION	SHIP WGT	CHROME	STAINLESS STEEL	EPOXY		
		MODEL NO.	MODEL NO.	PROFORM GREEN	GRAY	BLACK
6"H Post	1 lb	P6C	P6S	P6P	P6GY	P6BK
14"H Post	2 lbs	P14C	P14S	P14P	P14GY	P14BK
34"H Post	2 lbs	P34C	P34S	P34P	P34GY	P34BK
36"H Post	2 lbs	P36C	-	-	-	-
39"H Post	2 lbs	P39C	-	-	-	P39BK
42"H Post	2 lbs	-	P42S	-	-	-
54"H Post	3 lbs	P54C	P54S	P54P	P54GY	P54BK
63"H Post	4 lbs	P63C*	P63S	P63P*	P63GY*	P63BK*
74"H Post	4 lbs	P74C*	P74S	P74P*	P74GY*	P74BK*
86"H Post	5 lbs	P86C*	P86S	P86P*	P86GY*	P86BK*
96"H Post	6 lbs	P96C	P96S	P96P	P96GY	P96BK

*PRE-INSERTED LEVELERS For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an X to the Model No. P74CX

W-PC
Replacement Post Cap
Additional pieces available
(Sold as 4-pack)

W-PC-STUD
Threaded **Stud Connector** can be utilized to connect two posts enabling any post height to be achieved. Must be used with **WR-WMB** to secure to wall
See pg. 166

LASER PRINTED NUMBERS
For quick shelf positioning

W-PLI
Post Insert
Additional pieces available
(Sold as 4-pack)

W-PLB / W-PLBS
Post Leveler adjusts up or down allowing height flexibility. Additional pieces available
(Sold as 4-pack)



EASY IDENTIFICATION OF AISLES/ROWS CONTENTS


Post Label Holders

New post label holders come in two sizes and allow for easy identification of aisles/rows as well as of wire cart contents. Attach to standard 1" diameter posts. Each package includes 12 clear holders and corresponding printer friendly sheet labels.


MODEL NO.	DIMENSIONS W" x L"	PKG QTY	SHIP WGT
PLH1X6C	1" x 6"	12 pcs	1 lb
PLH2X4C	2" x 4"	12 pcs	1 lb




ASSEMBLING WIRE SHELVING UNITS IS AS EASY AS 1 - 2 - 3...



Snap plastic sleeve around post.



Slide shelf over sleeve for secure locking.



Two "S-Hooks" are used to connect add-on wire shelf to starter units.

Starter Kits



Heavy-duty shelving units allow up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. See chart on **pg. 104**. Mobilize starter kit shelving unit using optional mobile kit, **WR-00H**, see **pg. 167**. **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex: **Chrome** WR54-1236**C**
Stainless WR54-1236**S**
Proform Green WR54-1236**P**
Gray WR54-1236**GY**
Black WR54-1236**BK**

Ex: **Chrome** WR54-1236**C-5**
Stainless WR54-1236**S-5**
Proform Green WR54-1236**P-5**
Gray WR54-1236**GY-5**
Black WR54-1236**BK-5**

Chrome
Stainless
Proform Green
GY Gray
BK Black



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and deeper.



4 SHELF STARTER KIT
Stainless Steel Finish

54"H - WIRE SHELVING 4 SHELVES					54"H - WIRE SHELVING 5 SHELVES					AVAILABLE FINISHES					
STARTER KIT			ADD-ON KIT		STARTER KIT			ADD-ON KIT							
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	C	S	P	GY	BK
12" x 36"	WR54-1236	40 lbs	AD54-1236	36 lbs	WR54-1236-5	47 lbs	AD54-1236-5	45 lbs	WR54-1242	52 lbs	Y	Y	Y	Y	Y
12" x 42"	WR54-1242	44 lbs	AD54-1242	40 lbs	WR54-1242-5	52 lbs	AD54-1242-5	50 lbs	WR54-1248	57 lbs	Y	N	Y	Y	Y
12" x 48"	WR54-1248	48 lbs	AD54-1248	44 lbs	WR54-1248-5	57 lbs	AD54-1248-5	55 lbs	WR54-1260	70 lbs	Y	Y	Y	Y	Y
12" x 60"	WR54-1260	56 lbs	AD54-1260	52 lbs	WR54-1260-5	70 lbs	AD54-1260-5	68 lbs	WR54-1272	81 lbs	Y	Y	Y	Y	Y
12" x 72"	WR54-1272	64 lbs	AD54-1272	60 lbs	WR54-1272-5	81 lbs	AD54-1272-5	79 lbs	WR54-1424	42 lbs	Y	Y	Y	Y	Y
14" x 24"	WR54-1424	36 lbs	AD54-1424	32 lbs	WR54-1424-5	42 lbs	AD54-1424-5	40 lbs	WR54-1430	47 lbs	Y	N	Y	Y	Y
14" x 30"	WR54-1430	40 lbs	AD54-1430	36 lbs	WR54-1430-5	47 lbs	AD54-1430-5	45 lbs	WR54-1442	62 lbs	Y	Y	Y	Y	Y
14" x 36"	WR54-1436	44 lbs	AD54-1436	40 lbs	WR54-1436-5	52 lbs	AD54-1436-5	50 lbs	WR54-1448	67 lbs	Y	Y	Y	Y	Y
14" x 42"	WR54-1442	52 lbs	AD54-1442	48 lbs	WR54-1442-5	62 lbs	AD54-1442-5	60 lbs	WR54-1454	72 lbs	Y	Y	Y	Y	Y
14" x 48"	WR54-1448	56 lbs	AD54-1448	52 lbs	WR54-1448-5	67 lbs	AD54-1448-5	65 lbs	WR54-1460	82 lbs	Y	Y	Y	Y	Y
14" x 54"	WR54-1454	60 lbs	AD54-1454	56 lbs	WR54-1454-5	72 lbs	AD54-1454-5	70 lbs	WR54-1472	97 lbs	Y	Y	Y	Y	Y
14" x 60"	WR54-1460	68 lbs	AD54-1460	64 lbs	WR54-1460-5	82 lbs	AD54-1460-5	80 lbs	WR54-1824	47 lbs	Y	Y	Y	Y	Y
14" x 72"	WR54-1472	80 lbs	AD54-1472	76 lbs	WR54-1472-5	97 lbs	AD54-1472-5	95 lbs	WR54-1830	52 lbs	Y	Y	Y	Y	Y
18" x 24"	WR54-1824	40 lbs	AD54-1824	36 lbs	WR54-1824-5	47 lbs	AD54-1824-5	45 lbs	WR54-1836	62 lbs	Y	Y	Y	Y	Y
18" x 30"	WR54-1830	44 lbs	AD54-1830	40 lbs	WR54-1830-5	52 lbs	AD54-1830-5	50 lbs	WR54-1842	67 lbs	Y	Y	Y	Y	Y
18" x 36"	WR54-1836	52 lbs	AD54-1836	48 lbs	WR54-1836-5	62 lbs	AD54-1836-5	60 lbs	WR54-1848	74 lbs	Y	Y	Y	Y	Y
18" x 42"	WR54-1842	56 lbs	AD54-1842	52 lbs	WR54-1842-5	67 lbs	AD54-1842-5	65 lbs	WR54-1854	87 lbs	Y	Y	Y	Y	Y
18" x 48"	WR54-1848	60 lbs	AD54-1848	56 lbs	WR54-1848-5	74 lbs	AD54-1848-5	72 lbs	WR54-1860	97 lbs	Y	Y	Y	Y	Y
18" x 54"	WR54-1854	72 lbs	AD54-1854	68 lbs	WR54-1854-5	87 lbs	AD54-1854-5	81 lbs	WR54-1872	112 lbs	Y	Y	Y	Y	Y
18" x 60"	WR54-1860	80 lbs	AD54-1860	76 lbs	WR54-1860-5	97 lbs	AD54-1860-5	95 lbs	WR54-2124	52 lbs	Y	Y	Y	Y	Y
18" x 72"	WR54-1872	92 lbs	AD54-1872	88 lbs	WR54-1872-5	112 lbs	AD54-1872-5	58 lbs	WR54-2130	57 lbs	Y	Y	Y	Y	Y
21" x 24"	WR54-2124	44 lbs	AD54-2124	40 lbs	WR54-2124-5	52 lbs	AD54-2124-5	50 lbs	WR54-2136	67 lbs	Y	Y	Y	Y	Y
21" x 30"	WR54-2130	48 lbs	AD54-2130	44 lbs	WR54-2130-5	57 lbs	AD54-2130-5	59 lbs	WR54-2142	72 lbs	Y	Y	Y	Y	Y
21" x 36"	WR54-2136	56 lbs	AD54-2136	52 lbs	WR54-2136-5	67 lbs	AD54-2136-5	65 lbs	WR54-2148	82 lbs	Y	Y	Y	Y	Y
21" x 42"	WR54-2142	60 lbs	AD54-2142	56 lbs	WR54-2142-5	72 lbs	AD54-2142-5	70 lbs	WR54-2154	92 lbs	Y	Y	Y	Y	Y
21" x 48"	WR54-2148	68 lbs	AD54-2148	64 lbs	WR54-2148-5	82 lbs	AD54-2148-5	84 lbs	WR54-2160	102 lbs	Y	Y	Y	Y	Y
21" x 54"	WR54-2154	76 lbs	AD54-2154	72 lbs	WR54-2154-5	92 lbs	AD54-2154-5	94 lbs	WR54-2172	132 lbs	Y	Y	Y	Y	Y
21" x 60"	WR54-2160	84 lbs	AD54-2160	80 lbs	WR54-2160-5	102 lbs	AD54-2160-5	108 lbs	WR54-2424	57 lbs	Y	Y	Y	Y	Y
21" x 72"	WR54-2172	108 lbs	AD54-2172	104 lbs	WR54-2172-5	132 lbs	AD54-2172-5	130 lbs	WR54-2430	67 lbs	Y	Y	Y	Y	Y
24" x 24"	WR54-2424	48 lbs	AD54-2424	44 lbs	WR54-2424-5	57 lbs	AD54-2424-5	55 lbs	WR54-2436	77 lbs	Y	Y	Y	Y	Y
24" x 30"	WR54-2430	56 lbs	AD54-2430	52 lbs	WR54-2430-5	67 lbs	AD54-2430-5	65 lbs	WR54-2442	87 lbs	Y	Y	Y	Y	Y
24" x 36"	WR54-2436	64 lbs	AD54-2436	60 lbs	WR54-2436-5	77 lbs	AD54-2436-5	75 lbs	WR54-2448	92 lbs	Y	Y	Y	Y	Y
24" x 42"	WR54-2442	72 lbs	AD54-2442	68 lbs	WR54-2442-5	87 lbs	AD54-2442-5	85 lbs	WR54-2454	102 lbs	Y	Y	Y	Y	Y
24" x 48"	WR54-2448	76 lbs	AD54-2448	72 lbs	WR54-2448-5	92 lbs	AD54-2448-5	90 lbs	WR54-2460	117 lbs	Y	Y	Y	Y	Y
24" x 54"	WR54-2454	84 lbs	AD54-2454	80 lbs	WR54-2454-5	102 lbs	AD54-2454-5	100 lbs	WR54-2472	142 lbs	Y	Y	Y	Y	Y
24" x 60"	WR54-2460	96 lbs	AD54-2460	92 lbs	WR54-2460-5	117 lbs	AD54-2460-5	115 lbs	WR54-3036	87 lbs	Y	Y	Y	Y	Y
24" x 72"	WR54-2472	116 lbs	AD54-2472	112 lbs	WR54-2472-5	142 lbs	AD54-2472-5	142 lbs	WR54-3042	102 lbs	Y	Y	Y	Y	Y
30" x 36"	WR54-3036	72 lbs	AD54-3036	68 lbs	WR54-3036-5	87 lbs	AD54-3036-5	85 lbs	WR54-3048	117 lbs	Y	Y	Y	Y	Y
30" x 42"	WR54-3042	84 lbs	AD54-3042	80 lbs	WR54-3042-5	102 lbs	AD54-3042-5	100 lbs	WR54-3060	147 lbs	Y	Y	Y	Y	Y
30" x 48"	WR54-3048	96 lbs	AD54-3048	92 lbs	WR54-3048-5	117 lbs	AD54-3048-5	115 lbs	WR54-3072	167 lbs	Y	Y	Y	Y	Y
30" x 60"	WR54-3060	120 lbs	AD54-3060	116 lbs	WR54-3060-5	147 lbs	AD54-3060-5	145 lbs	WR54-3636	102 lbs	Y	Y	Y	Y	Y
30" x 72"	WR54-3072	136 lbs	AD54-3072	132 lbs	WR54-3072-5	167 lbs	AD54-3072-5	165 lbs	WR54-3648	127 lbs	Y	Y	Y	Y	Y
36" x 36"	WR54-3636	84 lbs	AD54-3636	80 lbs	WR54-3636-5	102 lbs	AD54-3636-5	100 lbs	WR54-3660	157 lbs	Y	Y	Y	Y	Y
36" x 48"	WR54-3648	104 lbs	AD54-3648	100 lbs	WR54-3648-5	127 lbs	AD54-3648-5	125 lbs	WR54-3672	171 lbs	Y	Y	Y	Y	Y
36" x 60"	WR54-3660	128 lbs	AD54-3660	124 lbs	WR54-3660-5	157 lbs	AD54-3660-5	155 lbs							
36" x 72"	WR54-3672	136 lbs	AD54-3672	132 lbs	WR54-3672-5	171 lbs	AD54-3672-5	169 lbs							

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks.

Y (Yes) N (No)



Add-On Kits



Additional Add-On kits allow you to expand your Starter kit by sharing a middle set of posts. Configuration options include side to side, back to back and right angles (*L-Shape*). Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Additional shelves and posts may be purchased separately. See chart on **pg. 104**. Units with Add-On kits cannot be made mobile. **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex: **Chrome**
Stainless
Proform Green
Gray
Black

WR63-1236**C**
WR63-1236**S**
WR63-1236**P**
WR63-1236**GY**
WR63-1236**BK**

Ex: **Chrome**
Stainless
Proform Green
Gray
Black


WR63-1236**C-5**
WR63-1236**S-5**
WR63-1236**P-5**
WR63-1236**GY-5**
WR63-1236**BK-5**

Chrome
Stainless
Proform Green
GY Gray
BK Black


63"H - WIRE SHELVING 4 SHELVES					63"H - WIRE SHELVING 5 SHELVES					AVAILABLE FINISHES	
STARTER KIT		ADD-ON KIT			STARTER KIT		ADD-ON KIT				
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT		C	S P GY BK
12" x 36"	WR63-1236	42 lbs	AD63-1236	37 lbs	WR63-1236-5	49 lbs	AD63-1236-5	46 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
12" x 42"	WR63-1242	46 lbs	AD63-1242	41 lbs	WR63-1242-5	54 lbs	AD63-1242-5	51 lbs	Y N Y Y Y	Y	Y Y Y Y Y
12" x 48"	WR63-1248	52 lbs	AD63-1248	43 lbs	WR63-1248-5	74 lbs	AD63-1248-5	56 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
12" x 60"	WR63-1260	60 lbs	AD63-1260	51 lbs	WR63-1260-5	61 lbs	AD63-1260-5	69 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
12" x 72"	WR63-1272	68 lbs	AD63-1272	59 lbs	WR63-1272-5	85 lbs	AD63-1272-5	80 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
14" x 24"	WR63-1424	40 lbs	AD63-1424	31 lbs	WR63-1424-5	46 lbs	AD63-1424-5	41 lbs	Y N Y Y Y	Y	Y Y Y Y Y
14" x 30"	WR63-1430	44 lbs	AD63-1430	35 lbs	WR63-1430-5	51 lbs	AD63-1430-5	46 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
14" x 36"	WR63-1436	48 lbs	AD63-1436	39 lbs	WR63-1436-5	56 lbs	AD63-1436-5	51 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
14" x 42"	WR63-1442	56 lbs	AD63-1442	47 lbs	WR63-1442-5	66 lbs	AD63-1442-5	61 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
14" x 48"	WR63-1448	60 lbs	AD63-1448	51 lbs	WR63-1448-5	71 lbs	AD63-1448-5	66 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
14" x 54"	WR63-1454	64 lbs	AD63-1454	55 lbs	WR63-1454-5	76 lbs	AD63-1454-5	71 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
14" x 60"	WR63-1460	72 lbs	AD63-1460	63 lbs	WR63-1460-5	86 lbs	AD63-1460-5	81 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
14" x 72"	WR63-1472	84 lbs	AD63-1472	75 lbs	WR63-1472-5	101 lbs	AD63-1472-5	96 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
18" x 24"	WR63-1824	44 lbs	AD63-1824	35 lbs	WR63-1824-5	51 lbs	AD63-1824-5	46 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
18" x 30"	WR63-1830	48 lbs	AD63-1830	39 lbs	WR63-1830-5	56 lbs	AD63-1830-5	51 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
18" x 36"	WR63-1836	54 lbs	AD63-1836	49 lbs	WR63-1836-5	64 lbs	AD63-1836-5	61 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
18" x 42"	WR63-1842	58 lbs	AD63-1842	53 lbs	WR63-1842-5	69 lbs	AD63-1842-5	66 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
18" x 48"	WR63-1848	62 lbs	AD63-1848	57 lbs	WR63-1848-5	76 lbs	AD63-1848-5	73 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
18" x 54"	WR63-1854	74 lbs	AD63-1854	69 lbs	WR63-1854-5	89 lbs	AD63-1854-5	86 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
18" x 60"	WR63-1860	82 lbs	AD63-1860	77 lbs	WR63-1860-5	99 lbs	AD63-1860-5	96 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
18" x 72"	WR63-1872	94 lbs	AD63-1872	89 lbs	WR63-1872-5	114 lbs	AD63-1872-5	111 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
21" x 24"	WR63-2124	46 lbs	AD63-2124	41 lbs	WR63-2124-5	54 lbs	AD63-2124-5	51 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
21" x 30"	WR63-2130	50 lbs	AD63-2130	45 lbs	WR63-2130-5	59 lbs	AD63-2130-5	56 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
21" x 36"	WR63-2136	58 lbs	AD63-2136	53 lbs	WR63-2136-5	69 lbs	AD63-2136-5	66 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
21" x 42"	WR63-2142	62 lbs	AD63-2142	57 lbs	WR63-2142-5	74 lbs	AD63-2142-5	71 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
21" x 48"	WR63-2148	70 lbs	AD63-2148	65 lbs	WR63-2148-5	84 lbs	AD63-2148-5	81 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
21" x 54"	WR63-2154	78 lbs	AD63-2154	73 lbs	WR63-2154-5	94 lbs	AD63-2154-5	91 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
21" x 60"	WR63-2160	86 lbs	AD63-2160	81 lbs	WR63-2160-5	104 lbs	AD63-2160-5	101 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
21" x 72"	WR63-2172	110 lbs	AD63-2172	105 lbs	WR63-2172-5	134 lbs	AD63-2172-5	131 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
24" x 24"	WR63-2424	50 lbs	AD63-2424	45 lbs	WR63-2424-5	59 lbs	AD63-2424-5	56 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
24" x 30"	WR63-2430	58 lbs	AD63-2430	53 lbs	WR63-2430-5	69 lbs	AD63-2430-5	66 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
24" x 36"	WR63-2436	66 lbs	AD63-2436	61 lbs	WR63-2436-5	79 lbs	AD63-2436-5	76 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
24" x 42"	WR63-2442	74 lbs	AD63-2442	69 lbs	WR63-2442-5	89 lbs	AD63-2442-5	86 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
24" x 48"	WR63-2448	78 lbs	AD63-2448	73 lbs	WR63-2448-5	94 lbs	AD63-2448-5	91 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
24" x 54"	WR63-2454	86 lbs	AD63-2454	81 lbs	WR63-2454-5	104 lbs	AD63-2454-5	101 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
24" x 60"	WR63-2460	98 lbs	AD63-2460	93 lbs	WR63-2460-5	119 lbs	AD63-2460-5	116 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
24" x 72"	WR63-2472	118 lbs	AD63-2472	113 lbs	WR63-2472-5	144 lbs	AD63-2472-5	141 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
30" x 36"	WR63-3036	74 lbs	AD63-3036	69 lbs	WR63-3036-5	89 lbs	AD63-3036-5	86 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
30" x 42"	WR63-3042	86 lbs	AD63-3042	81 lbs	WR63-3042-5	104 lbs	AD63-3042-5	101 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
30" x 48"	WR63-3048	98 lbs	AD63-3048	93 lbs	WR63-3048-5	119 lbs	AD63-3048-5	116 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
30" x 60"	WR63-3060	122 lbs	AD63-3060	117 lbs	WR63-3060-5	149 lbs	AD63-3060-5	146 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
30" x 72"	WR63-3072	138 lbs	AD63-3072	133 lbs	WR63-3072-5	169 lbs	AD63-3072-5	166 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
36" x 36"	WR63-3636	86 lbs	AD63-3636	81 lbs	WR63-3636-5	104 lbs	AD63-3636-5	101 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
36" x 48"	WR63-3648	106 lbs	AD63-3648	101 lbs	WR63-3648-5	129 lbs	AD63-3648-5	126 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
36" x 60"	WR63-3660	130 lbs	AD63-3660	125 lbs	WR63-3660-5	159 lbs	AD63-3660-5	156 lbs	Y Y Y Y Y	Y	Y Y Y Y Y
36" x 72"	WR63-3672	138 lbs	AD63-3672	133 lbs	WR63-3672-5	173 lbs	AD63-3672-5	170 lbs	Y Y Y Y Y	Y	Y Y Y Y Y

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks.

Y (Yes) N (No)



WIRE SHELVING
ADD-ON LAYOUT
OPTIONS



S-HOOK
For continuous runs of shelving. Two hooks should be placed per shelf where two posts are not utilized. For available finishes, see **pg. 166**

4 SHELF ADD-ON KIT
Chrome Finish

Starter Kits



Heavy-duty shelving units allow up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. See chart on **pg. 104**. Mobilize starter kit shelving unit using optional mobile kit, **WR-00H**, see **pg. 167**. **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex: **Chrome** WR74-1236**C**
Stainless WR74-1236**S**
Proform Green WR74-1236**P**
Gray WR74-1236**GY**
Black WR74-1236**BK**

Ex: **Chrome** WR74-1236**C-5**
Stainless WR74-1236**S-5**
Proform Green WR74-1236**P-5**
Gray WR74-1236**GY-5**
Black WR74-1236**BK-5**

Chrome
Stainless
Proform Green
GY Gray
BK Black



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and deeper.



4 SHELF STARTER KIT
Proform Green Epoxy Finish



5 SHELF STARTER KIT
Black Epoxy Finish

74"H - WIRE SHELVING 4 SHELVES					74"H - WIRE SHELVING 5 SHELVES					AVAILABLE FINISHES	
STARTER KIT			ADD-ON KIT		STARTER KIT			ADD-ON KIT			
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT		C	S P GY BK
12" x 36"	WR74-1236	44 lbs	AD74-1236	38 lbs	WR74-1236-5	51 lbs	AD74-1236-5	47 lbs		Y	Y Y Y Y
12" x 42"	WR74-1242	48 lbs	AD74-1242	42 lbs	WR74-1242-5	56 lbs	AD74-1242-5	52 lbs		Y	N Y Y Y
12" x 48"	WR74-1248	52 lbs	AD74-1248	46 lbs	WR74-1248-5	61 lbs	AD74-1248-5	57 lbs		Y	Y Y Y Y
12" x 60"	WR74-1260	60 lbs	AD74-1260	54 lbs	WR74-1260-5	74 lbs	AD74-1260-5	70 lbs		Y	Y Y Y Y
12" x 72"	WR74-1272	68 lbs	AD74-1272	62 lbs	WR74-1272-5	85 lbs	AD74-1272-5	81 lbs		Y	Y Y Y Y
14" x 24"	WR74-1424	40 lbs	AD74-1424	34 lbs	WR74-1424-5	46 lbs	AD74-1424-5	42 lbs		Y	N Y Y Y
14" x 30"	WR74-1430	44 lbs	AD74-1430	38 lbs	WR74-1430-5	51 lbs	AD74-1430-5	47 lbs		Y	Y Y Y Y
14" x 36"	WR74-1436	48 lbs	AD74-1436	42 lbs	WR74-1436-5	56 lbs	AD74-1436-5	52 lbs		Y	Y Y Y Y
14" x 42"	WR74-1442	56 lbs	AD74-1442	50 lbs	WR74-1442-5	66 lbs	AD74-1442-5	62 lbs		Y	Y Y Y Y
14" x 48"	WR74-1448	60 lbs	AD74-1448	54 lbs	WR74-1448-5	71 lbs	AD74-1448-5	67 lbs		Y	Y Y Y Y
14" x 54"	WR74-1454	64 lbs	AD74-1454	58 lbs	WR74-1454-5	76 lbs	AD74-1454-5	72 lbs		Y	Y Y Y Y
14" x 60"	WR74-1460	72 lbs	AD74-1460	66 lbs	WR74-1460-5	86 lbs	AD74-1460-5	82 lbs		Y	Y Y Y Y
14" x 72"	WR74-1472	84 lbs	AD74-1472	78 lbs	WR74-1472-5	101 lbs	AD74-1472-5	97 lbs		Y	Y Y Y Y
18" x 24"	WR74-1824	44 lbs	AD74-1824	38 lbs	WR74-1824-5	51 lbs	AD74-1824-5	47 lbs		Y	Y Y Y Y
18" x 30"	WR74-1830	48 lbs	AD74-1830	42 lbs	WR74-1830-5	56 lbs	AD74-1830-5	52 lbs		Y	Y Y Y Y
18" x 36"	WR74-1836	56 lbs	AD74-1836	50 lbs	WR74-1836-5	66 lbs	AD74-1836-5	62 lbs		Y	Y Y Y Y
18" x 42"	WR74-1842	60 lbs	AD74-1842	54 lbs	WR74-1842-5	71 lbs	AD74-1842-5	67 lbs		Y	Y Y Y Y
18" x 48"	WR74-1848	64 lbs	AD74-1848	58 lbs	WR74-1848-5	78 lbs	AD74-1848-5	74 lbs		Y	Y Y Y Y
18" x 54"	WR74-1854	76 lbs	AD74-1854	70 lbs	WR74-1854-5	91 lbs	AD74-1854-5	87 lbs		Y	Y Y Y Y
18" x 60"	WR74-1860	84 lbs	AD74-1860	78 lbs	WR74-1860-5	101 lbs	AD74-1860-5	97 lbs		Y	Y Y Y Y
18" x 72"	WR74-1872	96 lbs	AD74-1872	90 lbs	WR74-1872-5	116 lbs	AD74-1872-5	112 lbs		Y	Y Y Y Y
21" x 24"	WR74-2124	48 lbs	AD74-2124	42 lbs	WR74-2124-5	56 lbs	AD74-2124-5	52 lbs		Y	Y Y Y Y
21" x 30"	WR74-2130	52 lbs	AD74-2130	46 lbs	WR74-2130-5	61 lbs	AD74-2130-5	57 lbs		Y	Y Y Y Y
21" x 36"	WR74-2136	60 lbs	AD74-2136	54 lbs	WR74-2136-5	71 lbs	AD74-2136-5	67 lbs		Y	Y Y Y Y
21" x 42"	WR74-2142	64 lbs	AD74-2142	58 lbs	WR74-2142-5	76 lbs	AD74-2142-5	72 lbs		Y	Y Y Y Y
21" x 48"	WR74-2148	72 lbs	AD74-2148	66 lbs	WR74-2148-5	86 lbs	AD74-2148-5	82 lbs		Y	Y Y Y Y
21" x 54"	WR74-2154	80 lbs	AD74-2154	74 lbs	WR74-2154-5	96 lbs	AD74-2154-5	92 lbs		Y	Y Y Y Y
21" x 60"	WR74-2160	88 lbs	AD74-2160	82 lbs	WR74-2160-5	106 lbs	AD74-2160-5	102 lbs		Y	Y Y Y Y
21" x 72"	WR74-2172	112 lbs	AD74-2172	106 lbs	WR74-2172-5	136 lbs	AD74-2172-5	132 lbs		Y	Y Y Y Y
24" x 24"	WR74-2424	52 lbs	AD74-2424	46 lbs	WR74-2424-5	61 lbs	AD74-2424-5	57 lbs		Y	Y Y Y Y
24" x 30"	WR74-2430	60 lbs	AD74-2430	54 lbs	WR74-2430-5	71 lbs	AD74-2430-5	67 lbs		Y	Y Y Y Y
24" x 36"	WR74-2436	68 lbs	AD74-2436	62 lbs	WR74-2436-5	81 lbs	AD74-2436-5	77 lbs		Y	Y Y Y Y
24" x 42"	WR74-2442	76 lbs	AD74-2442	70 lbs	WR74-2442-5	91 lbs	AD74-2442-5	87 lbs		Y	Y Y Y Y
24" x 48"	WR74-2448	80 lbs	AD74-2448	74 lbs	WR74-2448-5	96 lbs	AD74-2448-5	92 lbs		Y	Y Y Y Y
24" x 54"	WR74-2454	88 lbs	AD74-2454	82 lbs	WR74-2454-5	106 lbs	AD74-2454-5	102 lbs		Y	Y Y Y Y
24" x 60"	WR74-2460	100 lbs	AD74-2460	94 lbs	WR74-2460-5	121 lbs	AD74-2460-5	117 lbs		Y	Y Y Y Y
24" x 72"	WR74-2472	120 lbs	AD74-2472	114 lbs	WR74-2472-5	146 lbs	AD74-2472-5	142 lbs		Y	Y Y Y Y
30" x 36"	WR74-3036	76 lbs	AD74-3036	70 lbs	WR74-3036-5	91 lbs	AD74-3036-5	87 lbs		Y	Y Y Y Y
30" x 42"	WR74-3042	88 lbs	AD74-3042	82 lbs	WR74-3042-5	106 lbs	AD74-3042-5	102 lbs		Y	Y Y Y Y
30" x 48"	WR74-3048	100 lbs	AD74-3048	94 lbs	WR74-3048-5	121 lbs	AD74-3048-5	117 lbs		Y	Y Y Y Y
30" x 60"	WR74-3060	124 lbs	AD74-3060	118 lbs	WR74-3060-5	151 lbs	AD74-3060-5	147 lbs		Y	Y Y Y Y
30" x 72"	WR74-3072	140 lbs	AD74-3072	134 lbs	WR74-3072-5	171 lbs	AD74-3072-5	167 lbs		Y	Y Y Y Y
36" x 36"	WR74-3636	88 lbs	AD74-3636	82 lbs	WR74-3636-5	106 lbs	AD74-3636-5	102 lbs		Y	Y Y Y Y
36" x 48"	WR74-3648	108 lbs	AD74-3648	102 lbs	WR74-3648-5	131 lbs	AD74-3648-5	127 lbs		Y	Y Y Y Y
36" x 60"	WR74-3660	132 lbs	AD74-3660	126 lbs	WR74-3660-5	161 lbs	AD74-3660-5	157 lbs		Y	Y Y Y Y
36" x 72"	WR74-3672	140 lbs	AD74-3672	134 lbs	WR74-3672-5	175 lbs	AD74-3672-5	171 lbs		Y	Y Y Y Y

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks.

Y (Yes) N (No)

Add-On Kits

NSF

Additional Add-On kits allow you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles (L-Shape). Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Additional shelves and posts may be purchased separately. See chart on **pg. 104**. Units with Add-On kit cannot be made mobile. **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

Up to

600-800 lb.

LOAD CAPACITY PER SHELF

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex: Chrome

Stainless

Proform Green

Gray

Black

WR86-1236C

WR86-1236S

WR86-1236P

WR86-1236GY

WR86-1236BK

Ex: Chrome

Stainless

Proform Green

Gray

Black

WR86-1236C-5

WR86-1236S-5

WR86-1236P-5

WR86-1236GY-5

WR86-1236BK-5

Chrome

Stainless

Proform Green


GY Gray

BK Black

86"H - WIRE SHELVING 4 SHELVES						86"H - WIRE SHELVING 5 SHELVES						AVAILABLE FINISHES	
STARTER KIT			ADD-ON KIT			STARTER KIT			ADD-ON KIT				
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT		MODEL NO.	SHIP WGT		MODEL NO.	SHIP WGT		C	S P GY BK
12" x 36"	WR86-1236	48 lbs	AD86-1236	40 lbs		WR86-1236-5	55 lbs		AD86-1236-5	49 lbs		Y	Y Y Y Y Y
12" x 42"	WR86-1242	52 lbs	AD86-1242	44 lbs		WR86-1242-5	60 lbs		AD86-1242-5	54 lbs		Y	N Y Y Y Y
12" x 48"	WR86-1248	56 lbs	AD86-1248	48 lbs		WR86-1248-5	65 lbs		AD86-1248-5	59 lbs		Y	Y Y Y Y Y
12" x 60"	WR86-1260	64 lbs	AD86-1260	56 lbs		WR86-1260-5	78 lbs		AD86-1260-5	72 lbs		Y	Y Y Y Y Y
12" x 72"	WR86-1272	72 lbs	AD86-1272	64 lbs		WR86-1272-5	89 lbs		AD86-1272-5	83 lbs		Y	Y Y Y Y Y
14" x 24"	WR86-1424	44 lbs	AD86-1424	36 lbs		WR86-1424-5	50 lbs		AD86-1424-5	44 lbs		Y	N Y Y Y Y
14" x 30"	WR86-1430	48 lbs	AD86-1430	40 lbs		WR86-1430-5	55 lbs		AD86-1430-5	49 lbs		Y	Y Y Y Y Y
14" x 36"	WR86-1436	52 lbs	AD86-1436	44 lbs		WR86-1436-5	60 lbs		AD86-1436-5	54 lbs		Y	Y Y Y Y Y
14" x 42"	WR86-1442	60 lbs	AD86-1442	52 lbs		WR86-1442-5	70 lbs		AD86-1442-5	64 lbs		Y	Y Y Y Y Y
14" x 48"	WR86-1448	64 lbs	AD86-1448	56 lbs		WR86-1448-5	75 lbs		AD86-1448-5	69 lbs		Y	Y Y Y Y Y
14" x 54"	WR86-1454	68 lbs	AD86-1454	60 lbs		WR86-1454-5	80 lbs		AD86-1454-5	74 lbs		Y	Y Y Y Y Y
14" x 60"	WR86-1460	76 lbs	AD86-1460	68 lbs		WR86-1460-5	90 lbs		AD86-1460-5	84 lbs		Y	Y Y Y Y Y
14" x 72"	WR86-1472	88 lbs	AD86-1472	80 lbs		WR86-1472-5	105 lbs		AD86-1472-5	99 lbs		Y	Y Y Y Y Y
18" x 24"	WR86-1824	48 lbs	AD86-1824	40 lbs		WR86-1824-5	55 lbs		AD86-1824-5	49 lbs		Y	Y Y Y Y Y
18" x 30"	WR86-1830	52 lbs	AD86-1830	44 lbs		WR86-1830-5	60 lbs		AD86-1830-5	54 lbs		Y	Y Y Y Y Y
18" x 36"	WR86-1836	60 lbs	AD86-1836	52 lbs		WR86-1836-5	60 lbs		AD86-1836-5	64 lbs		Y	Y Y Y Y Y
18" x 42"	WR86-1842	64 lbs	AD86-1842	56 lbs		WR86-1842-5	75 lbs		AD86-1842-5	69 lbs		Y	Y Y Y Y Y
18" x 48"	WR86-1848	68 lbs	AD86-1848	60 lbs		WR86-1848-5	82 lbs		AD86-1848-5	76 lbs		Y	Y Y Y Y Y
18" x 54"	WR86-1854	80 lbs	AD86-1854	72 lbs		WR86-1854-5	95 lbs		AD86-1854-5	89 lbs		Y	Y Y Y Y Y
18" x 60"	WR86-1860	88 lbs	AD86-1860	80 lbs		WR86-1860-5	105 lbs		AD86-1860-5	99 lbs		Y	Y Y Y Y Y
18" x 72"	WR86-1872	100 lbs	AD86-1872	92 lbs		WR86-1872-5	120 lbs		AD86-1872-5	114 lbs		Y	Y Y Y Y Y
21" x 24"	WR86-2124	52 lbs	AD86-2124	44 lbs		WR86-2124-5	60 lbs		AD86-2124-5	54 lbs		Y	Y Y Y Y Y
21" x 30"	WR86-2130	56 lbs	AD86-2130	48 lbs		WR86-2130-5	65 lbs		AD86-2130-5	59 lbs		Y	Y Y Y Y Y
21" x 36"	WR86-2136	64 lbs	AD86-2136	56 lbs		WR86-2136-5	75 lbs		AD86-2136-5	69 lbs		Y	Y Y Y Y Y
21" x 42"	WR86-2142	68 lbs	AD86-2142	60 lbs		WR86-2142-5	80 lbs		AD86-2142-5	74 lbs		Y	Y Y Y Y Y
21" x 48"	WR86-2148	76 lbs	AD86-2148	68 lbs		WR86-2148-5	90 lbs		AD86-2148-5	84 lbs		Y	Y Y Y Y Y
21" x 54"	WR86-2154	84 lbs	AD86-2154	76 lbs		WR86-2154-5	100 lbs		AD86-2154-5	94 lbs		Y	Y Y Y Y Y
21" x 60"	WR86-2160	92 lbs	AD86-2160	84 lbs		WR86-2160-5	110 lbs		AD86-2160-5	104 lbs		Y	Y Y Y Y Y
21" x 72"	WR86-2172	116 lbs	AD86-2172	108 lbs		WR86-2172-5	140 lbs		AD86-2172-5	134 lbs		Y	Y Y Y Y Y
24" x 24"	WR86-2424	56 lbs	AD86-2424	48 lbs		WR86-2424-5	65 lbs		AD86-2424-5	59 lbs		Y	Y Y Y Y Y
24" x 30"	WR86-2430	64 lbs	AD86-2430	56 lbs		WR86-2430-5	75 lbs		AD86-2430-5	69 lbs		Y	Y Y Y Y Y
24" x 36"	WR86-2436	72 lbs	AD86-2436	64 lbs		WR86-2436-5	85 lbs		AD86-2436-5	79 lbs		Y	Y Y Y Y Y
24" x 42"	WR86-2442	80 lbs	AD86-2442	72 lbs		WR86-2442-5	95 lbs		AD86-2442-5	89 lbs		Y	Y Y Y Y Y
24" x 48"	WR86-2448	84 lbs	AD86-2448	76 lbs		WR86-2448-5	100 lbs		AD86-2448-5	94 lbs		Y	Y Y Y Y Y
24" x 54"	WR86-2454	92 lbs	AD86-2454	84 lbs		WR86-2454-5	110 lbs		AD86-2454-5	104 lbs		Y	Y Y Y Y Y
24" x 60"	WR86-2460	104 lbs	AD86-2460	96 lbs		WR86-2460-5	125 lbs		AD86-2460-5	119 lbs		Y	Y Y Y Y Y
24" x 72"	WR86-2472	124 lbs	AD86-2472	116 lbs		WR86-2472-5	150 lbs		AD86-2472-5	144 lbs		Y	Y Y Y Y Y
30" x 36"	WR86-3036	80 lbs	AD86-3036	72 lbs		WR86-3036-5	95 lbs		AD86-3036-5	89 lbs		Y	Y Y Y Y Y
30" x 42"	WR86-3042	92 lbs	AD86-3042	84 lbs		WR86-3042-5	110 lbs		AD86-3042-5	104 lbs		Y	Y Y Y Y Y
30" x 48"	WR86-3048	104 lbs	AD86-3048	96 lbs		WR86-3048-5	125 lbs		AD86-3048-5	119 lbs		Y	Y Y Y Y Y
30" x 60"	WR86-3060	128 lbs	AD86-3060	120 lbs		WR86-3060-5	155 lbs		AD86-3060-5	149 lbs		Y	Y Y Y Y Y
30" x 72"	WR86-3072	144 lbs	AD86-3072	136 lbs		WR86-3072-5	175 lbs		AD86-3072-5	169 lbs		Y	Y Y Y Y Y
36" x 36"	WR86-3636	92 lbs	AD86-3636	84 lbs		WR86-3636-5	110 lbs		AD86-3636-5	104 lbs		Y	Y Y Y Y Y
36" x 48"	WR86-3648	112 lbs	AD86-3648	104 lbs		WR86-3648-5	135 lbs		AD86-3648-5	129 lbs		Y	Y Y Y Y Y
36" x 60"	WR86-3660	136 lbs	AD86-3660	128 lbs		WR86-3660-5	165 lbs		AD86-3660-5	159 lbs		Y	Y Y Y Y Y
36" x 72"	WR86-3672	144 lbs	AD86-3672	136 lbs		WR86-3672-5	179 lbs		AD86-3672-5	173 lbs		Y	Y Y Y Y Y

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks.

Y (Yes) N (No)



S-HOOK

For continuous runs of shelving. Two hooks should be placed per shelf where two posts are not utilized. For available finishes, see **pg. 166**



SOLID SHELVING - NO SPILL SURFACE

The solid steel design of these shelves is ideal for storage of small parts that might normally fall through wire shelves. Dual layer construction with double hemmed perimeter and marine edge ensures maximum strength while retaining spillage and excellent corrosion resistance.

All welded solid shelves are constructed of 18 gauge galvanized steel or 304 stainless steel.

By using various accessories, hundreds of shelving configurations become possible.



18 GAUGE
GALVANIZED



Galvanized - is known as a hot-dipping process in which the steel is dipped in molten zinc. This extra layer adds corrosion resistance to the finalized product. Recommended to be used in any application in a dry storage environment. 1-year limited warranty.



304
STAINLESS STEEL



Stainless Steel - 304 Stainless with an electro-polish finish represents the highest industry standard in the prevention of corrosion. This finish is highly effective for corrosive, high humidity or clean room environments. Lifetime warranty for 304 stainless steel electro-polish finish.


UNITS CAN BE LOADED/UNLOADED EASILY FROM ALL SIDES.

Solid Shelves




- Designed for storage of small parts that might normally fall through wire shelves
- Dual layer construction with double hemmed perimeter with marine edge ensures maximum strength while retaining spillage and excellent corrosion resistance

		GALVANIZED STEEL	STAINLESS STEEL
DIMENSIONS W" x L"	SHIP WGT	MODEL NO.	MODEL NO.
14" Deep - Solid Shelves			
14" x 30"	13 lbs	-	1430SS
14" x 36"	14 lbs	1436SG	1436SS
14" x 42"	15 lbs	1442SG	1442SS
14" x 48"	17 lbs	1448SG	1448SS
14" x 54"	20 lbs	1454SG	1454SS
14" x 60"	22 lbs	1460SG	1460SS
14" x 72"	26 lbs	1472SG	1472SS
18" Deep - Solid Shelves			
18" x 24"	11 lbs	1824SG	1824SS
18" x 30"	14 lbs	1830SG	1830SS
18" x 36"	16 lbs	1836SG	1836SS
18" x 42"	18 lbs	1842SG	1842SS
18" x 48"	20 lbs	1848SG	1848SS
18" x 54"	22 lbs	1854SG	1854SS
18" x 60"	24 lbs	1860SG	1860SS
18" x 72"	27 lbs	1872SG	1872SS
21" Deep - Solid Shelves			
21" x 24"	13 lbs	2124SG	2124SS
21" x 30"	15 lbs	2130SG	2130SS
21" x 36"	18 lbs	2136SG	2136SS
21" x 42"	21 lbs	2142SG	2142SS
21" x 48"	23 lbs	2148SG	2148SS
21" x 54"	25 lbs	2154SG	2154SS
21" x 60"	28 lbs	2160SG	2160SS
21" x 72"	30 lbs	2172SG	2172SS
24" Deep - Solid Shelves			
24" x 24"	15 lbs	2424SG	2424SS
24" x 30"	17 lbs	2430SG	2430SS
24" x 36"	19 lbs	2436SG	2436SS
24" x 42"	22 lbs	2442SG	2442SS
24" x 48"	24 lbs	2448SG	2448SS
24" x 54"	26 lbs	2454SG	2454SS
24" x 60"	31 lbs	2460SG	2460SS
24" x 72"	34 lbs	2472SG	2472SS



1836SG

18 GAUGE
GALVANIZED



1836SS

304
STAINLESS STEEL



Up to 400-600 lb.
LOAD CAPACITY PER SHELF

**EASY IDENTIFICATION OF
AISLES/ROWS CONTENTS**

Posts



All posts are fabricated from 16 gauge carbon steel with location grooves on one inch increments and ease for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for quick identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters. Custom post heights are available, call for additional information.

DESCRIPTION	SHIP WGT	CHROME	STAINLESS STEEL
		MODEL NO.	MODEL NO.
6"H Post	1 lb	P6C	P6S
14"H Post	1 lb	P14C	P14S
34"H Post	2 lbs	P34C	P34S
36"H Post	2 lbs	P36C	-
39"H Post	2 lbs	P39C	-
42"H Post	2 lbs	-	P42S
54"H Post	3 lbs	P54C	P54S
63"H Post	4 lbs	P63C*	P63S
74"H Post	4 lbs	P74C*	P74S
86"H Post	5 lbs	P86C*	P86S
96"H Post	6 lbs	P96C	P96S

*For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an X to the Model No. P74CX

W-PC
Replacement Post Cap
Additional pieces available
(Sold as 4-pack)

W-PC-STUD
Threaded Stud Connector can be utilized to connect two posts enabling any post height to be achieved. Must be used with WR-WMB to secure to wall

LASER PRINTED NUMBERS
For quick shelf positioning

W-PLI
Post Insert
Additional pieces available
(Sold as 4-pack)

W-PLB
Post Leveler adjusts up or down allowing height flexibility
(Sold as 4-pack)



PLH1X6C
Post Label
1" x 6"



PLH2X4C
Post Label
2" x 4"

Post Label Holders

New post label holders come in two sizes and allow for easy identification of aisles/rows as well as of wire cart contents. Attach to standard 1" diameter posts. Each package includes 12 clear holders and corresponding printer friendly sheet labels.

MODEL NO.	DIMENSIONS W" x L"	PKG QTY	SHIP WGT
PLH1X6C	1" x 6"	12 pcs	1 lb
PLH2X4C	2" x 4"	12 pcs	1 lb

4 Shelf Starter Kits

Solid flat shelves allows for storage from small to large items, and the marine edge perimeter prevents spillage. The double hemmed 18 gauge galvanized steel provides the solid shelf excellent strength characteristics. All solid shelf units consist of 4 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit WR-00H, see pg. 167. **Finish:** Galvanized Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and deeper.



4 SHELF STARTER KIT



QSMC


Shelf Clamp

Shelf Clamp eliminates 2 posts per shelving section. Two QSMC clamps are required per shelf.

Finish: Aluminum
(Sold individually)

4 Shelf Add-On Kits

Additional Add-On kits allow you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles (*L-Shape*). Add-on units consist of 4 shelves, 2 posts and 8 shelf clamps. Additional shelves and posts may be purchased separately, see chart on pg. 111. Units with Add-On kit cannot be made mobile. **Finish:** Galvanized Steel



54" H - GALVANIZED SOLID SHELVING 4 SHELVES

STARTER KIT			ADD-ON KIT		
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	
14" x 36"	WR54-1436SG	68 lbs	AD54-1436SG	65 lbs	
14" x 42"	WR54-1442SG	72 lbs	AD54-1442SG	69 lbs	
14" x 48"	WR54-1448SG	80 lbs	AD54-1448SG	77 lbs	
14" x 54"	WR54-1454SG	92 lbs	AD54-1454SG	89 lbs	
14" x 60"	WR54-1460SG	100 lbs	AD54-1460SG	97 lbs	
14" x 72"	WR54-1472SG	116 lbs	AD54-1472SG	113 lbs	
18" x 24"	WR54-1824SG	56 lbs	AD54-1824SG	53 lbs	
18" x 30"	WR54-1830SG	68 lbs	AD54-1830SG	65 lbs	
18" x 36"	WR54-1836SG	76 lbs	AD54-1836SG	73 lbs	
18" x 42"	WR54-1842SG	84 lbs	AD54-1842SG	81 lbs	
18" x 48"	WR54-1848SG	92 lbs	AD54-1848SG	89 lbs	
18" x 54"	WR54-1854SG	100 lbs	AD54-1854SG	97 lbs	
18" x 60"	WR54-1860SG	108 lbs	AD54-1860SG	105 lbs	
18" x 72"	WR54-1872SG	120 lbs	AD54-1872SG	117 lbs	
21" x 24"	WR54-2124SG	64 lbs	AD54-2124SG	61 lbs	
21" x 30"	WR54-2130SG	72 lbs	AD54-2130SG	69 lbs	
21" x 36"	WR54-2136SG	84 lbs	AD54-2136SG	81 lbs	
21" x 42"	WR54-2142SG	96 lbs	AD54-2142SG	93 lbs	
21" x 48"	WR54-2148SG	104 lbs	AD54-2148SG	101 lbs	
21" x 54"	WR54-2154SG	112 lbs	AD54-2154SG	109 lbs	
21" x 60"	WR54-2160SG	124 lbs	AD54-2160SG	121 lbs	
21" x 72"	WR54-2172SG	132 lbs	AD54-2172SG	129 lbs	
24" x 24"	WR54-2424SG	72 lbs	AD54-2424SG	69 lbs	
24" x 30"	WR54-2430SG	80 lbs	AD54-2430SG	77 lbs	
24" x 36"	WR54-2436SG	88 lbs	AD54-2436SG	85 lbs	
24" x 42"	WR54-2442SG	100 lbs	AD54-2442SG	97 lbs	
24" x 48"	WR54-2448SG	108 lbs	AD54-2448SG	105 lbs	
24" x 54"	WR54-2454SG	124 lbs	AD54-2454SG	121 lbs	
24" x 60"	WR54-2460SG	136 lbs	AD54-2460SG	133 lbs	
24" x 72"	WR54-2472SG	148 lbs	AD54-2472SG	145 lbs	

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.

63" H - GALVANIZED SOLID SHELVING 4 SHELVES

STARTER KIT			ADD-ON KIT		
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	
WR63-1436SG	72 lbs	AD63-1436SG	67 lbs		
WR63-1442SG	76 lbs	AD63-1442SG	71 lbs		
WR63-1448SG	84 lbs	AD63-1448SG	79 lbs		
WR63-1454SG	96 lbs	AD63-1454SG	91 lbs		
WR63-1460SG	104 lbs	AD63-1460SG	99 lbs		
WR63-1472SG	120 lbs	AD63-1472SG	115 lbs		
WR63-1824SG	60 lbs	AD63-1824SG	55 lbs		
WR63-1830SG	72 lbs	AD63-1830SG	67 lbs		
WR63-1836SG	80 lbs	AD63-1836SG	75 lbs		
WR63-1842SG	88 lbs	AD63-1842SG	83 lbs		
WR63-1848SG	96 lbs	AD63-1848SG	91 lbs		
WR63-1854SG	104 lbs	AD63-1854SG	99 lbs		
WR63-1860SG	112 lbs	AD63-1860SG	107 lbs		
WR63-1872SG	124 lbs	AD63-1872SG	119 lbs		
WR63-2124SG	68 lbs	AD63-2124SG	63 lbs		
WR63-2130SG	76 lbs	AD63-2130SG	71 lbs		
WR63-2136SG	88 lbs	AD63-2136SG	83 lbs		
WR63-2142SG	100 lbs	AD63-2142SG	95 lbs		
WR63-2148SG	108 lbs	AD63-2148SG	103 lbs		
WR63-2154SG	116 lbs	AD63-2154SG	111 lbs		
WR63-2160SG	128 lbs	AD63-2160SG	123 lbs		
WR63-2172SG	136 lbs	AD63-2172SG	131 lbs		
WR63-2424SG	76 lbs	AD63-2424SG	71 lbs		
WR63-2430SG	84 lbs	AD63-2430SG	79 lbs		
WR63-2436SG	92 lbs	AD63-2436SG	87 lbs		
WR63-2442SG	104 lbs	AD63-2442SG	99 lbs		
WR63-2448SG	112 lbs	AD63-2448SG	107 lbs		
WR63-2454SG	128 lbs	AD63-2454SG	123 lbs		
WR63-2460SG	140 lbs	AD63-2460SG	135 lbs		
WR63-2472SG	152 lbs	AD63-2472SG	147 lbs		

18 GAUGE
GALVANIZED STEEL

Up to **400-600 lb.**
LOAD CAPACITY PER SHELF
EVENLY DISTRIBUTED

74" H - GALVANIZED SOLID SHELVING 4 SHELVES

STARTER KIT			ADD-ON KIT		
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	
WR74-1436SG	72 lbs	AD74-1436SG	67 lbs		
WR74-1442SG	76 lbs	AD74-1442SG	71 lbs		
WR74-1448SG	84 lbs	AD74-1448SG	79 lbs		
WR74-1454SG	96 lbs	AD74-1454SG	91 lbs		
WR74-1460SG	104 lbs	AD74-1460SG	99 lbs		
WR74-1472SG	120 lbs	AD74-1472SG	115 lbs		
WR74-1824SG	60 lbs	AD74-1824SG	55 lbs		
WR74-1830SG	72 lbs	AD74-1830SG	67 lbs		
WR74-1836SG	80 lbs	AD74-1836SG	75 lbs		
WR74-1842SG	88 lbs	AD74-1842SG	83 lbs		
WR74-1848SG	96 lbs	AD74-1848SG	91 lbs		
WR74-1854SG	104 lbs	AD74-1854SG	99 lbs		
WR74-1860SG	112 lbs	AD74-1860SG	107 lbs		
WR74-1872SG	124 lbs	AD74-1872SG	119 lbs		
WR74-2124SG	68 lbs	AD74-2124SG	63 lbs		
WR74-2130SG	76 lbs	AD74-2130SG	71 lbs		
WR74-2136SG	88 lbs	AD74-2136SG	83 lbs		
WR74-2142SG	100 lbs	AD74-2142SG	95 lbs		
WR74-2148SG	108 lbs	AD74-2148SG	103 lbs		
WR74-2154SG	116 lbs	AD74-2154SG	111 lbs		
WR74-2160SG	128 lbs	AD74-2160SG	123 lbs		
WR74-2172SG	136 lbs	AD74-2172SG	131 lbs		
WR74-2424SG	76 lbs	AD74-2424SG	71 lbs		
WR74-2430SG	84 lbs	AD74-2430SG	79 lbs		
WR74-2436SG	92 lbs	AD74-2436SG	87 lbs		
WR74-2442SG	104 lbs	AD74-2442SG	99 lbs		
WR74-2448SG	112 lbs	AD74-2448SG	107 lbs		
WR74-2454SG	128 lbs	AD74-2454SG	123 lbs		
WR74-2460SG	140 lbs	AD74-2460SG	135 lbs		
WR74-2472SG	152 lbs	AD74-2472SG	147 lbs		

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.

86" H - GALVANIZED SOLID SHELVING 4 SHELVES

STARTER KIT			ADD-ON KIT		
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	
WR86-1436SG	76 lbs	AD86-1436SG	69 lbs		
WR86-1442SG	80 lbs	AD86-1442SG	73 lbs		
WR86-1448SG	88 lbs	AD86-1448SG	81 lbs		
WR86-1454SG	100 lbs	AD86-1454SG	93 lbs		
WR86-1460SG	108 lbs	AD86-1460SG	101 lbs		
WR86-1472SG	124 lbs	AD86-1472SG	117 lbs		
WR86-1824SG	64 lbs	AD86-1824SG	57 lbs		
WR86-1830SG	76 lbs	AD86-1830SG	69 lbs		
WR86-1836SG	84 lbs	AD86-1836SG	77 lbs		
WR86-1842SG	92 lbs	AD86-1842SG	85 lbs		
WR86-1848SG	100 lbs	AD86-1848SG	93 lbs		
WR86-1854SG	108 lbs	AD86-1854SG	101 lbs		
WR86-1860SG	116 lbs	AD86-1860SG	109 lbs		
WR86-1872SG	128 lbs	AD86-1872SG	121 lbs		
WR86-2124SG	72 lbs	AD86-2124SG	65 lbs		
WR86-2130SG	80 lbs	AD86-2130SG	73 lbs		
WR86-2136SG	92 lbs	AD86-2136SG	85 lbs		
WR86-2142SG	104 lbs	AD86-2142SG	97 lbs		
WR86-2148SG	112 lbs	AD86-2148SG	105 lbs		
WR86-2154SG	120 lbs	AD86-2154SG	113 lbs		
WR86-2160SG	132 lbs	AD86-2160SG	125 lbs		
WR86-2172SG	140 lbs	AD86-2172SG	133 lbs		
WR86-2424SG	80 lbs	AD86-2424SG	73 lbs		
WR86-2430SG	88 lbs	AD86-2430SG	81 lbs		
WR86-2436SG	96 lbs	AD86-2436SG	89 lbs		
WR86-2442SG	108 lbs	AD86-2442SG	101 lbs		
WR86-2448SG	116 lbs	AD86-2448SG	109 lbs		
WR86-2454SG	132 lbs	AD86-2454SG	125 lbs		
WR86-2460SG	144 lbs	AD86-2460SG	137 lbs		
WR86-2472SG	156 lbs	AD86-2472SG	149 lbs		

54"H - GALVANIZED SOLID SHELVING 5 SHELVES

STARTER KIT			ADD-ON KIT			STARTER KIT			ADD-ON KIT		
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT		MODEL NO.	SHIP WGT		MODEL NO.	SHIP WGT	
14" x 36"	WR54-1436SG-5	82 lbs	AD54-1436SG-5	79 lbs		WR63-1436SG-5	86 lbs		AD63-1436SG-5	81 lbs	
14" x 42"	WR54-1442SG-5	87 lbs	AD54-1442SG-5	84 lbs		WR63-1442SG-5	91 lbs		AD63-1442SG-5	86 lbs	
14" x 48"	WR54-1448SG-5	97 lbs	AD54-1448SG-5	94 lbs		WR63-1448SG-5	101 lbs		AD63-1448SG-5	96 lbs	
14" x 54"	WR54-1454SG-5	112 lbs	AD54-1454SG-5	109 lbs		WR63-1454SG-5	116 lbs		AD63-1454SG-5	111 lbs	
14" x 60"	WR54-1460SG-5	122 lbs	AD54-1460SG-5	119 lbs		WR63-1460SG-5	126 lbs		AD63-1460SG-5	121 lbs	
14" x 72"	WR54-1472SG-5	142 lbs	AD54-1472SG-5	139 lbs		WR63-1472SG-5	146 lbs		AD63-1472SG-5	141 lbs	
18" x 24"	WR54-1824SG-5	67 lbs	AD54-1824SG-5	64 lbs		WR63-1824SG-5	71 lbs		AD63-1824SG-5	66 lbs	
18" x 30"	WR54-1830SG-5	82 lbs	AD54-1830SG-5	79 lbs		WR63-1830SG-5	86 lbs		AD63-1830SG-5	81 lbs	
18" x 36"	WR54-1836SG-5	92 lbs	AD54-1836SG-5	89 lbs		WR63-1836SG-5	96 lbs		AD63-1836SG-5	91 lbs	
18" x 42"	WR54-1842SG-5	102 lbs	AD54-1842SG-5	99 lbs		WR63-1842SG-5	106 lbs		AD63-1842SG-5	101 lbs	
18" x 48"	WR54-1848SG-5	112 lbs	AD54-1848SG-5	109 lbs		WR63-1848SG-5	116 lbs		AD63-1848SG-5	111 lbs	
18" x 54"	WR54-1854SG-5	122 lbs	AD54-1854SG-5	119 lbs		WR63-1854SG-5	126 lbs		AD63-1854SG-5	121 lbs	
18" x 60"	WR54-1860SG-5	132 lbs	AD54-1860SG-5	129 lbs		WR63-1860SG-5	136 lbs		AD63-1860SG-5	131 lbs	
18" x 72"	WR54-1872SG-5	147 lbs	AD54-1872SG-5	144 lbs		WR63-1872SG-5	151 lbs		AD63-1872SG-5	146 lbs	
21" x 24"	WR54-2124SG-5	77 lbs	AD54-2124SG-5	74 lbs		WR63-2124SG-5	81 lbs		AD63-2124SG-5	76 lbs	
21" x 30"	WR54-2130SG-5	87 lbs	AD54-2130SG-5	84 lbs		WR63-2130SG-5	91 lbs		AD63-2130SG-5	86 lbs	
21" x 36"	WR54-2136SG-5	102 lbs	AD54-2136SG-5	99 lbs		WR63-2136SG-5	106 lbs		AD63-2136SG-5	101 lbs	
21" x 42"	WR54-2142SG-5	117 lbs	AD54-2142SG-5	114 lbs		WR63-2142SG-5	121 lbs		AD63-2142SG-5	116 lbs	
21" x 48"	WR54-2148SG-5	127 lbs	AD54-2148SG-5	124 lbs		WR63-2148SG-5	131 lbs		AD63-2148SG-5	126 lbs	
21" x 54"	WR54-2154SG-5	137 lbs	AD54-2154SG-5	134 lbs		WR63-2154SG-5	141 lbs		AD63-2154SG-5	136 lbs	
21" x 60"	WR54-2160SG-5	152 lbs	AD54-2160SG-5	149 lbs		WR63-2160SG-5	156 lbs		AD63-2160SG-5	151 lbs	
21" x 72"	WR54-2172SG-5	162 lbs	AD54-2172SG-5	159 lbs		WR63-2172SG-5	166 lbs		AD63-2172SG-5	161 lbs	
24" x 24"	WR54-2424SG-5	87 lbs	AD54-2424SG-5	84 lbs		WR63-2424SG-5	91 lbs		AD63-2424SG-5	86 lbs	
24" x 30"	WR54-2430SG-5	97 lbs	AD54-2430SG-5	94 lbs		WR63-2430SG-5	101 lbs		AD63-2430SG-5	96 lbs	
24" x 36"	WR54-2436SG-5	107 lbs	AD54-2436SG-5	104 lbs		WR63-2436SG-5	111 lbs		AD63-2436SG-5	106 lbs	
24" x 42"	WR54-2442SG-5	122 lbs	AD54-2442SG-5	119 lbs		WR63-2442SG-5	126 lbs		AD63-2442SG-5	121 lbs	
24" x 48"	WR54-2448SG-5	132 lbs	AD54-2448SG-5	129 lbs		WR63-2448SG-5	136 lbs		AD63-2448SG-5	131 lbs	
24" x 54"	WR54-2454SG-5	152 lbs	AD54-2454SG-5	149 lbs		WR63-2454SG-5	156 lbs		AD63-2454SG-5	151 lbs	
24" x 60"	WR54-2460SG-5	167 lbs	AD54-2460SG-5	164 lbs		WR63-2460SG-5	171 lbs		AD63-2460SG-5	166 lbs	
24" x 72"	WR54-2472SG-5	182 lbs	AD54-2472SG-5	179 lbs		WR63-2472SG-5	186 lbs		AD63-2472SG-5	181 lbs	

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

18 GAUGE

GALVANIZED STEEL

Up to 400-600 lb.
LOAD CAPACITY PER SHELF
EVENLY DISTRIBUTED

74"H - GALVANIZED SOLID SHELVING 5 SHELVES

STARTER KIT			ADD-ON KIT			STARTER KIT			ADD-ON KIT		
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT		MODEL NO.	SHIP WGT		MODEL NO.	SHIP WGT	
14" x 36"	WR74-1436SG-5	86 lbs	AD74-1436SG-5	81 lbs		WR86-1436SG-5	90 lbs		AD86-1436SG-5	83 lbs	
14" x 42"	WR74-1442SG-5	91 lbs	AD74-1442SG-5	86 lbs		WR86-1442SG-5	95 lbs		AD86-1442SG-5	88 lbs	
14" x 48"	WR74-1448SG-5	101 lbs	AD74-1448SG-5	91 lbs		WR86-1448SG-5	105 lbs		AD86-1448SG-5	98 lbs	
14" x 54"	WR74-1454SG-5	116 lbs	AD74-1454SG-5	111 lbs		WR86-1454SG-5	120 lbs		AD86-1454SG-5	113 lbs	
14" x 60"	WR74-1460SG-5	126 lbs	AD74-1460SG-5	121 lbs		WR86-1460SG-5	130 lbs		AD86-1460SG-5	123 lbs	
14" x 72"	WR74-1472SG-5	146 lbs	AD74-1472SG-5	141 lbs		WR86-1472SG-5	150 lbs		AD86-1472SG-5	143 lbs	
18" x 24"	WR74-1824SG-5	71 lbs	AD74-1824SG-5	66 lbs		WR86-1824SG-5	75 lbs		AD86-1824SG-5	68 lbs	
18" x 30"	WR74-1830SG-5	86 lbs	AD74-1830SG-5	81 lbs		WR86-1830SG-5	90 lbs		AD86-1830SG-5	83 lbs	
18" x 36"	WR74-1836SG-5	96 lbs	AD74-1836SG-5	91 lbs		WR86-1836SG-5	100 lbs		AD86-1836SG-5	93 lbs	
18" x 42"	WR74-1842SG-5	106 lbs	AD74-1842SG-5	101 lbs		WR86-1842SG-5	110 lbs		AD86-1842SG-5	103 lbs	
18" x 48"	WR74-1848SG-5	116 lbs	AD74-1848SG-5	111 lbs		WR86-1848SG-5	120 lbs		AD86-1848SG-5	113 lbs	
18" x 54"	WR74-1854SG-5	126 lbs	AD74-1854SG-5	121 lbs		WR86-1854SG-5	130 lbs		AD86-1854SG-5	123 lbs	
18" x 60"	WR74-1860SG-5	136 lbs	AD74-1860SG-5	131 lbs		WR86-1860SG-5	140 lbs		AD86-1860SG-5	133 lbs	
18" x 72"	WR74-1872SG-5	151 lbs	AD74-1872SG-5	151 lbs		WR86-1872SG-5	155 lbs		AD86-1872SG-5	153 lbs	
21" x 24"	WR74-2124SG-5	81 lbs	AD74-2124SG-5	76 lbs		WR86-2124SG-5	85 lbs		AD86-2124SG-5	78 lbs	
21" x 30"	WR74-2130SG-5	91 lbs	AD74-2130SG-5	86 lbs		WR86-2130SG-5	95 lbs		AD86-2130SG-5	88 lbs	
21" x 36"	WR74-2136SG-5	106 lbs	AD74-2136SG-5	101 lbs		WR86-2136SG-5	110 lbs		AD86-2136SG-5	103 lbs	
21" x 42"	WR74-2142SG-5	121 lbs	AD74-2142SG-5	116 lbs		WR86-2142SG-5	125 lbs		AD86-2142SG-5	118 lbs	
21" x 48"	WR74-2148SG-5	131 lbs	AD74-2148SG-5	121 lbs		WR86-2148SG-5	135 lbs		AD86-2148SG-5	123 lbs	
21" x 54"	WR74-2154SG-5	141 lbs	AD74-2154SG-5	136 lbs		WR86-2154SG-5	145 lbs		AD86-2154SG-5	138 lbs	
21" x 60"	WR74-2160SG-5	156 lbs	AD74-2160SG-5	151 lbs		WR86-2160SG-5	160 lbs		AD86-2160SG-5	153 lbs	
21" x 72"	WR74-2172SG-5	166 lbs	AD74-2172SG-5	166 lbs		WR86-2172SG-5	170 lbs		AD86-2172SG-5	168 lbs	
24" x 24"	WR74-2424SG-5	91 lbs	AD74-2424SG-5	86 lbs		WR86-2424SG-5	95 lbs		AD86-2424SG-5	88 lbs	
24" x 30"	WR74-2430SG-5	101 lbs	AD74-2430SG-5	96 lbs		WR86-2430SG-5	105 lbs		AD86-2430SG-5	98 lbs	
24" x 36"	WR74-2436SG-5	111 lbs	AD74-2436SG-5	106 lbs		WR86-2436SG-5	115 lbs		AD86-2436SG-5	108 lbs	
24" x 42"	WR74-2442SG-5	126 lbs	AD74-2442SG-5	121 lbs		WR86-2442SG-5	130 lbs		AD86-2442SG-5	123 lbs	
24" x 48"	WR74-2448SG-5	136 lbs	AD74-2448SG-5	131 lbs		WR86-2448SG-5	140 lbs		AD86-2448SG-5	133 lbs	
24" x 54"	WR74-2454SG-5	156 lbs	AD74-2454SG-5	151 lbs		WR86-2454SG-5	160 lbs		AD86-2454SG-5	153 lbs	
24" x 60"	WR74-2460SG-5	171 lbs	AD74-2460SG-5	166 lbs		WR86-2460SG-5	175 lbs		AD86-2460SG-5	168 lbs	
24" x 72"	WR74-2472SG-5	186 lbs	AD74-2472SG-5	181 lbs		WR86-2472SG-5	205 lbs		AD86-2472SG-5	198 lbs	

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

5 Shelf Starter Kits

Solid flat shelves allows for storage from small to large items, and the marine edge perimeter prevents spillage. The double hemmed 18 gauge galvanized steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 5 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit WR-00H, see pg. 167. **Finish:** Galvanized Steel


MOBILIZE YOUR SHELVING
DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)*

Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and deeper.


QSMC Shelf Clamp


Shelf Clamp eliminates 2 posts per shelving section. Two QSMC clamps are required per shelf. **Finish:** Aluminum (Sold individually)



5 SHELF ADD-ON KIT

5 Shelf Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles (L-Shape). Add-on units consist of 5 shelves, 2 posts and 10 shelf clamps. Additional shelves and posts may be purchased separately, see chart on pg. 111. Units with Add-On kit cannot be made mobile. **Finish:** Galvanized Steel



SOLID SHELVING ADD-ON LAYOUT OPTIONS

4 Shelf Starter Kits

Solid flat shelves allows for storage from small to large items, and the marine edge perimeter prevents spillage. The double hemmed 18 gauge 304 stainless steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 4 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit WR-00HS, see pg. 167. **Finish:** Stainless Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00HS (Mobile Kit)*

Set of four swivel 5" x 1-1/4" thermoplastic resin stainless steel casters with zerk grease fittings, 2 with brake. Can be used with all units shown. Up to 1,200 lb. load capacity. * Mobile kits recommended only for shelves 18" and deeper.


QSMC
Shelf Clamp

Shelf Clamp eliminates 2 post per shelving section. Two QSMC clamps are required per shelf. **Finish:** Aluminum (Sold individually)

4 SHELF STARTER KIT

4 Shelf Add-On Kits

Additional Add-On kits allow you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles (L-Shape). Add-on units consist of 4 shelves, 2 posts and 8 shelf clamps. Additional shelves and posts may be purchased separately, see chart on pg. 111. Units with Add-On kit cannot be made mobile. **Finish:** Stainless Steel

SOLID SHELVING
ADD-ON LAYOUT
OPTIONS

54"H - STAINLESS SOLID SHELVING 4 SHELVES				63"H - STAINLESS SOLID SHELVING 4 SHELVES				
STARTER KIT			ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WRS4-54-1436SS	68 lbs	WRSAD4-54-1436SS	65 lbs	WRS4-63-1436SS	72 lbs	WRSAD4-63-1436SS	67 lbs
14" x 42"	WRS4-54-1442SS	72 lbs	WRSAD4-54-1442SS	69 lbs	WRS4-63-1442SS	76 lbs	WRSAD4-63-1442SS	71 lbs
14" x 48"	WRS4-54-1448SS	80 lbs	WRSAD4-54-1448SS	77 lbs	WRS4-63-1448SS	84 lbs	WRSAD4-63-1448SS	79 lbs
14" x 54"	WRS4-54-1454SS	92 lbs	WRSAD4-54-1454SS	89 lbs	WRS4-63-1454SS	96 lbs	WRSAD4-63-1454SS	91 lbs
14" x 60"	WRS4-54-1460SS	100 lbs	WRSAD4-54-1460SS	97 lbs	WRS4-63-1460SS	104 lbs	WRSAD4-63-1460SS	99 lbs
14" x 72"	WRS4-54-1472SS	116 lbs	WRSAD4-54-1472SS	113 lbs	WRS4-63-1472SS	120 lbs	WRSAD4-63-1472SS	115 lbs
18" x 24"	WRS4-54-1824SS	56 lbs	WRSAD4-54-1824SS	53 lbs	WRS4-63-1824SS	60 lbs	WRSAD4-63-1824SS	55 lbs
18" x 30"	WRS4-54-1830SS	68 lbs	WRSAD4-54-1830SS	65 lbs	WRS4-63-1830SS	72 lbs	WRSAD4-63-1830SS	67 lbs
18" x 36"	WRS4-54-1836SS	76 lbs	WRSAD4-54-1836SS	73 lbs	WRS4-63-1836SS	80 lbs	WRSAD4-63-1836SS	75 lbs
18" x 42"	WRS4-54-1842SS	84 lbs	WRSAD4-54-1842SS	81 lbs	WRS4-63-1842SS	88 lbs	WRSAD4-63-1842SS	83 lbs
18" x 48"	WRS4-54-1848SS	92 lbs	WRSAD4-54-1848SS	89 lbs	WRS4-63-1848SS	96 lbs	WRSAD4-63-1848SS	91 lbs
18" x 54"	WRS4-54-1854SS	100 lbs	WRSAD4-54-1854SS	97 lbs	WRS4-63-1854SS	104 lbs	WRSAD4-63-1854SS	99 lbs
18" x 60"	WRS4-54-1860SS	108 lbs	WRSAD4-54-1860SS	105 lbs	WRS4-63-1860SS	112 lbs	WRSAD4-63-1860SS	107 lbs
18" x 72"	WRS4-54-1872SS	120 lbs	WRSAD4-54-1872SS	117 lbs	WRS4-63-1872SS	124 lbs	WRSAD4-63-1872SS	119 lbs
21" x 24"	WRS4-54-2124SS	64 lbs	WRSAD4-54-2124SS	61 lbs	WRS4-63-2124SS	68 lbs	WRSAD4-63-2124SS	63 lbs
21" x 30"	WRS4-54-2130SS	72 lbs	WRSAD4-54-2130SS	69 lbs	WRS4-63-2130SS	76 lbs	WRSAD4-63-2130SS	71 lbs
21" x 36"	WRS4-54-2136SS	84 lbs	WRSAD4-54-2136SS	81 lbs	WRS4-63-2136SS	88 lbs	WRSAD4-63-2136SS	83 lbs
21" x 42"	WRS4-54-2142SS	96 lbs	WRSAD4-54-2142SS	93 lbs	WRS4-63-2142SS	100 lbs	WRSAD4-63-2142SS	95 lbs
21" x 48"	WRS4-54-2148SS	104 lbs	WRSAD4-54-2148SS	101 lbs	WRS4-63-2148SS	108 lbs	WRSAD4-63-2148SS	103 lbs
21" x 54"	WRS4-54-2154SS	112 lbs	WRSAD4-54-2154SS	109 lbs	WRS4-63-2154SS	116 lbs	WRSAD4-63-2154SS	111 lbs
21" x 60"	WRS4-54-2160SS	124 lbs	WRSAD4-54-2160SS	121 lbs	WRS4-63-2160SS	128 lbs	WRSAD4-63-2160SS	123 lbs
21" x 72"	WRS4-54-2172SS	132 lbs	WRSAD4-54-2172SS	129 lbs	WRS4-63-2172SS	136 lbs	WRSAD4-63-2172SS	131 lbs
24" x 24"	WRS4-54-2424SS	72 lbs	WRSAD4-54-2424SS	69 lbs	WRS4-63-2424SS	76 lbs	WRSAD4-63-2424SS	71 lbs
24" x 30"	WRS4-54-2430SS	80 lbs	WRSAD4-54-2430SS	77 lbs	WRS4-63-2430SS	84 lbs	WRSAD4-63-2430SS	79 lbs
24" x 36"	WRS4-54-2436SS	88 lbs	WRSAD4-54-2436SS	85 lbs	WRS4-63-2436SS	92 lbs	WRSAD4-63-2436SS	87 lbs
24" x 42"	WRS4-54-2442SS	100 lbs	WRSAD4-54-2442SS	97 lbs	WRS4-63-2442SS	104 lbs	WRSAD4-63-2442SS	99 lbs
24" x 48"	WRS4-54-2448SS	108 lbs	WRSAD4-54-2448SS	105 lbs	WRS4-63-2448SS	112 lbs	WRSAD4-63-2448SS	107 lbs
24" x 54"	WRS4-54-2454SS	124 lbs	WRSAD4-54-2454SS	121 lbs	WRS4-63-2454SS	128 lbs	WRSAD4-63-2454SS	123 lbs
24" x 60"	WRS4-54-2460SS	136 lbs	WRSAD4-54-2460SS	133 lbs	WRS4-63-2460SS	140 lbs	WRSAD4-63-2460SS	135 lbs
24" x 72"	WRS4-54-2472SS	148 lbs	WRSAD4-54-2472SS	145 lbs	WRS4-63-2472SS	152 lbs	WRSAD4-63-2472SS	147 lbs

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.

304
STAINLESS STEELUp to 400-600 lb.
LOAD CAPACITY PER SHELF

	74"H - STAINLESS SOLID SHELVING 4 SHELVES				86"H - STAINLESS SOLID SHELVING 4 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WRS4-74-1436SS	72 lbs	WRSAD4-74-1436SS	67 lbs	WRS4-86-1436SS	76 lbs	WRSAD4-86-1436SS	69 lbs
14" x 42"	WRS4-74-1442SS	76 lbs	WRSAD4-74-1442SS	71 lbs	WRS4-86-1442SS	80 lbs	WRSAD4-86-1442SS	73 lbs
14" x 48"	WRS4-74-1448SS	84 lbs	WRSAD4-74-1448SS	79 lbs	WRS4-86-1448SS	88 lbs	WRSAD4-86-1448SS	81 lbs
14" x 54"	WRS4-74-1454SS	96 lbs	WRSAD4-74-1454SS	91 lbs	WRS4-86-1454SS	100 lbs	WRSAD4-86-1454SS	93 lbs
14" x 60"	WRS4-74-1460SS	104 lbs	WRSAD4-74-1460SS	99 lbs	WRS4-86-1460SS	108 lbs	WRSAD4-86-1460SS	101 lbs
14" x 72"	WRS4-74-1472SS	120 lbs	WRSAD4-74-1472SS	115 lbs	WRS4-86-1472SS	124 lbs	WRSAD4-86-1472SS	117 lbs
18" x 24"	WRS4-74-1824SS	60 lbs	WRSAD4-74-1824SS	55 lbs	WRS4-86-1824SS	64 lbs	WRSAD4-86-1824SS	57 lbs
18" x 30"	WRS4-74-1830SS	72 lbs	WRSAD4-74-1830SS	67 lbs	WRS4-86-1830SS	76 lbs	WRSAD4-86-1830SS	69 lbs
18" x 36"	WRS4-74-1836SS	80 lbs	WRSAD4-74-1836SS	75 lbs	WRS4-86-1836SS	84 lbs	WRSAD4-86-1836SS	77 lbs
18" x 42"	WRS4-74-1842SS	88 lbs	WRSAD4-74-1842SS	83 lbs	WRS4-86-1842SS	92 lbs	WRSAD4-86-1842SS	85 lbs
18" x 48"	WRS4-74-1848SS	96 lbs	WRSAD4-74-1848SS	91 lbs	WRS4-86-1848SS	100 lbs	WRSAD4-86-1848SS	93 lbs
18" x 54"	WRS4-74-1854SS	104 lbs	WRSAD4-74-1854SS	99 lbs	WRS4-86-1854SS	108 lbs	WRSAD4-86-1854SS	101 lbs
18" x 60"	WRS4-74-1860SS	112 lbs	WRSAD4-74-1860SS	107 lbs	WRS4-86-1860SS	116 lbs	WRSAD4-86-1860SS	109 lbs
18" x 72"	WRS4-74-1872SS	124 lbs	WRSAD4-74-1872SS	119 lbs	WRS4-86-1872SS	128 lbs	WRSAD4-86-1872SS	121 lbs
21" x 24"	WRS4-74-2124SS	68 lbs	WRSAD4-74-2124SS	63 lbs	WRS4-86-2124SS	72 lbs	WRSAD4-86-2124SS	65 lbs
21" x 30"	WRS4-74-2130SS	76 lbs	WRSAD4-74-2130SS	71 lbs	WRS4-86-2130SS	80 lbs	WRSAD4-86-2130SS	73 lbs
21" x 36"	WRS4-74-2136SS	88 lbs	WRSAD4-74-2136SS	83 lbs	WRS4-86-2136SS	92 lbs	WRSAD4-86-2136SS	85 lbs
21" x 42"	WRS4-74-2142SS	100 lbs	WRSAD4-74-2142SS	95 lbs	WRS4-86-2142SS	104 lbs	WRSAD4-86-2142SS	97 lbs
21" x 48"	WRS4-74-2148SS	108 lbs	WRSAD4-74-2148SS	103 lbs	WRS4-86-2148SS	112 lbs	WRSAD4-86-2148SS	105 lbs
21" x 54"	WRS4-74-2154SS	116 lbs	WRSAD4-74-2154SS	111 lbs	WRS4-86-2154SS	120 lbs	WRSAD4-86-2154SS	113 lbs
21" x 60"	WRS4-74-2160SS	128 lbs	WRSAD4-74-2160SS	123 lbs	WRS4-86-2160SS	132 lbs	WRSAD4-86-2160SS	125 lbs
21" x 72"	WRS4-74-2172SS	136 lbs	WRSAD4-74-2172SS	131 lbs	WRS4-86-2172SS	140 lbs	WRSAD4-86-2172SS	133 lbs
24" x 24"	WRS4-74-2424SS	76 lbs	WRSAD4-74-2424SS	71 lbs	WRS4-86-2424SS	80 lbs	WRSAD4-86-2424SS	73 lbs
24" x 30"	WRS4-74-2430SS	84 lbs	WRSAD4-74-2430SS	79 lbs	WRS4-86-2430SS	88 lbs	WRSAD4-86-2430SS	81 lbs
24" x 36"	WRS4-74-2436SS	92 lbs	WRSAD4-74-2436SS	87 lbs	WRS4-86-2436SS	96 lbs	WRSAD4-86-2436SS	89 lbs
24" x 42"	WRS4-74-2442SS	104 lbs	WRSAD4-74-2442SS	99 lbs	WRS4-86-2442SS	108 lbs	WRSAD4-86-2442SS	101 lbs
24" x 48"	WRS4-74-2448SS	112 lbs	WRSAD4-74-2448SS	107 lbs	WRS4-86-2448SS	116 lbs	WRSAD4-86-2448SS	109 lbs
24" x 54"	WRS4-74-2454SS	128 lbs	WRSAD4-74-2454SS	123 lbs	WRS4-86-2454SS	132 lbs	WRSAD4-86-2454SS	125 lbs
24" x 60"	WRS4-74-2460SS	140 lbs	WRSAD4-74-2460SS	135 lbs	WRS4-86-2460SS	144 lbs	WRSAD4-86-2460SS	137 lbs
24" x 72"	WRS4-74-2472SS	152 lbs	WRSAD4-74-2472SS	147 lbs	WRS4-86-2472SS	156 lbs	WRSAD4-86-2472SS	149 lbs

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.

54"H - STAINLESS SOLID SHELVING 5 SHELVES				63"H - STAINLESS SOLID SHELVING 5 SHELVES				
STARTER KIT			ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WRS5-54-1436SS	82 lbs	WRSAD5-54-1436SS	79 lbs	WRS5-63-1436SS	86 lbs	WRSAD5-63-1436SS	81 lbs
14" x 42"	WRS5-54-1442SS	87 lbs	WRSAD5-54-1442SS	84 lbs	WRS5-63-1442SS	91 lbs	WRSAD5-63-1442SS	86 lbs
14" x 48"	WRS5-54-1448SS	97 lbs	WRSAD5-54-1448SS	94 lbs	WRS5-63-1448SS	101 lbs	WRSAD5-63-1448SS	96 lbs
14" x 54"	WRS5-54-1454SS	112 lbs	WRSAD5-54-1454SS	109 lbs	WRS5-63-1454SS	116 lbs	WRSAD5-63-1454SS	111 lbs
14" x 60"	WRS5-54-1460SS	122 lbs	WRSAD5-54-1460SS	119 lbs	WRS5-63-1460SS	126 lbs	WRSAD5-63-1460SS	121 lbs
14" x 72"	WRS5-54-1472SS	142 lbs	WRSAD5-54-1472SS	139 lbs	WRS5-63-1472SS	146 lbs	WRSAD5-63-1472SS	141 lbs
18" x 24"	WRS5-54-1824SS	67 lbs	WRSAD5-54-1824SS	64 lbs	WRS5-63-1824SS	71 lbs	WRSAD5-63-1824SS	66 lbs
18" x 30"	WRS5-54-1830SS	82 lbs	WRSAD5-54-1830SS	79 lbs	WRS5-63-1830SS	86 lbs	WRSAD5-63-1830SS	81 lbs
18" x 36"	WRS5-54-1836SS	92 lbs	WRSAD5-54-1836SS	89 lbs	WRS5-63-1836SS	96 lbs	WRSAD5-63-1836SS	91 lbs
18" x 42"	WRS5-54-1842SS	102 lbs	WRSAD5-54-1842SS	99 lbs	WRS5-63-1842SS	106 lbs	WRSAD5-63-1842SS	101 lbs
18" x 48"	WRS5-54-1848SS	112 lbs	WRSAD5-54-1848SS	109 lbs	WRS5-63-1848SS	116 lbs	WRSAD5-63-1848SS	111 lbs
18" x 54"	WRS5-54-1854SS	122 lbs	WRSAD5-54-1854SS	119 lbs	WRS5-63-1854SS	126 lbs	WRSAD5-63-1854SS	121 lbs
18" x 60"	WRS5-54-1860SS	132 lbs	WRSAD5-54-1860SS	129 lbs	WRS5-63-1860SS	136 lbs	WRSAD5-63-1860SS	131 lbs
18" x 72"	WRS5-54-1872SS	147 lbs	WRSAD5-54-1872SS	144 lbs	WRS5-63-1872SS	151 lbs	WRSAD5-63-1872SS	146 lbs
21" x 24"	WRS5-54-2124SS	77 lbs	WRSAD5-54-2124SS	74 lbs	WRS5-63-2124SS	81 lbs	WRSAD5-63-2124SS	76 lbs
21" x 30"	WRS5-54-2130SS	87 lbs	WRSAD5-54-2130SS	84 lbs	WRS5-63-2130SS	91 lbs	WRSAD5-63-2130SS	86 lbs
21" x 36"	WRS5-54-2136SS	102 lbs	WRSAD5-54-2136SS	99 lbs	WRS5-63-2136SS	106 lbs	WRSAD5-63-2136SS	101 lbs
21" x 42"	WRS5-54-2142SS	117 lbs	WRSAD5-54-2142SS	114 lbs	WRS5-63-2142SS	121 lbs	WRSAD5-63-2142SS	116 lbs
21" x 48"	WRS5-54-2148SS	127 lbs	WRSAD5-54-2148SS	124 lbs	WRS5-63-2148SS	131 lbs	WRSAD5-63-2148SS	126 lbs
21" x 54"	WRS5-54-2154SS	137 lbs	WRSAD5-54-2154SS	134 lbs	WRS5-63-2154SS	141 lbs	WRSAD5-63-2154SS	136 lbs
21" x 60"	WRS5-54-2160SS	152 lbs	WRSAD5-54-2160SS	149 lbs	WRS5-63-2160SS	156 lbs	WRSAD5-63-2160SS	151 lbs
21" x 72"	WRS5-54-2172SS	162 lbs	WRSAD5-54-2172SS	159 lbs	WRS5-63-2172SS	166 lbs	WRSAD5-63-2172SS	161 lbs
24" x 24"	WRS5-54-2424SS	87 lbs	WRSAD5-54-2424SS	84 lbs	WRS5-63-2424SS	91 lbs	WRSAD5-63-2424SS	86 lbs
24" x 30"	WRS5-54-2430SS	97 lbs	WRSAD5-54-2430SS	94 lbs	WRS5-63-2430SS	101 lbs	WRSAD5-63-2430SS	96 lbs
24" x 36"	WRS5-54-2436SS	107 lbs	WRSAD5-54-2436SS	104 lbs	WRS5-63-2436SS	111 lbs	WRSAD5-63-2436SS	106 lbs
24" x 42"	WRS5-54-2442SS	122 lbs	WRSAD5-54-2442SS	119 lbs	WRS5-63-2442SS	126 lbs	WRSAD5-63-2442SS	121 lbs
24" x 48"	WRS5-54-2448SS	132 lbs	WRSAD5-54-2448SS	129 lbs	WRS5-63-2448SS	136 lbs	WRSAD5-63-2448SS	131 lbs
24" x 54"	WRS5-54-2454SS	152 lbs	WRSAD5-54-2454SS	149 lbs	WRS5-63-2454SS	156 lbs	WRSAD5-63-2454SS	151 lbs
24" x 60"	WRS5-54-2460SS	167 lbs	WRSAD5-54-2460SS	164 lbs	WRS5-63-2460SS	171 lbs	WRSAD5-63-2460SS	166 lbs
24" x 72"	WRS5-54-2472SS	182 lbs	WRSAD5-54-2472SS	179 lbs	WRS5-63-2472SS	186 lbs	WRSAD5-63-2472SS	181 lbs

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

304
STAINLESS STEEL

Up to 400-600 lb.
LOAD CAPACITY PER SHELF

74"H - STAINLESS SOLID SHELVING 5 SHELVES				86"H - STAINLESS SOLID SHELVING 5 SHELVES				
STARTER KIT			ADD-ON KIT	STARTER KIT			ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WRS5-74-1436SS	86 lbs	WRSAD5-74-1436SS	81 lbs	WRS5-86-1436SS	90 lbs	WRSAD5-86-1436SS	83 lbs
14" x 42"	WRS5-74-1442SS	91 lbs	WRSAD5-74-1442SS	86 lbs	WRS5-86-1442SS	95 lbs	WRSAD5-86-1442SS	88 lbs
14" x 48"	WRS5-74-1448SS	101 lbs	WRSAD5-74-1448SS	91 lbs	WRS5-86-1448SS	105 lbs	WRSAD5-86-1448SS	98 lbs
14" x 54"	WRS5-74-1454SS	116 lbs	WRSAD5-74-1454SS	111 lbs	WRS5-86-1454SS	120 lbs	WRSAD5-86-1454SS	113 lbs
14" x 60"	WRS5-74-1460SS	126 lbs	WRSAD5-74-1460SS	121 lbs	WRS5-86-1460SS	130 lbs	WRSAD5-86-1460SS	123 lbs
14" x 72"	WRS5-74-1472SS	146 lbs	WRSAD5-74-1472SS	141 lbs	WRS5-86-1472SS	150 lbs	WRSAD5-86-1472SS	143 lbs
18" x 24"	WRS5-74-1824SS	71 lbs	WRSAD5-74-1824SS	66 lbs	WRS5-86-1824SS	75 lbs	WRSAD5-86-1824SS	68 lbs
18" x 30"	WRS5-74-1830SS	86 lbs	WRSAD5-74-1830SS	81 lbs	WRS5-86-1830SS	90 lbs	WRSAD5-86-1830SS	83 lbs
18" x 36"	WRS5-74-1836SS	96 lbs	WRSAD5-74-1836SS	91 lbs	WRS5-86-1836SS	100 lbs	WRSAD5-86-1836SS	93 lbs
18" x 42"	WRS5-74-1842SS	106 lbs	WRSAD5-74-1842SS	101 lbs	WRS5-86-1842SS	110 lbs	WRSAD5-86-1842SS	103 lbs
18" x 48"	WRS5-74-1848SS	116 lbs	WRSAD5-74-1848SS	111 lbs	WRS5-86-1848SS	120 lbs	WRSAD5-86-1848SS	113 lbs
18" x 54"	WRS5-74-1854SS	126 lbs	WRSAD5-74-1854SS	121 lbs	WRS5-86-1854SS	130 lbs	WRSAD5-86-1854SS	123 lbs
18" x 60"	WRS5-74-1860SS	136 lbs	WRSAD5-74-1860SS	131 lbs	WRS5-86-1860SS	140 lbs	WRSAD5-86-1860SS	133 lbs
18" x 72"	WRS5-74-1872SS	151 lbs	WRSAD5-74-1872SS	151 lbs	WRS5-86-1872SS	155 lbs	WRSAD5-86-1872SS	153 lbs
21" x 24"	WRS5-74-2124SS	81 lbs	WRSAD5-74-2124SS	76 lbs	WRS5-86-2124SS	85 lbs	WRSAD5-86-2124SS	78 lbs
21" x 30"	WRS5-74-2130SS	91 lbs	WRSAD5-74-2130SS	86 lbs	WRS5-86-2130SS	95 lbs	WRSAD5-86-2130SS	88 lbs
21" x 36"	WRS5-74-2136SS	106 lbs	WRSAD5-74-2136SS	101 lbs	WRS5-86-2136SS	110 lbs	WRSAD5-86-2136SS	103 lbs
21" x 42"	WRS5-74-2142SS	121 lbs	WRSAD5-74-2142SS	116 lbs	WRS5-86-2142SS	125 lbs	WRSAD5-86-2142SS	118 lbs
21" x 48"	WRS5-74-2148SS	131 lbs	WRSAD5-74-2148SS	121 lbs	WRS5-86-2148SS	135 lbs	WRSAD5-86-2148SS	123 lbs
21" x 54"	WRS5-74-2154SS	141 lbs	WRSAD5-74-2154SS	136 lbs	WRS5-86-2154SS	145 lbs	WRSAD5-86-2154SS	138 lbs
21" x 60"	WRS5-74-2160SS	156 lbs	WRSAD5-74-2160SS	151 lbs	WRS5-86-2160SS	160 lbs	WRSAD5-86-2160SS	153 lbs
21" x 72"	WRS5-74-2172SS	166 lbs	WRSAD5-74-2172SS	166 lbs	WRS5-86-2172SS	170 lbs	WRSAD5-86-2172SS	168 lbs
24" x 24"	WRS5-74-2424SS	91 lbs	WRSAD5-74-2424SS	86 lbs	WRS5-86-2424SS	95 lbs	WRSAD5-86-2424SS	88 lbs
24" x 30"	WRS5-74-2430SS	101 lbs	WRSAD5-74-2430SS	96 lbs	WRS5-86-2430SS	105 lbs	WRSAD5-86-2430SS	98 lbs
24" x 36"	WRS5-74-2436SS	111 lbs	WRSAD5-74-2436SS	106 lbs	WRS5-86-2436SS	115 lbs	WRSAD5-86-2436SS	108 lbs
24" x 42"	WRS5-74-2442SS	126 lbs	WRSAD5-74-2442SS	121 lbs	WRS5-86-2442SS	130 lbs	WRSAD5-86-2442SS	123 lbs
24" x 48"	WRS5-74-2448SS	136 lbs	WRSAD5-74-2448SS	131 lbs	WRS5-86-2448SS	140 lbs	WRSAD5-86-2448SS	133 lbs
24" x 54"	WRS5-74-2454SS	156 lbs	WRSAD5-74-2454SS	151 lbs	WRS5-86-2454SS	160 lbs	WRSAD5-86-2454SS	153 lbs
24" x 60"	WRS5-74-2460SS	171 lbs	WRSAD5-74-2460SS	166 lbs	WRS5-86-2460SS	175 lbs	WRSAD5-86-2460SS	168 lbs
24" x 72"	WRS5-74-2472SS	186 lbs	WRSAD5-74-2472SS	181 lbs	WRS5-86-2472SS	205 lbs	WRSAD5-86-2472SS	198 lbs

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

5 Shelf Starter Kits

Solid flat shelves allows for storage from small to large items, and the marine edge perimeter prevents spillage. The double hemmed 18 gauge 304 stainless steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 5 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit **WR-00HS**, see **pg. 167**. **Finish:** Stainless Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper

Non-marking donut bumper used to protect walls and help cushion impact.

WR-00HS (Mobile Kit)*

Set of four swivel 5" x 1-1/4" thermoplastic resin stainless steel casters with zerk grease fittings, 2 with brake. Can be used with all units shown. Up to 1,200 lb. load capacity. *Mobile kits recommended only for shelves 18" and deeper.



QSMC

Shelf Clamp


Shelf Clamp eliminates 2 posts per shelving section. Two QSMC clamps are required per shelf. **Finish:** Aluminum (Sold individually)



5 SHELF ADD-ON KIT

5 Shelf Add-On Kits

Additional Add-On kits allow you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles (**L-Shape**). Add-on units consist of 5 shelves, 2 posts and 10 shelf clamps. Additional shelves and posts may be purchased separately, see chart on **pg. 111**. Units with Add-On kit cannot be made mobile. **Finish:** Stainless Steel




Polymer Wire Shelves



NEW

Hybrid wire epoxy and polymer mat shelves offer a unique combination of shelf sizes. The shelf construction is supported with architectural wire trusses to provide from up to 600 lb. to 800 lb. capacity per shelf. Vented shelf plates allows air to circulate for minimal dirt accumulation and light to penetrate for increased product visibility. Shelf plates are easily removable and dishwasher safe. Antimicrobial durable finish and aesthetically pleasing. National Sanitation Foundation (NSF) Approved. Plastic split sleeves are included with each shelf and replacements are available. S-Hooks are available for continuous runs of shelving. Two hooks should be placed per shelf where two posts are not utilized. No tools required for assembly.



Load capacity (evenly distributed) per shelf

WIDTHS: 14" to 24"
LENGTHS: Up to 800 lbs. for 24" to 48"
Up to 600 lbs. for 54" or longer

**Up to 600-800 lb.
LOAD CAPACITY PER SHELF**

**WR-SS
Split Sleeves**
Additional pieces available
(Sold as 4-pairs)



**S-HOOKWPM
S-Hook**
Additional pieces available
(Sold as 4-pairs)



VENTED MODEL NO.	SOLID MODEL NO.	SHELF W" x L"	SHIP WGT
14" Width - Shelves			
1424WPM	1424WPMS	14" x 24"	4 lbs
1430WPM	1430WPMS	14" x 30"	6 lbs
1436WPM	1436WPMS	14" x 36"	8 lbs
1442WPM	1442WPMS	14" x 42"	10 lbs
1448WPM	1448WPMS	14" x 48"	12 lbs
1454WPM	1454WPMS	14" x 54"	13 lbs
1460WPM	1460WPMS	14" x 60"	15 lbs
1472WPM	1472WPMS	14" x 72"	18 lbs
18" Width - Shelves			
1824WPM	1824WPMS	18" x 24"	5 lbs
1830WPM	1830WPMS	18" x 30"	7 lbs
1836WPM	1836WPMS	18" x 36"	9 lbs
1842WPM	1842WPMS	18" x 42"	10 lbs
1848WPM	1848WPMS	18" x 48"	11 lbs
1854WPM	1854WPMS	18" x 54"	12 lbs
1860WPM	1860WPMS	18" x 60"	13 lbs
1872WPM	1872WPMS	18" x 72"	16 lbs
21" Width - Shelves			
2124WPM	2124WPMS	21" x 24"	5 lbs
2130WPM	2130WPMS	21" x 30"	7 lbs
2136WPM	2136WPMS	21" x 36"	9 lbs
2142WPM	2142WPMS	21" x 42"	10 lbs
2148WPM	2148WPMS	21" x 48"	11 lbs
2154WPM	2154WPMS	21" x 54"	12 lbs
2160WPM	2160WPMS	21" x 60"	13 lbs
2172WPM	2172WPMS	21" x 72"	16 lbs
24" Width - Shelves			
2424WPM	2424WPMS	24" x 24"	9 lbs
2430WPM	2430WPMS	24" x 30"	11 lbs
2436WPM	2436WPMS	24" x 36"	13 lbs
2442WPM	2442WPMS	24" x 42"	14 lbs
2448WPM	2448WPMS	24" x 48"	15 lbs
2454WPM	2454WPMS	24" x 54"	16 lbs
2460WPM	2460WPMS	24" x 60"	19 lbs
2472WPM	2472WPMS	24" x 72"	23 lbs

Polymer Wire Posts



All posts are fabricated from 16 gauge carbon steel with location grooves on one inch increments and ease for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for quick identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters. Custom post heights are available, call for additional information.

MODEL NO.	DESCRIPTION	SHIP WGT
P6P	6"H Post	1 lb
P14P	14"H Post	2 lbs
P34P	34"H Post	2 lbs
P54P	54"H Post	3 lbs
P63P*	63"H Post	4 lbs
P74P*	74"H Post	4 lbs
P86P*	86"H Post	5 lbs
P96P	96"H Post	6 lbs

*PRE-INSERTED LEVELERS For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an X to the Model No. **P74PX**

**LASER PRINTED
NUMBERS**
For quick shelf
positioning

DOUBLE GROOVES
For quick identification

**W-PLI
Post Insert**
Additional pieces available
(Sold as 4-pack)

**W-PLB
Post Leveler** adjusts up or down
allowing height flexibility
(Sold as 4-pack)

**FP
Foot Plate**
**FG
Floor Guides**
(Sold separately as 4-pack)



W-PC-STUD
Threaded Stud Connector
can be utilized to connect
two posts enabling any
post height to be achieved.
Must be used with **WR-WMB**
to secure to wall
See **pg. 166**



**W-PC
Replacement Post Cap**
(Sold as 4-pack)



**CUSTOM POST HEIGHTS
ALSO AVAILABLE**

4 Shelf Polymer Wire Shelving Unit

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

ADD SUFFIX "S" TO MODEL NO. TO ORDER SOLID SHELF UNIT

Ex. WR63-1424WPM**S** or WR63-1424WPM**S**-5

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H - 4 Shelves Units			74"H - 4 Shelves Units			86"H - 4 Shelves Units		
WR63-1424WPM	14" x 24" x 63"	32 lbs	WR74-1424WPM	14" x 24" x 74"	32 lbs	WR86-1424WPM	14" x 24" x 86"	36 lbs
WR63-1430WPM	14" x 30" x 63"	41 lbs	WR74-1430WPM	14" x 30" x 74"	41 lbs	WR86-1430WPM	14" x 30" x 86"	45 lbs
WR63-1436WPM	14" x 36" x 63"	48 lbs	WR74-1436WPM	14" x 36" x 74"	48 lbs	WR86-1436WPM	14" x 36" x 86"	52 lbs
WR63-1442WPM	14" x 42" x 63"	56 lbs	WR74-1442WPM	14" x 42" x 74"	56 lbs	WR86-1442WPM	14" x 42" x 86"	60 lbs
WR63-1448WPM	14" x 48" x 63"	64 lbs	WR74-1448WPM	14" x 48" x 74"	64 lbs	WR86-1448WPM	14" x 48" x 86"	68 lbs
WR63-1454WPM	14" x 54" x 63"	70 lbs	WR74-1454WPM	14" x 54" x 74"	70 lbs	WR86-1454WPM	14" x 54" x 86"	74 lbs
WR63-1460WPM	14" x 60" x 63"	76 lbs	WR74-1460WPM	14" x 60" x 74"	76 lbs	WR86-1460WPM	14" x 60" x 86"	80 lbs
WR63-1472WPM	14" x 72" x 63"	89 lbs	WR74-1472WPM	14" x 72" x 74"	89 lbs	WR86-1472WPM	14" x 72" x 86"	93 lbs
WR63-1824WPM	18" x 24" x 63"	36 lbs	WR74-1824WPM	18" x 24" x 74"	36 lbs	WR86-1824WPM	18" x 24" x 86"	40 lbs
WR63-1830WPM	18" x 30" x 63"	48 lbs	WR74-1830WPM*	18" x 30" x 74"	48 lbs	WR86-1830WPM	18" x 30" x 86"	52 lbs
WR63-1836WPM	18" x 36" x 63"	56 lbs	WR74-1836WPM*	18" x 36" x 74"	56 lbs	WR86-1836WPM	18" x 36" x 86"	60 lbs
WR63-1842WPM	18" x 42" x 63"	64 lbs	WR74-1842WPM*	18" x 42" x 74"	64 lbs	WR86-1842WPM	18" x 42" x 86"	68 lbs
WR63-1848WPM	18" x 48" x 63"	68 lbs	WR74-1848WPM*	18" x 48" x 74"	68 lbs	WR86-1848WPM	18" x 48" x 86"	72 lbs
WR63-1854WPM	18" x 54" x 63"	76 lbs	WR74-1854WPM	18" x 54" x 74"	76 lbs	WR86-1854WPM	18" x 54" x 86"	80 lbs
WR63-1860WPM	18" x 60" x 63"	84 lbs	WR74-1860WPM	18" x 60" x 74"	84 lbs	WR86-1860WPM	18" x 60" x 86"	88 lbs
WR63-1872WPM	18" x 72" x 63"	96 lbs	WR74-1872WPM	18" x 72" x 74"	96 lbs	WR86-1872WPM	18" x 72" x 86"	100 lbs
WR63-2124WPM	21" x 24" x 63"	36 lbs	WR74-2124WPM	21" x 24" x 74"	36 lbs	WR86-2124WPM	21" x 24" x 86"	40 lbs
WR63-2130WPM	21" x 30" x 63"	56 lbs	WR74-2130WPM*	21" x 30" x 74"	56 lbs	WR86-2130WPM	21" x 30" x 86"	60 lbs
WR63-2136WPM	21" x 36" x 63"	64 lbs	WR74-2136WPM*	21" x 36" x 74"	64 lbs	WR86-2136WPM	21" x 36" x 86"	68 lbs
WR63-2142WPM	21" x 42" x 63"	68 lbs	WR74-2142WPM*	21" x 42" x 74"	68 lbs	WR86-2142WPM	21" x 42" x 86"	72 lbs
WR63-2148WPM	21" x 48" x 63"	76 lbs	WR74-2148WPM*	21" x 48" x 74"	76 lbs	WR86-2148WPM	21" x 48" x 86"	80 lbs
WR63-2154WPM	21" x 54" x 63"	84 lbs	WR74-2154WPM	21" x 54" x 74"	84 lbs	WR86-2154WPM	21" x 54" x 86"	88 lbs
WR63-2160WPM	21" x 60" x 63"	92 lbs	WR74-2160WPM	21" x 60" x 74"	92 lbs	WR86-2160WPM	21" x 60" x 86"	96 lbs
WR63-2172WPM	21" x 72" x 63"	104 lbs	WR74-2172WPM	21" x 72" x 74"	104 lbs	WR86-2172WPM	21" x 72" x 86"	108 lbs
WR63-2424WPM	24" x 24" x 63"	52 lbs	WR74-2424WPM	24" x 24" x 74"	52 lbs	WR86-2424WPM	24" x 24" x 86"	56 lbs
WR63-2430WPM	24" x 30" x 63"	64 lbs	WR74-2430WPM*	24" x 30" x 74"	64 lbs	WR86-2430WPM	24" x 30" x 86"	68 lbs
WR63-2436WPM	24" x 36" x 63"	68 lbs	WR74-2436WPM*	24" x 36" x 74"	68 lbs	WR86-2436WPM	24" x 36" x 86"	72 lbs
WR63-2442WPM	24" x 42" x 63"	72 lbs	WR74-2442WPM*	24" x 42" x 74"	72 lbs	WR86-2442WPM	24" x 42" x 86"	76 lbs
WR63-2448WPM	24" x 48" x 63"	80 lbs	WR74-2448WPM*	24" x 48" x 74"	80 lbs	WR86-2448WPM	24" x 48" x 86"	84 lbs
WR63-2454WPM	24" x 54" x 63"	92 lbs	WR74-2454WPM	24" x 54" x 74"	92 lbs	WR86-2454WPM	24" x 54" x 86"	96 lbs
WR63-2460WPM	24" x 60" x 63"	96 lbs	WR74-2460WPM	24" x 60" x 74"	96 lbs	WR86-2460WPM	24" x 60" x 86"	100 lbs
WR63-2472WPM	24" x 72" x 63"	112 lbs	WR74-2472WPM	24" x 72" x 74"	112 lbs	WR86-2472WPM	24" x 72" x 86"	116 lbs

*PACKAGED AS SINGLE BOX SHELVING UNITS

5 Shelf Polymer Wire Shelving Unit

PRE-INSERTED LEVELERS For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. WR86-2436WPM**X**, WR86-2436WPM-5**X**.

5 SHELF UNIT
Proform Green Polymer Finish

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
74"H - 5 Shelves Units			86"H - 5 Shelves Units		
WR74-1424WPM-5	14" x 24" x 74"	36 lbs	WR86-1424WPM-5	14" x 24" x 86"	40 lbs
WR74-1430WPM-5	14" x 30" x 74"	48 lbs	WR86-1430WPM-5	14" x 30" x 86"	52 lbs
WR74-1436WPM-5	14" x 36" x 74"	56 lbs	WR86-1436WPM-5	14" x 36" x 86"	60 lbs
WR74-1442WPM-5	14" x 42" x 74"	66 lbs	WR86-1442WPM-5	14" x 42" x 86"	70 lbs
WR74-1448WPM-5	14" x 48" x 74"	76 lbs	WR86-1448WPM-5	14" x 48" x 86"	80 lbs
WR74-1454WPM-5	14" x 54" x 74"	83 lbs	WR86-1454WPM-5	14" x 54" x 86"	87 lbs
WR74-1460WPM-5	14" x 60" x 74"	91 lbs	WR86-1460WPM-5	14" x 60" x 86"	95 lbs
WR74-1472WPM-5	14" x 72" x 74"	108 lbs	WR86-1472WPM-5	14" x 72" x 86"	112 lbs
WR74-1824WPM-5	18" x 24" x 74"	41 lbs	WR86-1824WPM-5	18" x 24" x 86"	45 lbs
WR74-1830WPM-5	18" x 30" x 74"	56 lbs	WR86-1830WPM-5	18" x 30" x 86"	60 lbs
WR74-1836WPM-5	18" x 36" x 74"	66 lbs	WR86-1836WPM-5	18" x 36" x 86"	70 lbs
WR74-1842WPM-5	18" x 42" x 74"	76 lbs	WR86-1842WPM-5	18" x 42" x 86"	80 lbs
WR74-1848WPM-5	18" x 48" x 74"	81 lbs	WR86-1848WPM-5	18" x 48" x 86"	85 lbs
WR74-1854WPM-5	18" x 54" x 74"	91 lbs	WR86-1854WPM-5	18" x 54" x 86"	95 lbs
WR74-1860WPM-5	18" x 60" x 74"	101 lbs	WR86-1860WPM-5	18" x 60" x 86"	105 lbs
WR74-1872WPM-5	18" x 72" x 74"	116 lbs	WR86-1872WPM-5	18" x 72" x 86"	120 lbs
WR74-2124WPM-5	21" x 24" x 74"	41 lbs	WR86-2124WPM-5	21" x 24" x 86"	45 lbs
WR74-2130WPM-5	21" x 30" x 74"	66 lbs	WR86-2130WPM-5	21" x 30" x 86"	70 lbs
WR74-2136WPM-5	21" x 36" x 74"	76 lbs	WR86-2136WPM-5	21" x 36" x 86"	80 lbs
WR74-2142WPM-5	21" x 42" x 74"	81 lbs	WR86-2142WPM-5	21" x 42" x 86"	85 lbs
WR74-2148WPM-5	21" x 48" x 74"	91 lbs	WR86-2148WPM-5	21" x 48" x 86"	95 lbs
WR74-2154WPM-5	21" x 54" x 74"	101 lbs	WR86-2154WPM-5	21" x 54" x 86"	105 lbs
WR74-2160WPM-5	21" x 60" x 74"	111 lbs	WR86-2160WPM-5	21" x 60" x 86"	115 lbs
WR74-2172WPM-5	21" x 72" x 74"	126 lbs	WR86-2172WPM-5	21" x 72" x 86"	130 lbs
WR74-2424WPM-5	24" x 24" x 74"	61 lbs	WR86-2424WPM-5	24" x 24" x 86"	65 lbs
WR74-2430WPM-5	24" x 30" x 74"	76 lbs	WR86-2430WPM-5	24" x 30" x 86"	80 lbs
WR74-2436WPM-5	24" x 36" x 74"	81 lbs	WR86-2436WPM-5	24" x 36" x 86"	85 lbs
WR74-2442WPM-5	24" x 42" x 74"	86 lbs	WR86-2442WPM-5	24" x 42" x 86"	90 lbs
WR74-2448WPM-5	24" x 48" x 74"	96 lbs	WR86-2448WPM-5	24" x 48" x 86"	100 lbs
WR74-2454WPM-5	24" x 54" x 74"	111 lbs	WR86-2454WPM-5	24" x 54" x 86"	115 lbs
WR74-2460WPM-5	24" x 60" x 74"	116 lbs	WR86-2460WPM-5	24" x 60" x 86"	120 lbs
WR74-2472WPM-5	24" x 72" x 74"	136 lbs	WR86-2472WPM-5	24" x 72" x 86"	140 lbs



NOW 3 FINISHES AVAILABLE ► EXPANDED 1 BOX WIRE SHELVING OFFERING NOW also available in **BLACK** and **GREEN Epoxy**



**CONVENIENT 1 BOX
WIRE SHELVING UNIT**
Chrome Finish



**NEW
FINISH**
**CONVENIENT 1 BOX
WIRE SHELVING UNIT**
Black Epoxy Finish



**NEW
FINISH**
**CONVENIENT 1 BOX
WIRE SHELVING UNIT**
Green Epoxy Finish

Convenient 1 Box Wire Shelving Units

Super competitive cost. All packed in 1 box for super easy inventory control, shipping, and receiving. Four shelf configuration.


FINISHES: ♦ CHROME ♦ GREEN EPOXY ♦ BLACK EPOXY

Add **SUFFIX** to Model No. ► Ex. **RWR72-1830LDP**
to order Epoxy Finish **RWR72-1830LDBK**

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Chrome One Box Shelving		
RWR72-1830LD	18" x 30" x 72"	35 lbs
RWR72-1836LD	18" x 36" x 72"	38 lbs
RWR72-1842LD	18" x 42" x 72"	42 lbs
RWR72-1848LD	18" x 48" x 72"	46 lbs
RWR72-2430LD	24" x 30" x 72"	40 lbs
RWR72-2436LD	24" x 36" x 72"	46 lbs
RWR72-2442LD	24" x 42" x 72"	51 lbs
RWR72-2448LD	24" x 48" x 72"	56 lbs



Up to 300 lb.
LOAD CAPACITY PER SHELF



CHROME

BLACK EPOXY

GREEN EPOXY

PERFORMANCE FEATURES:



- Up to 300 lb. load capacity per shelf (evenly distributed)
- Assembles in minutes
- Wire design allows for air circulation and minimal dust buildup
- Shelves easily adjust on 1" centers to your exact needs
- Ideal storage solution for any commercial, office, warehouse or home application
- Includes posts, shelves, and all needed hardware - all in one box
- No tools required

**SUPER
LOW PRICE!**

► **SINGLE BOX
SHIPMENT**

► **SUPER LOW
TRANSIT COST**



MOBILIZE YOUR SHELVING

W-PLI - Post Insert
Each unit will require one 4-pack.

WR-3 (Mobile Kit)
Set of four 3" polyurethane casters, all with brakes. Can be used with all units shown. Up to 800 lb. load capacity.



1 Box Polymer Wire Shelving Units

4 shelf configuration. Super competitive cost. All packed in 1 box for super easy inventory control, shipping, and receiving. **Finish:** Proform Green Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Proform Green Epoxy One Box Shelving		
WR74-1830WPM	18" x 30" x 74"	48 lbs
WR74-1836WPM	18" x 36" x 74"	56 lbs
WR74-1842WPM	18" x 42" x 74"	64 lbs
WR74-1848WPM	18" x 48" x 74"	68 lbs
WR74-2130WPM	21" x 30" x 74"	56 lbs
WR74-2136WPM	21" x 36" x 74"	64 lbs
WR74-2142WPM	21" x 42" x 74"	68 lbs
WR74-2148WPM	21" x 48" x 74"	76 lbs
WR74-2430WPM	24" x 30" x 74"	64 lbs
WR74-2436WPM	24" x 36" x 74"	68 lbs
WR74-2442WPM	24" x 42" x 74"	72 lbs
WR74-2448WPM	24" x 48" x 74"	80 lbs



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H (Mobile Kit)
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity.

For additional Caster options See pg. 167

PERFORMANCE FEATURES:

- 15 year limited warranty on Epoxy, Lifetime limited warranty on plastic
- Up to 600-800 lb. load capacity per shelf
- Smooth, vented, open grid surface allows for air circulation and minimal dust buildup
- Shelf plates are easily removable and dishwasher safe
- NSF Approved
- Antimicrobial
- Resistant against corrosion



4 SHELF UNIT
Proform Green Epoxy Finish

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

SUPER LOW PRICE

SUPER LOW TRANSIT COST

SINGLE BOX SHIPMENT

INSIDE EACH SINGLE BOX UNIT

- 4 - posts (2 or 3 pieces each)
- 4 - wire frames
- 4 - plastic wire mats (2 or 3 pieces each)
- 4 - packs of split sleeves



Corner Wire Shelving

NSF

When in need of more storage space, Quantum Corner Wire Shelving is the answer. It's great for any corner area. It is versatile and durable, it is easy to assemble. Each shelf holds up to 700 lbs., evenly distributed. This versatile storage option will help your rooms stay neat, organized and maximized.

Finishes: Chrome and Proform Green Epoxy

REPLACE SUFFIX "C" AT THE END OF MODEL NO. WITH "P" TO ORDER GREEN EPOXY FINISH

Ex. 1836CRNP
WR74-1836CRNP
WR74-1836CRNP-5

MODEL NO.	SHELF DIMENSIONS A" x B" x C" x D" x E"	SHIP WGT
Corner Wire Shelves		
1836CRNC	37-7/8" x 50-1/4" x 36" x 18" x 27"	16 lbs
2442CRNC	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	21 lbs
74"H - Corner Wire Shelving 4 Shelf System		
WR74-1836CRNC	37-7/8" x 50-1/4" x 36" x 18" x 27"	80 lbs
WR74-2442CRNC	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	100 lbs
74"H - Corner Wire Shelving 5 Shelf System		
WR74-1836CRNC-5	37-7/8" x 50-1/4" x 36" x 18" x 27"	96 lbs
WR74-2442CRNC-5	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	121 lbs


**NEW
FINISH**



1836CRNP

Corner Wire Shelf Proform Green Epoxy Finish
(Use with 18" deep wire shelving)

**Up to 700 lb.
LOAD CAPACITY
PER SHELF**



2442CRNC



Corner Wire Shelf Chrome Finish
(Use with 24" deep wire shelving)

MOBILIZE YOUR SHELVING


DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.



WR-00H-5 (Mobile Kit)
Set of five swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,500 lb. load capacity.



4 SHELF UNIT
Proform Green Epoxy Finish




5 SHELF MOBILE UNIT

PERFORMANCE FEATURES:

- Up to 700 lb. load capacity per shelf
- Easy assembly with no tools needed
- Compatible with 18" and 24" deep wire shelving add-on units
- Shelves easily adjust on 1" centers to your exact needs
- Ideal storage solution for any commercial, office, warehouse or home application
- Bright chrome or green epoxy finish

CORNER WIRE SHELVING & ADD-ON LAYOUT OPTIONS




Reel Shelving Units




Quantum Reel Shelving offers a safe and efficient method of transporting and storing standard size component reels. New reel shelves are chrome plated and can be used in conjunction with same size standard flat wire shelves. Units are available with conductive accessories providing a static safe storage system to address reel handling and providing stationary or mobile complete storage systems for PCB manufacturers. *Finish:* Chrome

MODEL NO.	DIMENSIONS W" x L"	HANDLES REEL SIZE	REEL CAPACITY	SHIP WGT
1836R16C	18" x 36"	13"-15"	15	10 lbs
1836R40C	18" x 36"	7"	78	12 lbs



1836R16C



1836R40C



Up to 400 lb.
LOAD CAPACITY PER SHELF



WRC-R264C
Chrome Finish



MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	SHIP WGT
WRC-R60C	18" x 36" x 69"	(4) 15-Reel Wire Shelves	75 lbs
WRC-R264C	18" x 36" x 69"	(2) 15-Reel Wire Shelves - (3) 78-Reel Wire Shelves	81 lbs
WRC-R468C	18" x 36" x 69"	(6) 78-Reel Wire Shelves	87 lbs

CARTS ARE CONDUCTIVE/ESD SAFE AND INCLUDES CONDUCTIVE CASTERS, CONDUCTIVE PLASTIC SPLIT SLEEVES, AND DRAG CHAIN

Conductive Accessories

WR-00CO
Conductive Casters
4 swivel
- 2 brakes
- 2 non-brakes



WR-SSCO
Conductive Plastic Split Sleeves



ESD-DC
Drag Chain

