

SAFETY DATA SHEET

Product TOTALLY TROPICAL IN
STORE 6289281

Print Date 09/16/2024

Page 1 (10)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TOTALLY TROPICAL IN STORE 6289281
Sales Number : 6289281
SDS Number : 300001174887
Product Use Description : Fragrance Compound

Company : BUFF CITY SOAP LLC
5294 BELT LINE RD SUITE
100, ADDISON, TX 75254

Telephone : +1-8444687627


Emergency telephone number : +1-8333360131

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 4
Skin irritation, Category 2
Eye irritation, Category 2A
Skin sensitisation, Category 1
Reproductive toxicity, Category 2

GHS-Labeling

Symbol(s) : 

Signal word : Warning

Hazard statements : H227: Combustible liquid.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H361: Suspected of damaging fertility or the unborn child.

Precautionary statements : P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No

Version : 2

Revision Date : 09/16/2024

SAFETY DATA SHEET

Product TOTALLY TROPICAL IN
STORE 6289281

Print Date 09/16/2024

Page 2 (10)

smoking.
P261: Avoid breathing mist or vapours.
P280: Wear protective gloves/ protective clothing/ eye protection/
face protection.
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for
several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
P308 + P313: IF exposed or concerned: Get medical advice/
attention.
P333 + P313: If skin irritation or rash occurs: Get medical advice/
attention.
P337 + P313: If eye irritation persists: Get medical advice/ attention.
P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-
resistant foam to extinguish.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Fragrance for consumer product

Fragrance Compound: A multi component mixture of fragrance ingredients. The specific chemical identities of the ingredients not listed herein are considered by IFF to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title29 of the U.S. Code of Federal Regulations.

SECTION 4. FIRST AID MEASURES

First aid procedures

Version : 2
Revision Date : 09/16/2024

SAFETY DATA SHEET

Product TOTALLY TROPICAL IN
STORE 6289281

Print Date 09/16/2024

Page 3 (10)

Inhalation : Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Ingestion : Rinse mouth with water and obtain medical advice.

Notes to physician

Risks : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

Flash point : 194.00 °F (90.00 °C)

Fire fighting

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

Further information : Standard procedure for chemical fires.

Protective equipment and precautions for firefighters

Specific hazards during firefighting : Water may be ineffective.

Version : 2
Revision Date : 09/16/2024

SAFETY DATA SHEET

Product TOTALLY TROPICAL IN
STORE 6289281

Print Date 09/16/2024

Page 5 (10)

and explosion

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	Listed by	Value type	Exposure limit(s)
Benzeneethanol	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	0.5 ppm
Benzaldehyde, 4-hydroxy-3-methoxy-	USA. Workplace Environmental Exposure Levels (WEEL)	8-hr TWA	10 mg/m3
Acetic acid, phenylmethyl ester	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	10 ppm
Acetic acid, phenylmethyl ester	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	Permissible exposure limit	10 ppm 61 mg/m3
1-Butanol, 3-methyl-, 1-acetate	USA. NIOSH Recommended Exposure Limits	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek	100 ppm 525 mg/m3
1-Butanol, 3-methyl-, 1-acetate	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	8-hour time weighted average	100 ppm 525 mg/m3
1-Butanol, 3-methyl-, 1-acetate	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)	8-hour time weighted average	100 ppm 525 mg/m3
1-Butanol, 3-methyl-, 1-acetate	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	50 ppm
1-Butanol, 3-methyl-, 1-acetate	USA. ACGIH Threshold Limit Values (TLV)	Short-term exposure limit	100 ppm
1-Butanol, 3-methyl-, 1-acetate	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	50 ppm
1-Butanol, 3-methyl-, 1-acetate	USA. ACGIH Threshold Limit Values (TLV)	Short-term exposure limit	100 ppm

Version : 2
Revision Date : 09/16/2024

SAFETY DATA SHEET

Product TOTALLY TROPICAL IN
STORE 6289281

Print Date 09/16/2024

Page 6 (10)

1-Butanol, 3-methyl-, 1-acetate	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	Short term exposure limit	100 ppm 532 mg/m ³
1-Butanol, 3-methyl-, 1-acetate	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	Permissible exposure limit	50 ppm 266 mg/m ³
2,6-Octadienal, 3,7-dimethyl-	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	5 ppm

Engineering measures

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.
Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

Version : 2
Revision Date : 09/16/2024

SAFETY DATA SHEET

Product TOTALLY TROPICAL IN
STORE 6289281

Print Date 09/16/2024

Page 7 (10)

- a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c)if normal operational workplace vapor concentration in the air is increased due to heat ;
- d)during emergencies; or
- e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

- : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

- : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

Version : 2
Revision Date : 09/16/2024

SAFETY DATA SHEET

Product TOTALLY TROPICAL IN
STORE 6289281

Print Date 09/16/2024

Page 8 (10)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Appearance : CLEAR LIQUID
Odour : conforms to standard

Safety data

Flash point : 194.00 °F (90.00 °C)
Vapour pressure : .30 hPa (0.3 hPa)
at 68 °F (20 °C)
Note: Calculated

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.
Materials to avoid : Remarks: Avoid contact with strong acids, alkali or oxidizing agents.
Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in contact with water.
Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological information

Version : 2
Revision Date : 09/16/2024

SAFETY DATA SHEET

Product TOTALLY TROPICAL IN
STORE 6289281

Print Date 09/16/2024

Page 9 (10)

Further information : There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information : Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Proper shipping name : Combustible liquid, n.o.s.
(ISOAMYL ACETATE)
Labels : NONE
UN number : 1993
Class : CBL
Packing group : III
Emergency Response : 128
Guidebook Number

DOT NON-BULK Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

Other information : Above applies only to containers over 119 gallons

Version : 2
Revision Date : 09/16/2024

SAFETY DATA SHEET

Product TROPICAL FLOWER IN STORE
6289281

Print Date 09/16/2024

Page 10 (10)

or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Respiratory or skin sensitisation
Reproductive toxicity
Skin corrosion or irritation
Serious eye damage or eye irritation

Reportable Quantity :

HMIS Classification : Health hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond Buff City Soap control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 2
Revision Date : 09/16/2024