Page 1 (11)

Buff City

Issue date: 11/10/2023 Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: ISLAND NECTAR F37824(Contains:Benzyl benzoate, Linalool, alpha-Hexylcinnamaldehyde, d-

Limonene)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Buff City Soap Supply LLC

Company address: 5294 Belt Line Road Suite 100 Addison, TX 75254 US

Contact: Buff City Soap Supply LLC

E-Mail address: support@buffcitysoap.com

Company phone: 844-468-7627

1.4 Emergency telephone number

Emergency phone: 833-336-0131

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4 danger:

Acute Toxicity - Oral Category 5

Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.

H303, May be harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H227, Combustible liquid.

H303, May be harmful if swallowed.

H315, Causes skin irritation.



Issue date: 11/10/2023



Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: **ISLAND NECTAR F37824**

Version: 9

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell. P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.





2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | % | GHS Classification |
|-------------------------|------------|---------|---|
| Benzyl benzoate | 120-51-4 | | Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411 |
| Methyl dihydrojasmonate | 24851-98-7 | 10-<20% | Aquatic Acute 3;H402 |
| d-Limonene | 5989-27-5 | 5-<10% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412 |



Issue date: 11/10/2023



Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

| alpha-Hexylcinnamaldehyde | 101-86-0 | 5-<10% | Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H317-H400-H411 |
|---|------------|---------|--|
| Linalool | 78-70-6 | 1-<5% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402 |
| 2-Methyl-3-(p-isopropylphenyl) propionaldehyde | 103-95-7 | 1-<5% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B- Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315- H317-H401-H412 |
| Tricyclodecenyl propionate | 17511-60-3 | 1-<5% | Aquatic Acute 2-Aquatic Chronic 2;H411 |
| LILIAL SUB | | 1-<5% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319 |
| Ethyl maltol | 4940-11-8 | 1-<5% | Acute Tox. 4-Aquatic Acute 2;H302-H401 |
| 2-Isobutyl-4-methyltetrahydro- 2H-pyran-4-ol | 63500-71-0 | 1-<5% | Eye Irrit. 2A;H319 |
| Diethyl malonate | 105-53-3 | 1-<5% | Flam. Liq. 4-Eye Irrit. 2A-Aquatic Acute 3;H227-H319- H402 |
| Ethyl methylphenylglycidate | 77-83-8 | 1-<5% | Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411 |
| Tricyclodecenyl acetate | 5413-60-5 | 1-<5% | Acute Tox. 5-Aquatic Acute 3;H303-H402 |
| Ethylene brassylate | 105-95-3 | 1-<5% | Aquatic Acute 2;H401 |
| Benzyl salicylate | 118-58-1 | 1-<5% | Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412 |
| Citral | 5392-40-5 | 1-<5% | Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1-Aquatic Acute 2; H313-H315-H317-H319-H401 |
| gamma-Undecalactone | 104-67-6 | 1-<5% | Aquatic Acute 3-Aquatic Chronic 3;H412 |
| 2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde | 68039-49-6 | 1-<5% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227- H303-H315-H317-H319-H411 |
| Methyl cinnamate | 103-26-4 | 1-<5% | Acute Tox. 5-Skin Sens. 1B;H303-H317 |
| Allyl cyclohexanepropionate | 2705-87-5 | 1-<5% | Acute Tox. 4-Acute Tox. 4-Acute Tox. 4-Skin Sens. 1-Aquatic Acute 1-Aquatic Chronic 1;H302-H312-H317-H332-H410 |
| 3,7-Dimethyl-2,6-nonadienenitrile | 61792-11-8 | 1-<5% | Flam. Liq. 4-Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H411 |
| 5-(2,2,3-Trimethyl-3- cyclopentenyl)-3-methylpentan- 2-ol | 65113-99-7 | 1-<5% | Eye Irrit. 2A-Aquatic Acute 2-Aquatic Chronic 2;H319- H411 |
| Vanillin | 121-33-5 | 1-<5% | Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H319-H402 |
| 6,6-Dimethoxy-2,5,5- trimethylhex-2-ene | 67674-46-8 | 0.1-<1% | Flam. Liq. 4-Skin Irrit. 2-Aquatic Acute 3-Aquatic Chronic 3;H227-H315-H412 |
| 2,2-Dimethyl-3-phenylpropanol | 13351-61-6 | 0.1-<1% | Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3- Aquatic Chronic 3;H302-H315-H319-H412 |
| Dihydromyrcenol | 18479-58-8 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402 |
| Allyl (3-methylbutoxy)acetate | 67634-00-8 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 4-Acute Tox. 2-Skin Irrit. 2- Aquatic Acute 2;H227-H302-H315-H330-H401 |
| 3-(o-Ethylphenyl)-2,2- dimethylpropionaldehyde | 67634-14-4 | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H315-H317-H400-H411 |
| beta-Pinene | 127-91-3 | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410 |
| p-Mentha-1,4-diene | 99-85-4 | 0.1-<1% | Flam. Liq. 3-Acute Tox. 5-Repr. 2-Asp. Tox 1;H226- H303-H304-H361 |
| Ethyl hexanoate | 123-66-0 | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Aquatic Acute 2;H226-H315- H401 |
| Hexyl salicylate | 6259-76-3 | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H317-H410 |
| Ethyl trans-2,cis-4-decadienoate | 3025-30-7 | 0.1-<1% | Skin Irrit. 2-Aquatic Acute 1-Aquatic Chronic 2;H315- H400-H411 |

Issue date: 11/10/2023 Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.





Issue date: 11/10/2023 Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour: Characteristic
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined

Flash point: 80 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined



Buff City

Issue date: 11/10/2023 Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined 1.0100 - 1.0200 Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information:

Refractive Index @ 20C: 1.5098 - 1.5128

Flash Point (Fahrenheit): 176 °F Calculated VOC: 0.00

Color Range: 3 Very Pale Yellow - 1 Very Pale Yellow

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Acute Toxicity - Oral Category 5

Acute Toxicity Oral 2993



But City

Issue date: 11/10/2023 Version: 9 (11/09/2023)

version: 9 (11/03/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

| Ingredient | CAS | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|---|------------|---------------|--------------------|------------------------|----------------|
| 2,4-Dimethyl-3- cyclohexen-1- carboxaldehyde | 68039-49-6 | 3900 | Not available | Not available | Not available |
| 2-Methyl-3-(p- isopropylphenyl) propionaldehyde | 103-95-7 | 3810 | Not available | Not available | Not available |
| 3,7-Dimethyl-2,6- nonadienenitrile | 61792-11-8 | 2600 | Not available | Not available | Not available |
| Allyl (3-methylbutoxy) acetate | 67634-00-8 | 500 | Not available | 0.46 | Dust/mist mg/l |
| Allyl cyclohexanepropionate | 2705-87-5 | 480 | 1600 | 11 | Not available |
| Benzyl benzoate | 120-51-4 | 1500 | 4000 | Not available | Not available |
| Benzyl salicylate | 118-58-1 | 2200 | Not available | Not available | Not available |
| Citral | 5392-40-5 | Not available | 2250 | Not available | Not available |
| Ethyl maltol | 4940-11-8 | 1200 | Not available | Not available | Not available |
| Linalool | 78-70-6 | 2790 | Not available | Not available | Not available |
| Methyl cinnamate | 103-26-4 | 2610 | Not available | Not available | Not available |
| Tricyclodecenyl acetate | 5413-60-5 | 3050 | Not available | Not available | Not available |
| Vanillin | 121-33-5 | 3500 | Not available | Not available | Not available |
| alpha- Hexylcinnamaldehyde | 101-86-0 | 3100 | Not available | Not available | Not available |

Refer to Sections 2 and 3 for additional information.



off City

Issue date: 11/10/2023

Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available12.5 Other adverse effects:Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4. Packing Group: |
|-------------------------|--------------------|--|--|-----------|-------------------------|
| UN Model Regulations | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, Allyl cyclohexanepropionate) | 9 | - | III |
| IMDG | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, Allyl cyclohexanepropionate) MARINE POLLUTANT | 9 | - | III |
| ADR,RID,ADN | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, Allyl cyclohexanepropionate) | 9 | - | III |
| ICAO TI | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, Allyl cyclohexanepropionate) | 9 | - | III |

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information



Rull City

Issue date: 11/10/2023

Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

Essential Oil Components:

| Name | CAS | % |
|----------------------|-----------|-------|
| LEMON OIL CALIFORNIA | 8008-56-8 | 1-<5% |

Additional formulation properties

| Name | CAS | % |
|----------|----------|-------|
| Vanillin | 121-33-5 | 1-<5% |

Components listed on California's SB312

| Name | CAS | % |
|-------------------------------|-----------|---------|
| BENZYL BENZOATE | 120-51-4 | 20-<50% |
| HEXYL CINNAMIC ALDEHYDE (R) | 101-86-0 | 5-<10% |
| LINALOOL | 78-70-6 | 1-<5% |
| BENZYL SALICYLATE (R) | 118-58-1 | 1-<5% |
| CITRAL | 5392-40-5 | 1-<5% |
| PHENIRAT | 103-60-6 | 0.1-<1% |

US Department Of Transport Bulk Packing - Group:

Section 16. Other information

Concentration % Limits: SCI 2=58.70% SCI 3=4.13% EDI 2A=47.28% SS 1=19.44% EH A1=57.

28% EH A2=5.45% EH A3=0.54274582% EH C2=41.40% EH C3=4.06%

EH C4=42.12%

Total Fractional Values: SCI 2=1.70 SCI 3=24.22 EDI 2A=2.11 SS 1=5.15 EH A1=1.75 EH A2=18.

34 EH A3=184.25 EH C2=2.42 EH C3=24.65 EH C4=2.37

Key to revisions:


SECTION 3: Composition/information on ingredients

Total Fractional Values

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|--|
| Acute Tox. 2 | Acute Toxicity - Inhalation Category 2 |
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Acute Tox. 4 | Acute Toxicity - Dermal Category 4 |
| Acute Tox. 4 | Acute Toxicity - Inhalation Category 4 |
| Acute Tox. 5 | Acute Toxicity - Oral Category 5 |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the Aquatic Environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the Aquatic Environment - Acute Hazard Category 3 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |







Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

| Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Filam. Liq. 3 Filammable Liquid, Hazard Category 3 Filam. Liq. 4 Filammable Liquid, Hazard Category 4 H226 Filammable Liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H320 Causes serious eye irritation. H330 Fatal if inhaled. H330 Fatal if inhaled. H330 Fatal if inhaled. H331 Suspected of damaging fertility or the unborn child (exposure route). H4400 Very toxic to aquatic life. H401 Toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | | |
|---|---------------|---|
| Eye Irrit. 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters ainways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H339 Causes sevious eye irritation. H330 Fatal if inhaled. H331 H332 Harmful if inhaled. H332 Harmful if inhaled. H3332 Harmful if inhaled. H3314 H3352 Harmful if inhaled. H3315 H3316 Suspected of damaging fertility or the unborn child (exposure route). H4400 Very toxic to aquatic life. H4401 Toxic to aquatic life. H4410 Very toxic to aquatic life with long lasting effects. H4411 Harmful to aquatic life with long lasting effects. H4412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | Asp. Tox 1 | Aspiration Hazard Category 1 |
| Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters ainways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H333 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Harmful to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | Eye Irrit. 2 | Eye Damage / Irritation Category 2 |
| Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H317 May be harmful in contact with skin. H318 May be harmful in contact with skin. H319 Causes skin irritation. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H331 Suspected of damaging fertility or the unborn child (exposure route). Very toxic to aquatic life. H400 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | Eye Irrit. 2A | Eye Damage / Irritation Category 2A |
| Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H330 Harmful if inhaled. H330 Harmful if inhaled. H341 H351 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | Eye Irrit. 2B | Eye Damage / Irritation Category 2B |
| H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H3461 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H331 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | Flam. Liq. 4 | Flammable Liquid, Hazard Category 4 |
| H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H3461 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H226 | Flammable liquid and vapour. |
| H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H341 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H227 | Combustible liquid. |
| H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. May be harmful in contact with skin. May be harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H331 Harmful if inhaled. H332 Harmful if inhaled. H3461 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H302 | Harmful if swallowed. |
| H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H331 Harmful if inhaled. H332 Harmful if inhaled. H341 Suspected of damaging fertility or the unborn child (exposure route). H440 Very toxic to aquatic life. H440 Harmful to aquatic life. H441 Toxic to aquatic life with long lasting effects. H441 Toxic to aquatic life with long lasting effects. H442 Harmful to aquatic life with long lasting effects. H442 Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. | H303 | May be harmful if swallowed. |
| H313 May be harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H440 Suspected of damaging fertility or the unborn child (exposure route). H440 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H304 | May be fatal if swallowed and enters airways. |
| H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H312 | Harmful in contact with skin. |
| H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H313 | May be harmful in contact with skin. |
| H319 Causes serious eye irritation. H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H315 | Causes skin irritation. |
| H320 Causes eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H317 | May cause an allergic skin reaction. |
| H330 Fatal if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H319 | Causes serious eye irritation. |
| H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H320 | Causes eye irritation. |
| H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H330 | Fatal if inhaled. |
| H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H332 | Harmful if inhaled. |
| H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H361 | Suspected of damaging fertility or the unborn child (exposure route). |
| H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H400 | Very toxic to aquatic life. |
| H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H401 | Toxic to aquatic life. |
| H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H402 | Harmful to aquatic life. |
| H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. | H410 | Very toxic to aquatic life with long lasting effects. |
| P202 Do not handle until all safety precautions have been read and understood. | H411 | Toxic to aquatic life with long lasting effects. |
| | H412 | Harmful to aquatic life with long lasting effects. |
| P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. | P202 | Do not handle until all safety precautions have been read and understood. |
| 1 · · · · · · · · · · · · · · · · · · · | P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 Keep container tightly closed. | P233 | Keep container tightly closed. |
| P240 Ground/bond container and receiving equipment. | P240 | Ground/bond container and receiving equipment. |
| P241 Use explosion-proof electrical, ventilating and lighting equipment. | P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 Use only non-sparking tools. | P242 | Use only non-sparking tools. |
| P243 Take precautionary measures against static discharge. | P243 | Take precautionary measures against static discharge. |
| P260 Do not breathe vapour or dust. | P260 | Do not breathe vapour or dust. |
| P261 Avoid breathing vapour or dust. | P261 | Avoid breathing vapour or dust. |
| P264 Wash hands and other contacted skin thoroughly after handling. | P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 Do not eat, drink or smoke when using this product. | P270 | Do not eat, drink or smoke when using this product. |
| P271 Use only outdoors or in a well-ventilated area. | P271 | Use only outdoors or in a well-ventilated area. |
| P272 Contaminated work clothing should not be allowed out of the workplace. | P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 Avoid release to the environment. | P273 | Avoid release to the environment. |
| P280 Wear protective gloves/eye protection/face protection. | P280 | Wear protective gloves/eye protection/face protection. |
| P284 Wear respiratory protection. | P284 | Wear respiratory protection. |



Buff City

Issue date: 11/10/2023 Version: 9 (11/09/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: ISLAND NECTAR F37824

Version: 9

| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
|---------------|--|
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308/313 | IF exposed or concerned: Get medical advice/attention. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| P391 | Collect spillage. |
| P403/233/235 | Store in a well-ventilated place. Keep container tightly closed. Keep cool. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| Repr. 2 | Toxic to Reproduction Category 2 |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 |
| Skin Sens. 1 | Sensitization - Skin Category 1 |
| Skin Sens. 1B | Sensitization - Skin Category 1B |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.