according to Regulation (EC) No. 1907/2006



Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Limone di Sole 6219149

Sales Number : 6219149

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fragrance for consumer product

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Buff City Soap Supply LLC

5294 Belt Line Rd Suite 100

Addison, TX 75254

Telephone : 844-468-7627

:

E-mail address of person

responsible for the SDS

support@buffcitysoap.com

1.4 Emergency telephone number

833-336-0131

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Cat- H411: Toxic to aquatic life with long lasting effects.

egory 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

68155-66-8. Tetramethyl Acetyloctahydronaphthalenes

54464-57-2, 68155-67-9, 54464-59-4

101-86-0 Hexyl Cinnamal

78-70-6 linalool 106-24-1 geraniol

2436-90-0 DIHYDROMYRCENE

33704-61-9 Dihydro pentamethylindanone

106-22-9, Citronellol

7540-51-4

5392-40-5 citral

105-87-3 Geranyl acetate

476332-65-7 Heptamethyl Decahydroindenofuran

80-56-8, 7785- pin-2(3)-ene

26-4

67633-96-9 CIS-3-HEXENYL METHYL CARBONATE

87-44-5 Beta-Caryophyllene

2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No. Index-No.		(% w/w)
	Registration number		
1-(1,2,3,4,5,6,7,8-Octahydro-	68155-66-8	Skin Irrit. 2; H315	>= 10 - < 20
2,3,8,8-tetramethyl-2-	915-730-3	Skin Sens. 1B; H317	7 10 120
naphthyl)ethan-1-one	01-2119489989-04	Aquatic Chronic 2;	
, ,		H411	
α-hexylcinnamaldehyde	101-86-0 639-566-4	Aquatic Chronic 2; H411	>= 10 - < 20
	01-2119533092-50	Skin Sens. 1B; H317	
	01211000000200	Aquatic Acute 1;	
		H400	
		M-Factor (Acute	
		aquatic toxicity): 1	
linalool	78-70-6	Skin Irrit. 2; H315	>= 1 - < 10
	201-134-4	Eye Irrit. 2; H319	
	603-235-00-2 01-2119474016-42	Skin Sens. 1B; H317	
2,6-dimethyloct-7-en-2-ol	18479-58-8	Eye Irrit. 2; H319	>= 1 - < 10
,	242-362-4	Skin Irrit. 2; H315	
	01-2119457274-37	STOT SE 3; H336	
tetrahydro-2-isobutyl-4-	63500-71-0	Eye Irrit. 2; H319	>= 1 - < 10
methylpyran-4-ol, mixed isomers	405-040-6		
(cis and trans)	603-101-00-3 01-0000015458-64,		
	01-2119455547-30		
geraniol	106-24-1	Skin Irrit. 2; H315	>= 1 - < 3
	203-377-1	Eye Dam. 1; H318	
	603-241-00-5	Skin Sens. 1; H317	
2.7 dimental de de d. C. diene	01-2119552430-49	Ass Toy 4, U204	. 4 .05
3,7-dimethylocta-1,6-diene	2436-90-0 219-433-3	Asp. Tox. 1; H304 Flam. Liq. 3; H226	>= 1 - < 2,5
	210 700 0	Skin Irrit. 2; H315	
		Skin Sens. 1B; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
(2E)-2-ethyl-4-(2,2,3-	28219-61-6	Eye Irrit. 2; H319	>= 1 - < 2,5
trimethylcyclopent-3-en-1-yl)but-2-	701-122-3	Aquatic Chronic 2;	
en-1-ol	01-2119529224-45	H411	
		Skin Irrit. 2; H315	
		M-Factor (Acute	
		aquatic toxicity): 1	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-	33704-61-9	Aquatic Chronic 2;	>= 1 - < 2,5
pentamethyl-4H-inden-4-one	251-649-3	H411	

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

	01-2119977131-40	Skin Sens. 1B; H317 Eye Irrit. 2; H319 Skin Irrit. 2; H315	
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119565113-46, 01-2119555270-46	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 0,25 - < 1
citronellol	106-22-9 203-375-0 01-2119453995-23	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	>= 0,1 - < 1
citral	5392-40-5 226-394-6 605-019-00-3 01-2119462829-23	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319	>= 0,1 - < 1
geranyl acetate	105-87-3 203-341-5 01-2119973480-35	Aquatic Chronic 3; H412 Skin Sens. 1B; H317 Skin Irrit. 2; H315	>= 0,1 - < 0,25
decahydro heptamethyl indenofuran	476332-65-7 449-360-4 01-0000018977-51	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25
pin-2(3)-ene	80-56-8 201-291-9 01-2119519223-49	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute Tox. 4; H302 ———— M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 0,25
cis-hex-3-en-1-yl methyl car- bonate	67633-96-9 266-797-4 01-2120735800-60	Skin Sens. 1B; H317 Skin Irrit. 2; H315	>= 0,1 - < 1
caryophyllene	87-44-5 201-746-1	Asp. Tox. 1; H304 Skin Sens. 1B; H317	>= 0,1 - < 1

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take Hazard and Precautionary phrases (section 2) into ac-

count.

If inhaled : Remove from exposure site to fresh air and keep at rest. If

victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Ob-

tain medical advice.

In case of skin contact : Remove contaminated clothes. Wash thoroughly with water

(and soap). Contact physician if symptoms persist.

In case of eye contact : Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing

media

Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Water may be ineffective.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary

Further information : Standard procedure for chemical fires.

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

SDS Number: Version Revision Date: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-Personal precautions

contained breathing apparatus is recommended in case of a

major spill.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

6.2 Environmental precautions

Keep away from drains, surface- and groundwater and soil. **Environmental precautions**

6.3 Methods and material for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide Methods for cleaning up

adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to

properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into

the air.

Advice on protection against :

fire and explosion

Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthyl)ethan-1-one	Workers	Skin contact	Long-term local effects	0,1011 mg/cm2
Remarks:	Exposure time: 8 h			
	Workers	Skin contact	Long-term systemic effects	1,73 mg/kg bw/day
Remarks:	Exposure time: 8 h			
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
Remarks:	Exposure time:	8 h		
geraniol	Workers	Inhalation	Long-term systemic effects	161,6 mg/m3
Remarks:	REACH data			
	Workers	Dermal	Long-term systemic effects	12,5 mg/kg bw/day
Remarks:	REACH data			
	Workers	Dermal	Long-term local effects	11800 μg/cm ²
Remarks:	REACH data			
	Workers	Dermal	Acute local effects	
Remarks:	Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.			EL for dermal
	General population	Inhalation	Long-term systemic effects	47,8 mg/m3
Remarks:	REACH data			
	General population	Dermal	Long-term systemic effects	7,5 mg/kg bw/day
Remarks:	REACH data			
	General population	Dermal	Long-term local ef- fects	11800 μg/cm ²
Remarks:	REACH data			
	General population	Dermal	Acute local effects	
Remarks:	Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.			
	General popu-	Oral	Long-term systemic	13,75 mg/kg
	lation		effects	bw/day
Remarks:	REACH data			
	General population	Eye contact	Local effects	
Remarks:	Available hazard	d data do not enable	the derivation of a DNI	EL for eye irri-

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

tant effects.

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
α-hexylcinnamaldehyde	Sewage treatment plant	10 mg/l
	Secondary Poisoning	6,6 mg/kg

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material. If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with

side shields if eye contact might occur. Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 60 min
Glove thickness : 0,38 mm

Material : Nitrile rubber
Break through time : > 10 min
Glove thickness : 0,1 mm

Remarks : Avoid skin contact. Use chemically resistant gloves. The se-

lected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the oth-

er.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus.

Respiratory protection : Use local exhaust ventilation around open tanks and other

open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution venti-

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Date of last issue: -Version Revision Date: SDS Number:

300001121951 Date of first issue: 31.10.2023 1.0 31.10.2023

> lation of the work area to eliminate or reduce possible worker exposures.

> No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat:

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an estab-

lished occupational exposure limit.

Protective measures To the extent deemed appropriate, implement pre-placement

and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regu-

larly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize

exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colorless to pale yellow

Odour conforms to standard

Odour Threshold not determined Melting point not determined Boiling point not determined Flammability not determined Upper explosion limit / Upper not determined

flammability limit

Lower explosion limit / Lower : not determined

flammability limit

Flash point 87,00 °C

9/25

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Method: closed cup

not determined

not determined

not determinednot determined

: not determined

: not determined

: not determined

Auto-ignition temperature
Decomposition temperature

Decomposition temperature pH
Viscosity, dynamic
Viscosity, kinematic
Water solubility

Water solubility
Solubility in other solvents

Partition coefficient: n-

octanol/water

Vapour pressure

: not determined

: 0,22 hPa (20 °C)

Calculated

Relative density : not determined Density : not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact

with water.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : reconstructed human epidermis (RhE)

Assessment : Causes skin irritation.

Method : OECD Test Guideline 439

Result : irritating
GLP : yes
Test substance : (undiluted)
Remarks : REACH data

linalool:

Species : Rabbit Exposure time : 4 h

Assessment : Causes skin irritation.

Method : OECD Test Guideline 404

Result : Skin irritation

GLP : yes
Test substance : (undiluted)
Remarks : REACH data

2,6-dimethyloct-7-en-2-ol:

Species : Rabbit Exposure time : 4 h

Assessment : Causes skin irritation.

Method : Read across
Result : irritating
GLP : yes
Remarks : REACH data

Species : human Exposure time : 48 h

Method : closed patch test Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

geraniol:

Species : Rabbit Exposure time : 1 h

Assessment : Causes serious eye damage.

Method : OECD Test Guideline 405

Result : Severe eye irritation

GLP : no

Remarks : REACH data

linalool:

Species : Rabbit

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Assessment : Causes serious eye irritation.
Method : OECD Test Guideline 405

Result : Eye irritation

GLP : no

Remarks : REACH data

2,6-dimethyloct-7-en-2-ol:

Species : Rabbit

Assessment : Causes serious eye irritation.

Method : Draize Test

Result : Moderate eye irritation

GLP : yes
Test substance : (undiluted)
Remarks : REACH data

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 429
Result : Causes sensitisation.

GLP : yes

Remarks : REACH data

linalool:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 429

Result : The product is a skin sensitiser, sub-category 1B.

GLP : yes

Remarks : REACH data

2,6-dimethyloct-7-en-2-ol:

Test Type : maximisation study

Species : human

Result : Did not cause sensitisation on laboratory animals.

Test substance : 4.0% in petrolatum

Species : Guinea pig

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

GLP : yes

Test substance : 5.0%

Remarks : REACH data

Germ cell mutagenicity

Not classified due to lack of data.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Remarks: REACH data

Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Remarks: REACH data

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD 473 Result: negative

GLP: yes

Remarks: REACH data

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

Remarks: REACH data

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Application Route: Dermal

Method: OECD Test Guideline 474

Result: negative

GLP: yes

Test Type: In vivo micronucleus test

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Species: Rat (male and female)
Application Route: Dermal

Method: OECD Test Guideline 474

Result: negative

GLP: yes

α-hexylcinnamaldehyde:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Escherichia coli - reverse mutation

assay

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: negative

linalool:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Remarks: REACH data

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Remarks: REACH data

Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Remarks: REACH data

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

GLP: yes

Remarks: REACH data

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

Strain: wistar

Application Route: Oral

General Toxicity - Parent: NOAEL: >= 300 mg/kg body weight

Fertility: NOAEL: >= 300 mg/kg body weight

Method: OECD Test Guideline 443

GLP: yes

Remarks: REACH data

Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

Strain: wistar

Application Route: Oral

General Toxicity - Parent: NOAEL: 120 mg/kg body weight

Fertility: NOAEL: >= 500 mg/kg body weight Target Organs: Kidney, Liver, spleen Method: OECD Test Guideline 421

GLP: ves

Remarks: REACH data

Effects on foetal develop-

ment

Test Type: Pre-natal Species: Rat, female

Application Route: Oral

Duration of Single Treatment: 21 d Frequency of Treatment: 1 daily

General Toxicity Maternal: NOAEL: 240 mg/kg body weight Developmental Toxicity: NOAEL: >= 480 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Remarks: REACH data

Test Type: Pre-natal Species: Rabbit, female Application Route: Oral

Duration of Single Treatment: 23 d Frequency of Treatment: 1 daily

General Toxicity Maternal: NOAEL: 200 mg/kg body weight Developmental Toxicity: NOAEL: >= 500 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Remarks: REACH data

linalool:

Effects on fertility : Test Type: reproductive and developmental toxicity study

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Species: Rat, male Application Route: Oral

General Toxicity - Parent: NOAEL: 750 mg/kg body weight General Toxicity F1: NOAEL: 200 mg/kg body weight

Method: OECD Test Guideline 421

GLP: yes

Test Type: reproductive and developmental toxicity study

Species: Rat, female Application Route: Oral

General Toxicity - Parent: NOAEL: 200 mg/kg body weight General Toxicity F1: NOAEL: 200 mg/kg body weight

Method: OECD Test Guideline 421

GLP: yes

Effects on foetal develop-

ment

Test Type: Pre-natal Species: Rat, female Application Route: Oral

Duration of Single Treatment: 11 d Frequency of Treatment: 1 daily

General Toxicity Maternal: NOAEL: 500 mg/kg body weight Developmental Toxicity: NOAEL: 1.000 mg/kg body weight

GLP: ves

Remarks: REACH data

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : Rat, male and female

NOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 28-day
Number of exposures : 1x /day

Method : OECD Test Guideline 407

GLP : yes

Remarks : REACH data

Species : Rat, male and female

NOAEL : 120 mg/kg
Application Route : Oral
Exposure time : 90-day
Number of exposures : 1x /day

Method : OECD Test Guideline 408

GLP : yes

Target Organs : spleen, Liver, Kidney

Remarks : REACH data

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Species : Rat, male and female

NOAEL : 250 mg/kg Application Route : Dermal Exposure time : 90-day

Method : OECD Test Guideline 411

GLP : yes
Target Organs : Skin, Liver
Remarks : REACH data

Species : Mouse, male and female

NOAEL : 500 mg/kg Application Route : Dermal Exposure time : 90-day

Method : OECD Test Guideline 411

GLP : yes
Target Organs : Skin, Liver
Remarks : REACH data

α-hexylcinnamaldehyde:

Species : Rat, male and female

NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 45 d
Method : OECD 421
GLP : yes

Remarks : Subacute toxicity

Species : Rat, male and female

LOAEL : 125 mg/kg
Application Route : Dermal
Exposure time : 90-day
Method : OECD 411

Remarks : Subchronic toxicity

linalool:

Species : Rat, male

NOAEL : >= 532,1 mg/kg

Application Route : Ingestion

Exposure time : 96 d

Method : OECD Test Guideline 408

Test substance : (undiluted) GLP : yes

Remarks : REACH data

Species : Rat, female

NOAEL : >= 497,9 mg/kg

Application Route : Ingestion Exposure time : 95 d

Method : OECD Test Guideline 408

Test substance : (undiluted) GLP : yes

Remarks : REACH data

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

300001121951 Date of first issue: 31.10.2023 1.0 31.10.2023

Species Rat, male and female

250 mg/kg NOAEL **Application Route** Dermal Exposure time 91 d

OECD Test Guideline 411 Method

Test substance (undiluted) **GLP** yes

Remarks **REACH** data

Aspiration toxicity

Not classified due to lack of data.

Components:

3,7-dimethylocta-1,6-diene:

May be fatal if swallowed and enters airways.

pin-2(3)-ene:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

The substance/mixture does not contain components consid-Assessment

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

α-hexylcinnamaldehyde:

LC50 (Pimephales promelas (fathead minnow)): 1,7 mg/l Toxicity to fish

Exposure time: 96 h

Test Type: flow-through test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,32 mg/l

Exposure time: 48 h

Test Type: flow-through test Method: OECD Test Guideline 202

GLP: yes

EC50 (Desmodesmus subspicatus (green algae)): 0,32 mg/l Toxicity to algae/aquatic

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

300001121951 Date of first issue: 31.10.2023 1.0 31.10.2023

Exposure time: 72 h plants

Test Type: static test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,069 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

GLP: yes

12.2 Persistence and degradability

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Biodegradability Test Type: aerobic

Inoculum: activated sludge, non-adapted

Concentration: 18,8 mg/l Result: Readily biodegradable. Biodegradation: 96,3 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Remarks: REACH data

α-hexylcinnamaldehyde:

Biodegradability Inoculum: activated sludge

Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d Method: OECD 301 F

linalool:

Biodegradability Test Type: aerobic

Inoculum: see user defined free text

Concentration: 2 mg/l

Result: Readily biodegradable. Biodegradation: 64,2 %

Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: REACH data

12.3 Bioaccumulative potential

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

300001121951 Date of first issue: 31.10.2023 1.0 31.10.2023

Exposure time: 21 d

Bioconcentration factor (BCF): 391 Method: OECD Test Guideline 305

GLP: yes

Remarks: REACH data

α-hexylcinnamaldehyde:

Bioaccumulation Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 5,3 (24 °C)

Method: OECD Test Guideline 117

GLP: yes

linalool:

Bioaccumulation : Remarks: Accumulation in aquatic organisms is unlikely.

12.4 Mobility in soil

Product:

: Remarks: No data available Mobility

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Distribution among environ-

Adsorption/Soil

mental compartments Koc: 12598, log Koc: 4,1

α-hexylcinnamaldehyde:

Distribution among environ-

mental compartments

: Adsorption/Soil Medium: Soil

Koc: 15800, log Koc: 4,2 Method: OECD 121

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version SDS Number: Date of last issue: -Revision Date:

31.10.2023 300001121951 Date of first issue: 31.10.2023 1.0

12.7 Other adverse effects

Product:

mation

Additional ecological infor- : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Dispose of according to local regulations. Avoid disposing into

drainage systems and into the environment.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3082 **IMDG** UN 3082 IATA UN 3082

14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DIHYDROMYRCENE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DIHYDROMYRCENE)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DIHYDROMYRCENE)

14.3 Transport hazard class(es)

ADR 9 **IMDG** 9 **IATA** 9

14.4 Packing group

ADR

Packing group Ш Classification Code M6 Hazard Identification Number 90 Labels 9 Tunnel restriction code (-)

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous Dangerous Goods

IATA_P (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes (DIHYDROMYRCENE)

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75, 3

α-hexylcinnamaldehyde tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) geraniol citronellol

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

citral

(R)-p-mentha-1,8-diene

(-)-pin-2(10)-ene

3,7,7-trimethylbicyclo[4.1.0]hept-3-

ene

1-(5,5-dimethyl-1-cyclohexen-1-

yl)pent-4-en-1-one 2-benzylideneheptanal

6,10-dimethylundeca-3,5,9-trien-2-

one

p-mentha-1,3-diene

Regulation (EU) 2019/1148 on the marketing and use of :

explosives precursors

acetone

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

acetone (ANNEX II)

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour.

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006

Limone di Sole 6219149

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern: TCSI - Taiwan Chemical Substance Inventory: TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : In December 2003, the National Institute for Occupational

Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH

Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respir-

atory Safety in the Flavor Manufacturing Workplace".

according to Regulation (EC) No. 1907/2006

@a cbYX] Gc Y* &% % -

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.10.2023 300001121951 Date of first issue: 31.10.2023

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the work-place. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN