

Lluís Jané Busquets Laboratori d'Anàlisi S.L.

c/ St Llorenç, 27 baixos 08192 Sant Quirze del Valles (Bcn)

Avohass

8605 Santa Monica Blvd, W Hollywood CA 90069
(310) 880-6998

Report Nº: 64333

ANALYSIS CERTIFICATE

Sample Identification

Reception date:	02/06/2022	Initial date Analysis:	02/06/2022
Final date analysis:	16/06/2022	Issue report date:	16/06/2022
Sample Nº:	64333		
Sample description:	Oil contained in a 250mL glass bottle		

Information provided by the client:

Sample:	AVOCADO OIL
Reference:	Extra Virgin Avocado Oil Sample 250ml, Exp 04/2024.

Determinations	Results	Procedure:	Method
Acidity	0,62 % Oleic Acid	PNT-RT-50	Volumetry
Peroxide Value	3,5 m.e.q. of O2 / kg oil	PNT-RT-02	Volumetry
Humedad y materias volátiles	0,13 %	PNT-RT-12	Gravimetry
Iodine Value	82 g.Iodine / 100 g.sample	ISO 3961:2018	Wijs Method

Fatty Acid Composition + Trans Isomers (Quantitative %)

Lauric Acid	<0,01 %	PNT-RT-04	GC-FID
Myristic Acid	0,05 %	PNT-RT-04	GC-FID
Palmitic Acid	22,35 %	PNT-RT-04	GC-FID
Palmitoleic Acid	9,48 %	PNT-RT-04	GC-FID
Heptadecanoic Acid	0,02 %	PNT-RT-04	GC-FID
Heptadecenoic Acid	0,07 %	PNT-RT-04	GC-FID
Stearic Acid	0,68 %	PNT-RT-04	GC-FID
Oleic Acid	53,36 %	PNT-RT-04	GC-FID
Linoleic Acid	12,71 %	PNT-RT-04	GC-FID
Arachidic Acid	0,08 %	PNT-RT-04	GC-FID
Linolenic Acid	0,95 %	PNT-RT-04	GC-FID
Eicosenoic Acid	0,15 %	PNT-RT-04	GC-FID
Behenic Acid	0,03 %	PNT-RT-04	GC-FID
Erucic Acid	<0,01 %	PNT-RT-04	GC-FID
Lignoceric Acid	0,06 %	PNT-RT-04	GC-FID
Oleic Trans Isomers	0,01 %	PNT-RT-04	GC-FID
Linoleic and Linolenic Trans isomers	0,01 %	PNT-RT-04	GC-FID

Report Nº: 64333

ANALYSIS CERTIFICATE

Determinations	Results	Procedure:	Method
Sterol Composition+Total Sterol+ E+U			
Cholesterol	0,1 %	PNT-RT-06	GC-FID
Brassicasterol	<0,1 %	PNT-RT-06	GC-FID
24-Methylenecholesterol	1,2 %	PNT-RT-06	GC-FID
Campesterol	8,3 %	PNT-RT-06	GC-FID
Campestanol	0,1 %	PNT-RT-06	GC-FID
Stigmasterol	0,4 %	PNT-RT-06	GC-FID
Delta7-Campesterol	<0,1 %	PNT-RT-06	GC-FID
Beta-sitosterol (apparent)	89,7 %	PNT-RT-06	GC-FID
Delta-7-Stigmastenol	0,1 %	PNT-RT-06	GC-FID
Delta-7-Avenasterol	0,2 %	PNT-RT-06	GC-FID
Total Sterol	>3800 mg/kg	PNT-RT-06	GC-FID

Heavy Metals

* Iron	<1,00 mg/kg	PNT-RT-63	ICP-MS
* Copper	<0,050 mg/kg	PNT-RT-63	ICP-MS
* Lead	<0,020 mg/kg	PNT-RT-63	ICP-MS
* Arsenic	<0,020 mg/kg	PNT-RT-63	ICP-MS

Tocopherols

* Content of a-tocopherol	152 mg/kg	ISO 9936	HPLC-FLD
* Beta-tocopherol	2 mg/kg	ISO 9936	HPLC-FLD
* Delta-tocopherol	5 mg/kg	ISO 9936	HPLC-FLD
* Gamma-tocopherol	7 mg/kg	ISO 9936	HPLC-FLD
* Total Tocopherols	166 mg/kg	ISO 9936	HPLC-FLD

Aflatoxins

* Aflatoxin B1	<1,20 µg/kg	PNT-RT-73	HPLC-FLD
* Total Aflatoxins (B1,B2,G1,G2)	<4,00 µg/kg	PNT-RT-73	HPLC-FLD

Phthalates and other Plasticizers

* Diethyl-adipate (DEA)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Dibutyl-adipate (DBA)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Diisobutyl-adipate (DIBA)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Diethylhexyl-adipate (DEHA)	0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-methyl ester phthalate (DMP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-ethyl ester phthalate (DEP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Dibutyl phthalate (DBP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-isobutyl ester phthalate (DiBP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-2-methoxyethyl ester phthalate (DMEP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-2-ethoxyethyl ester phthalate (DEEP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-2-n-butoxyethyl ester phthalate (DBEP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Butyl benzyl phthalate (BBP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Dimethylpentyl phthalate (DMPP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-n-pentyl ester phthalate (DPP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-cyclohexyl ester phthalate (DCHP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-2-ethyl hexyl ester phthalate (DEHP)	0,12 mg/kg	PNT-RT-74	GC-MS

Report Nº: 64333

ANALYSIS CERTIFICATE

Determinations	Results	Procedure:	Method
* Bis-hexyl ester phthalate (DHXP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* DiisoHeptylphthalate (DiHP)	<0,20 mg/kg	PNT-RT-74	GC-MS
* Di-n-octylphthalate (DnOP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Di nonyl ester phthalate (DNP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Bis-iso-nonyl ester phthalate (DINP)	<0,20 mg/kg	PNT-RT-74	GC-MS
* Diisononylcyclohexane-1,2-dicarboxylate (DINCH)	<0,20 mg/kg	PNT-RT-74	GC-MS
* Diisododecyl phthalate (DIDP)	<0,20 mg/kg	PNT-RT-74	GC-MS
* Acethyltributyl citrate (ATBC)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Tributylphosphate (TBP)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Dibutyl sebacate (DBS)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Diethylhexyl sebacate (DEHS)	<0,10 mg/kg	PNT-RT-74	GC-MS
* Diallyl phthalate (DAP)	<0,10 mg/kg	PNT-RT-74	GC-MS

Pesticide residues (GC-MS/MS)

* 2,4-Metoxicloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* 2-Fenilfenol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Acetocloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Acrinatrina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Alacloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Aldrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Ametrina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Antraquinona	<0,010 mg/kg	PNT-RT-66	GC-MS
* Atrazine	<0,010 mg/kg	PNT-RT-66	GC-MS
* Azinfos-etil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Azinfos-metil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Azoxistrobina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Benalaxil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Benfluralina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bifenilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bifenox	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bifentrina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Boscalida	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bromacilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bromfenvinfos-etilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bromfenvinfos-metilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bromofos-etilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bromofos-metilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bromopropilato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Bupirinato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Buprofezin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Carbaryl	<0,010 mg/kg	PNT-RT-66	GC-MS
* Carbofenotio	<0,010 mg/kg	PNT-RT-66	GC-MS
* Carbofurano	<0,010 mg/kg	PNT-RT-66	GC-MS
* Carfentrazona-etilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Ciflutrin (all isomers)	<0,010 mg/kg	PNT-RT-66	GC-MS

Report Nº: 64333

ANALYSIS CERTIFICATE

Determinations	Results	Procedure:	Method
* Cihalofop-butil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Cypermethrin (sum isomers)	<0,010 mg/kg	PNT-RT-66	GC-MS
* Ciproconazol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Ciprodinilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clomazona	<0,010 mg/kg	PNT-RT-66	GC-MS
* Chlorantraniliprole	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorbensida	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clordano (cis+trans)	<0,015 mg/kg	PNT-RT-66	GC-MS
* Clordano Cis	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clordano Trans	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorfenapir	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorfenvinfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorobenzilato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorofenson	<0,010 mg/kg	PNT-RT-66	GC-MS
* Cloroneb	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorotalonil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorpirifos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorpirifos metilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clorprofam	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clortal dimetil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clortiofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Clozolinato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Coumafos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Kresoxim methyl	<0,010 mg/kg	PNT-RT-66	GC-MS
* Deltametrina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Diallato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Diazinon	<0,010 mg/kg	PNT-RT-66	GC-MS
* Diclobenilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Diclofluanida	<0,010 mg/kg	PNT-RT-66	GC-MS
* Dicloran	<0,010 mg/kg	PNT-RT-66	GC-MS
* Diclorvos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Dicofol p,p	<0,010 mg/kg	PNT-RT-66	GC-MS
* Dieldrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Dietofencarb	<0,010 mg/kg	PNT-RT-66	GC-MS
* Difenamida	<0,010 mg/kg	PNT-RT-66	GC-MS
* Difenilamina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Difenoconazole	<0,010 mg/kg	PNT-RT-66	GC-MS
* Diflufenican	<0,010 mg/kg	PNT-RT-66	GC-MS
* Dimetacloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Dimetenamida	<0,010 mg/kg	PNT-RT-66	GC-MS
* Dimethoate	<0,010 mg/kg	PNT-RT-66	GC-MS
* Disulfoton	<0,010 mg/kg	PNT-RT-66	GC-MS
* Diuron	<0,010 mg/kg	PNT-RT-66	GC-MS
* Edifenfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Endosulfan (alfa+beta+sulfato)	<0,020 mg/kg	PNT-RT-66	GC-MS
* Endosulfan-alfa	<0,010 mg/kg	PNT-RT-66	GC-MS

Report Nº: 64333

ANALYSIS CERTIFICATE

Determinations	Results	Procedure:	Method
* Endosulfan-beta	<0,010 mg/kg	PNT-RT-66	GC-MS
* Endosulfan-sulfato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Endrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Endrin Cetona	<0,010 mg/kg	PNT-RT-66	GC-MS
* EPN	<0,010 mg/kg	PNT-RT-66	GC-MS
* Etalfluralina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Etilan 1,1-dicloro-2,2-bis(4-etilfenil)etano	<0,010 mg/kg	PNT-RT-66	GC-MS
* Etion	<0,010 mg/kg	PNT-RT-66	GC-MS
* Etofenprox	<0,010 mg/kg	PNT-RT-66	GC-MS
* Etofumesato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Etoxazol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Etridiazol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Etrimfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenamidona	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenamifos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenarimol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenazaquina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenclorfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenitrothion	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenotrina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenpropatrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenson	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenthion	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fentoato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fenvalerato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fipronil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fluacifop-butill	<0,010 mg/kg	PNT-RT-66	GC-MS
* Flucitrinato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Flucloralin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fludioxonil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Flumioxazina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fluopicolida	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fluquinconazole	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fluridona	<0,010 mg/kg	PNT-RT-66	GC-MS
* Flusilazol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fluvalinato-Tau	<0,010 mg/kg	PNT-RT-66	GC-MS
* Folpet (+Folpet deg.)	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fonofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Forato (Solo Forato)	<0,010 mg/kg	PNT-RT-66	GC-MS
* Formothion	<0,010 mg/kg	PNT-RT-66	GC-MS
* Fosalon	<0,010 mg/kg	PNT-RT-66	GC-MS
* Phosmet	<0,010 mg/kg	PNT-RT-66	GC-MS
* Haloxifop methyl (incl. H. p-methyl)	<0,010 mg/kg	PNT-RT-66	GC-MS
* Haloxifop-etotil	<0,010 mg/kg	PNT-RT-66	GC-MS
* HCH (alfa+beta+delta)	<0,020 mg/kg	PNT-RT-66	GC-MS
* HCH-alfa	<0,010 mg/kg	PNT-RT-66	GC-MS

Report Nº: 64333

ANALYSIS CERTIFICATE

Determinations	Results	Procedure:	Method
* HCH-beta	<0,010 mg/kg	PNT-RT-66	GC-MS
* HCH-delta	<0,010 mg/kg	PNT-RT-66	GC-MS
* Heptacloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Heptacloro (+Heptacloro epox.)	<0,010 mg/kg	PNT-RT-66	GC-MS
* Heptacloro epoxido	<0,010 mg/kg	PNT-RT-66	GC-MS
* Heptenofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Hexaclorobenzeno	<0,010 mg/kg	PNT-RT-66	GC-MS
* Hexazinona	<0,010 mg/kg	PNT-RT-66	GC-MS
* Indoxacarb	<0,010 mg/kg	PNT-RT-66	GC-MS
* Iodofenfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Iprodiona	<0,010 mg/kg	PNT-RT-66	GC-MS
* Isazofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Isodrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Isofenfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Isofenfos-metil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Isopropalina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Lambda cihalotrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Lenacilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Leptofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Lindano (HCH-gamma)	<0,010 mg/kg	PNT-RT-66	GC-MS
* Linuron	<0,010 mg/kg	PNT-RT-66	GC-MS
* Malathion	<0,010 mg/kg	PNT-RT-66	GC-MS
* Mefenpir-dietilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Metacrifos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Metazacloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Methidathion	<0,010 mg/kg	PNT-RT-66	GC-MS
* Metolacloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Metoxicloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Metrafenona	<0,010 mg/kg	PNT-RT-66	GC-MS
* Metribuzina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Mevinfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Miclobutanilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Nitalin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Nitrofenos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Nonaclor (cis+trans)	<0,010 mg/kg	PNT-RT-66	GC-MS
* Norflurazon	<0,010 mg/kg	PNT-RT-66	GC-MS
* Nuarimol	<0,010 mg/kg	PNT-RT-66	GC-MS
* o,p-DDD	<0,010 mg/kg	PNT-RT-66	GC-MS
* o,p-DDE	<0,010 mg/kg	PNT-RT-66	GC-MS
* o,p-DDT	<0,010 mg/kg	PNT-RT-66	GC-MS
* Oxadiazon	<0,010 mg/kg	PNT-RT-66	GC-MS
* Oxadixil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Oxyfluorfen	<0,010 mg/kg	PNT-RT-66	GC-MS
* p,p-DDD	<0,010 mg/kg	PNT-RT-66	GC-MS
* p,p-DDE	<0,010 mg/kg	PNT-RT-66	GC-MS
* p,p-DDT	<0,010 mg/kg	PNT-RT-66	GC-MS

Report Nº: 64333

ANALYSIS CERTIFICATE

Determinations	Results	Procedure:	Method
* Paclobutrazol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Paration-etil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Parathion-methyl	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pebulato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Penconazol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pendimetalina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pentacloroanisol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pentaclorobenceno	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pentaclorobenzonitrilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pentaclorotioanisol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Permetrin (cis+trans)	<0,015 mg/kg	PNT-RT-66	GC-MS
* Permetrin cis	<0,010 mg/kg	PNT-RT-66	GC-MS
* Permetrin trans	<0,010 mg/kg	PNT-RT-66	GC-MS
* Piperonyl butoxide	<0,010 mg/kg	PNT-RT-66	GC-MS
* Piraclufos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Piraclostrochina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Piraflufen etil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pirazofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Piridaben	<0,010 mg/kg	PNT-RT-66	GC-MS
* Piridafention	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pirifenox	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pirimetanil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pirimicarb	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pirimifos etil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pirimiphos-methyl	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pyriproxifen	<0,010 mg/kg	PNT-RT-66	GC-MS
* Pretilacloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Procymidone	<0,010 mg/kg	PNT-RT-66	GC-MS
* Procloraz	<0,010 mg/kg	PNT-RT-66	GC-MS
* Prodiamina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Profenofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Profluralin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Prometrina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Propacloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Propanil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Propargita	<0,010 mg/kg	PNT-RT-66	GC-MS
* Propiconazol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Propisocloro	<0,010 mg/kg	PNT-RT-66	GC-MS
* Propizamida	<0,010 mg/kg	PNT-RT-66	GC-MS
* Prosulfocarb	<0,010 mg/kg	PNT-RT-66	GC-MS
* Protiofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Quinalfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Quinoxifen	<0,010 mg/kg	PNT-RT-66	GC-MS
* Quintoceno (+pentacloroanilina)	<0,010 mg/kg	PNT-RT-66	GC-MS
* Resmetrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Simazine	<0,010 mg/kg	PNT-RT-66	GC-MS

The analytical determinations and activities marked with a (*) are not included in the Enac accreditation scope.

Recognized by the International Olive Council for physico-chemical testing (01/12/21-30/11/22)

Report Nº: 64333

ANALYSIS CERTIFICATE

Determinations	Results	Procedure:	Method
* Sulfotep	<0,010 mg/kg	PNT-RT-66	GC-MS
* Sulprofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tebuconazole	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tebufenpirad	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tecnaceno	<0,010 mg/kg	PNT-RT-66	GC-MS
* Teflutrina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Terbacilo	<0,010 mg/kg	PNT-RT-66	GC-MS
* Terbufos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Terbumeton	<0,010 mg/kg	PNT-RT-66	GC-MS
* Terbutylazine	<0,010 mg/kg	PNT-RT-66	GC-MS
* Terbutrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tetracloroanilina,2,3,5,6-	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tetraclorvinfos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tetraconazole	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tetradifon	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tetrametrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tolclofos metil	<0,010 mg/kg	PNT-RT-66	GC-MS
* Tolilfluánida	<0,010 mg/kg	PNT-RT-66	GC-MS
* Transflutrin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Triadimefon	<0,010 mg/kg	PNT-RT-66	GC-MS
* Triadimenol	<0,010 mg/kg	PNT-RT-66	GC-MS
* Trialato	<0,010 mg/kg	PNT-RT-66	GC-MS
* Triazofos	<0,010 mg/kg	PNT-RT-66	GC-MS
* Trietazina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Trifloxystrobin	<0,010 mg/kg	PNT-RT-66	GC-MS
* Trifluralina	<0,010 mg/kg	PNT-RT-66	GC-MS
* Vinclozolina	<0,010 mg/kg	PNT-RT-66	GC-MS

Notes

*The numerical result for total sterols is 6.177 mg/Kg.

Technical Manager,
Anna Jané.



Document electronically signed
and certified by: Anna Jané

