



*Moule's*  
CALIFORNIA GLASS INC.  
"THE WISE CHOICE"

# SLIDING DOOR COLLECTION



#### AVAILABLE FINISHES



CHROME



MATTE BLACK



BRUSHED NICKEL



OIL RUBBED BRONZE

## SEMI-FRAMELESS SLIDING BYPASS SHOWER DOOR

- Model Size: 56-60 in. W x 76 1/2 in. H; Walk-In Opening: 24 - 28 in. (image and dimensions are for a 3/8" unit)
- Semi-frameless sliding bypass shower door is sleek and modern
- 1/4", 5/16" and 3/8" thick clear tempered glass is available, this will showcase your beautiful tile.
- Our nylon wheels paired with grease packed stainless steel ball bearings provide smooth quiet operation
- Recessed through-glass towel bar and knob add an element of luxury without sacrificing functionality
- Allows an out-of-plumb adjustment of up to 1/4-in on either side
- Our easy-clean threshold is tapered toward the inside of the shower allowing water to run back into the shower
- Fits 56 to 60 width opening
- Limited lifetime warranty





#### AVAILABLE FINISHES



CHROME



MATTE BLACK



BRUSHED NICKEL



OIL RUBBED BRONZE

## SEMI-FRAMELESS EURO SLIDING BYPASS SHOWER DOOR

- Model Size: 56-60 in. W x 70 3/8 in. H; Walk-In Opening: 24 - 28 in.
- Semi-frameless bypass shower door is sleek and modern
- The economical tempered 3/16-in thick clear glass
- Our nylon wheels paired with grease packed stainless steel ball bearings provide smooth quiet operation
- Compression-fit single-rail towel bar and pull handle included
- Allows an out-of-plumb adjustment of up to 1/4-in on either side
- Our easy-clean threshold is tapered toward the inside of the shower allowing water to run back into the shower
- Fits 56 to 60 width opening with reversible handing
- Limited lifetime warranty





#### AVAILABLE FINISHES



CHROME



BRUSHED NICKEL



OIL RUBBED BRONZE

## FRAMELESS TRADITIONAL BYPASS SHOWER DOOR

- Model Size: 56-60 in. W x 70 3/8 in. H; Walk-In Opening: 24 - 28 in.
- Semi-frameless bypass shower door is sleek and modern
- The economical tempered 3/16-in thick clear glass will showcase your beautiful tile while maintaining durability
- Our nylon wheels paired with grease packed stainless steel ball bearings provide smooth quiet operation
- Compression-fit towel double-rail bar and pull handle included
- Allows an out-of-plumb adjustment of up to 1/4-in on either side
- Our easy-clean threshold is tapered toward the inside of the shower allowing water to run back into the shower
- Fits 56 to 60 width opening with reversible handing
- Limited lifetime warranty





#### AVAILABLE FINISHES



CHROME



MATTE BLACK



BRUSHED NICKEL



OIL RUBBED BRONZE

## BYPASS SLIDING SHOWER DOOR

- Water and stain resistant glass coating; 5/16 in. (8mm) thick certified tempered glass; Glass Type: Clear
- Specially designed rollers create a smooth, quiet gliding operation; Two convenient towel bars double as handles on each panel
- Wall profiles accommodate up to 3/8 in. for out-of-plumb (uneven walls) per each side
- Model can be trimmed up to 4 in. for width adjustment; Anodized aluminum guiderails and wall profiles
- IMPORTANT! All measurements should be taken only AFTER walls are finished (tile, back walls, etc.); Professional installation recommended
- Limited Lifetime Manufacturer Warranty (Oil Rubbed Bronze and Satin Black finishes limited to 1 (one) year warranty hardware itself is covered)



AVAILABLE  
FINISHES



CHROME



BRUSHED  
NICKEL

## HEADERLESS SLIDING SHOWER DOOR

- Model Size: 56- 60 in. W x 72 in. H; Walk-in Opening: 22 - 26 in.
- Configuration: Right and Left Door configurations available
- Hardware Finish: Chrome; Proprietary L-bar provides a streamlined, unobstructed look and structural support
- Glass: 3/8 in. (10mm) thick clear tempered glass; Protective Glass Coating
- Width adjustment: Up to 4 in.; Out-of-plumb adjustment: 3/8 in. on Fixed Panel side
- Frameless and Headerless Design; IMPORTANT! All measurements should be taken only AFTER walls are finished (tile, back walls, etc.)
- Professional installation recommended
- Limited Lifetime Manufacturer Warranty



**MOULE'S CALIFORNIA GLASS, INC.**

815 Industrial Street  
Redding, CA 96002, US

530-221-5100

[info@moulesglass.com](mailto:info@moulesglass.com)

[www.moulesglass.com](http://www.moulesglass.com)