

Welcome!

Thank you for choosing Therapy & Learning Center of GA, LLC. To help meet your child's needs. We sincerely appreciate this opportunity, and look forward to working with you and your child.

The attached New Client Paperwork packet includes important information about the practice. Please take time to fill out as much information as possible regarding your child's developmental history, as this information can be vital to the direction of the therapy plan. We understand that these forms can be time consuming however, it is important that we have as much information as possible prior to your visit so that we may provide the best possible service for your child. If your child has any recent evaluations completed by other health professionals (psychologist, IEP, etc.), please bring copies of these with you or you may email them to us in advance.

Our office policy is that you will need to place a credit card on file. This is because there is no "sign out desk" in the office and Amy, our director, handles the billing. The form is attached.

Sincerely,

Amy Squires, M.S.CCC-SLP
Speech and Language Pathologist
Director of Therapy and Learning Center of GA
GA License #: SLP 008235
ASHA Certification #: 12132094



Occupational Therapy Intake Form

Identifying Information:

Patient Name: Date of Birth:				
Address:				
		Zip Code:		
E-mail:				
Phone 1:	Pho	one 2:		
Parent/Guardian Names:				
		ather's Occupation:		
Child lives with both pare	nts? Yes No			
Primary Language Spoke	en in Home:		 	
Others living in the home	(names, ages, and relat	tionship to patient):		
Referral Source:				
Pediatrician:		Phone:		
Reason for referral:	-			
Previous evaluations (list):		 	
Therapy to date (list):				
Describe the present pro	blem:			
Who noted the present P	roblem?	When?		
How does the family reac	t to the problem?			
Have there been any sign	nificant changes in the la	st six months? If so_what?		



Prenatal History:

Please check any complications during pregnancy

☐ Morning sickness☐ Premature contractions☐ Hypertension (high block)			☐ Bleeding from vagina ☐ Edema (swelling) of hands, face ☐ Incompatible Rh factor
☐ Toxemia ☐ Anemia	☐ Rubella ☐ Allergies		□Diabetes □Serious Injury
☐ Emotional strain☐ High fever☐ Excess vomiting	☐ Viral Infection☐ Convulsions☐ Amniotic fluid		☐Cardiac Infection ☐Surgery
Other:			
Were any of the following ta	aken during preg	nancy?	
☐ X-rays ☐ Pills for nausea	☐ Blood pressu☐ Antibiotics	ıre pills	☐Sedatives ☐Diuretic
☐ Medication to prevent w☐ Thyroid Medication	weight gain		edication to prevent miscarriage in medication
☐ Valium ☐ Methadone ☐ Heroin	U -		☐ Amphetamine ☐ Cocaine
☐ Cigarettes (10 or more ☐ Two or more cups of co			
How much weight did you gai	n?	Wa	as client active in utero?
Pregnancy Length:			
☐ Full Term ☐ Premature		If ves how	w many weeks?:
☐ Late Delivery (2+ week	(s late)		w many weeks?:



Perinatal History Please check all that apply:

☐ Labor was drug induced☐ Epidural☐ General anesthesia (mother under Description)☐ Prolonged labor	☐ Caes	arian section before onset of labor arian section after onset of labor
Cord around neck Did not breathe at first Infant had seizures Infant had jaundice Infant had an unusual cry Infant required oxygen Infant was in an incubator Infant was cyanotic(blue) Infant had congenital defects If infant had congenital defects, what	☐ Slow☐ Infan☐	of forceps heartbeat t was considered low birth weight t was jittery t required tube feeding t required blood transfusion t cried excessively t was limp/floppy
Other, explain:		
Was this pregnancy unusual or abnor	rmal in any way	not already mentioned?
Length of labor: Bi	irth Weight:	Apgar rating:
Was mother dismissed before infant? Why?		How long?
Any special instructions at dismissal?	?	
Infant was:⊡Bottle fed □Breast fed Complications		
Please list all food and drug a	allergies:	



Post Natal History
Please check all that did or do apply and give approximate dates:

Did Patient	
☐Reach out and prepare to be picked up	☐Have frequent nightmares
☐Want to be held a great deal	☐Need parent's presence to fall asleep
☐Want to be held sometimes	☐Often sleep in parent's bed
☐Resist being held	☐Have difficulty sucking
☐ Awaken frequently	☐Have a poor appetite
☐ Have difficulty falling asleep	☐Have difficulty swallowing
☐ Have difficulty awakening	☐Choke on food
☐ Sleep mostly between feedings but awaken	□Vomit after eating
when hungry	☐Spit up frequently
☐ Sleep between some feedings, with long	☐Appear to be insatiably hungry
periods of wakefulness	☐Crave sweets and other foods
☐ Sleep little, but seems comfortable	☐Refuse most foods
☐ Show signs of physical activity while	☐Eat food quickly
sleeping	☐Wander from table while eating
☐Rise and wander during night	Act as if all foods taste same
☐ Go on rampages at night, empty drawers,	☐Dislike foods of certain texture
refrigerator	— ⊟Have other difficulties eating
Comments:	_
Was Patient:	
☐ Difficult to care for	☐Often fussy/crying
☐ Extremely difficult to care for	☐Almost always fussy/crying
☐ Inactive and quiet, but alert	☐Diagnosed as having colic
☐ Inactive, sluggish and non-responsive	Difficult to comfort
Extremely active	Extremely difficult to comfort
☐ Occasionally fussy/crying	☐Medication prescribed
Was client's behavior:	
☐ Like younger children	
Like older children	
☐ Different, but not like older or younger children	
Comments:	
Comments:	· · · · · · · · · · · · · · · · · · ·
	



Medical/Psychological History:

Please check diagnoses Patient has received:	
☐ Aphasic ☐ Autistic ☐ Brain Damaged Disorder ☐ Depression ☐ Emotionally Disturbed ☐ Cerebral Palsy ☐ Immature, Maturation Lag ☐ Minimal Brain Dysfunction (MBD) ☐ Muscle Disease ☐ Speech/Language Disordered ☐ Tourette's Syndrome ☐ Other Tic Disorders	Attention Deficit Disorder Behavior Disordered Central Auditory Processing Developmentally Delayed Hyperkinetic, Hyperactive Pervasive Developmental Delay Dyslexia/Dyscalculia Multiple Sclerosis Pain Disorder Spina Bifida Static Encephalopathy Hearing Impaired
Other:	
Please explain checked items in more detail: _	
Are immunizations current? ☐ Yes ☐ No Please check if your child has had any of the fo	ollowing (and if so, at what age):
Allergies Asthma Chronic Ear Infections Ear Tubes Heart Trouble Measles Pneumonia Sinusitus Concussions Seizures Other	Chicken Pox Chronic Cold Frequent Cough Hearing Loss Mumps Meningitis Thyroid Issues Tonsillitis Diabetes Tremors
Has client experienced any of the following? PI Surgery	ease check any/all that apply and indicate dates Additional Comments:
Hospitalization other than for surgery	
Unconsciousness	
Emergency room treatment Other physical injuries	



Motor Milestones

Sit alone Crawl Walk with Assistance Walk without Assistance Go downstairs Ride a tricycle Ride a 2-wheeled bike (Without training wheels)	Age Age Age Age Age Age	Daytime urinary training Age Nighttime urinary training Age Daytime bowel training Age Nighttime bowel training Age Independent toileting Age Did client lose day/nighttime urinary control after training was complete? Age lost Age regained Did client lose day/nighttime bowel Control after training was completed? Age lost Age regained
Comments:		
Please check past/current Swimming Baseball Football Basketball Other:	sports participation: Roller bladin Hockey Soccer Karate	g □Lacrosse
Have other members of difficulties of any kind. F Relationship to Clie (including maternal	Please explain in de ent	family exhibited educational or physical tail. Nature of Problem
Please use the scale bel the following sections:	ow and indicate the	most appropriate answer when filling out
	2. Perform 3. Perfor 4. Unable	orms Well s Fairly Well ms Poorly to Perform pplicable
Other Motor Activities: Coordinated Mover Swim	ments □1 □	l2 □3 □4 □5 l2 □3 □4 □5



Performs Well
 Performs Fairly Well
 Performs Poorly
 Unable to Perform
 Not Applicable

Activities of Daily Living					
Maintain stable/suitable					
posture at table	□ 1	\square 2	□ 3	□ 4	□ 5
Drink from a cup	□ 1	\square 2	□ 3	□ 4	□ 5
Drink from a glass	□ 1	□ 2	□ 3	4	□ 5
Eat with a spoon	□1	□ 2	□3	□4	□ 5
Eat with a fork	□ 1	□ 2	□ 3	□4	□ 5
Cut with a fork	□1	□ 2	□ 3	□4	□ 5
Cut with a knife	<u> </u>	2	<u> </u>	<u> </u>	<u></u> 5
Butter bread	□1	□ 2	□ 3	□4	□ 5
Open milk carton	<u> </u>	2	<u> </u>	<u> </u>	<u></u> 5
Pour accurately from					
carton/thermos	□1	2	□3	<u> </u>	□ 5
Open thermos	∐1	□ 2	□ 3	∐ 4	□ 5
Suck through a straw	<u> </u>	□ 2	□ 3	<u> </u>	□ 5
Turn on faucet	□ 1	□ 2	□ 3	4	□ 5
Turn off faucet	□ 1	□ 2	□ 3	4	□ 5
Wash hands	□ 1	□ 2	□ 3	4	□ 5
Brush/comb hair	□ 1	\square 2	□ 3	4	□ 5
Shampoo hair	□ 1	\square 2	□ 3	4	□ 5
Brush teeth	□ 1	□ 2	□ 3	4	□ 5
Trim fingernails	□ 1	□ 2	□ 3	4	□ 5
Trim toenails	□ 1	□ 2	□ 3	4	□ 5
Take a bath	<u> </u>	□ 2	□ 3	4	□ 5
Put on pullover garment	□ 1	□ 2	□ 3	4	□ 5
Remove pullover garment	□ 1	□ 2	□ 3	4	□ 5
Put on shirt	□ 1	□ 2	□ 3	□4	□ 5
Remove shirt	□ 1	□ 2	□ 3	<u> </u>	□ 5
Fasten/unfasten snaps	□ 1	□ 2	☐ 3	4	□ 5
Open/close zippers	□ 1	□ 2	□ 3	□ 4	□ 5
Fasten/unfasten buttons	□ 1	□ 2	□ 3	□4	□ 5
Put on underpants	□ 1	□ 2	□ 3	□ 4	□ 5
Remove underpants	□ 1	□ 2	□ 3	□ 4	□ 5
Put on pants	□ 1	□ 2	□ 3	□ 4	□ 5
Remove pants	□ 1	□ 2	□ 3	□4	□ 5
Put on socks	□ 1	2	□ 3	□4	□ 5
Remove socks	□ 1	□ 2	□ 3	□4	<u></u> 5



1. Performs Well

2. Performs Fairly Well

3. Performs Poorly

4. Unable to Perform
5. Not Applicable

		5. No	ot Appl	licable	
Put on shoes Remove shoes Tie shoes Lace shoes	□1 □1 □1 □1	□2 □2 □2 □2	☐3 ☐3 ☐3 ☐3	□4 □4 □4 □4	□5 □5 □5 □5
Put on hearing aids Remove hearing aids Put on braces Remove braces	1 1 1	□2 □2 □2 □2	□3 □3 □3 □3	□4 □4 □4 □4	□5 □5 □5 □5
Household Chores Make bed Manage sweeping Use vacuum Wipe up spills Make a sandwich Use pushbuttons Open screw-top jars Load dishwasher Carry food to table Set table	1 1 1 1 1 1 1 1 1	□2 □2 □2 □2 □2 □2 □2 □2 □2 □2 □2	□3 □3 □3 □3 □3 □3 □3 □3 □3	□4 □4 □4 □4 □4 □4 □4 □4	□5 □5 □5 □5 □5 □5 □5 □5
Clear table Use phone Construct with Legos	□' □1 □1 □1	□2 □2 □2	□3 □3 □3	□4 □4 □4	□5 □5 □5



Communication

Please use the scale below and indicate the appropriate answer when filling out the following sections:

1. Never	2. Rarely	3. Occasionally	4.	Freque	ntly	5.	Always
Patient							
Does not attempt to	communicate	е	□ 1	2	□3	4	□ 5
Uses gestures to co	ommunicate		□ 1	2	□3	4	□ 5
Does not use langu	age to comm	unicate	□ 1	□ 2	□3	<u> </u>	□ 5
Responds negative			□ 1	2	□3	<u></u> 4	□ 5
Has difficulty paying							
other noise		•	□1	\square 2	□3	4	□ 5
Seems confused as	to direction o	of sounds	□1	□ 2	□3	4	□ 5
Enjoys hearing stra	nge noises		□1	□2	□3	4	□ 5
Enjoys making loud	•		□1	□ 2	□3	□ 4	□ 5
Speaks loudly			<u></u> 1	2	3	<u> </u>	5
Enjoys music			<u> </u>	2	<u>3</u>	<u></u> 4	5
Has a diagnosed he	earing loss		<u></u>	2	 3	<u> </u>	5
Speaks only to com	-	eds	<u>1</u>	<u></u>	<u></u> 3	<u></u> 4	<u></u> 5
Stammers or stutter			⊟ 1	<u> </u>	<u>3</u>	<u></u> 4	<u></u>
Speaks in incomple	te sentences		⊟ 1	<u> </u>	<u></u> 3	<u></u> 4	<u>5</u>
Hesitates or stops r			\Box_1	\square_2	□ 3	<u>4</u>	□ 5
Seems to understar		ouble					-
getting the words or	•		□1	\square 2	□3	4	□ 5
Has difficulty finding		⁻ d	□1	\square 2	Ш3	□ 4	□ 5
Confuses words of							
(yesterday/tomorrov		J	□ 1	2	□3	4	□ 5
Confuses words that		such as					
(hem/hen)			□1	\square 2	□3	4	□ 5
Refers to self by na	me, "Joe go t	o store"	□ 1	\square 2	□3	4	□ 5
Speaks in own priva	ate language		□ 1	2	□3	4	□ 5
Is unable to relate e	events		□ 1	□ 2	□3	4	□ 5
Is not an efficient co	ommunicator		□ 1	2	□3	4	□ 5
Speaks as if under	great pressur	e	□ 1	□ 2	□3	<u> </u>	□ 5
Jumbles words in so			□ 1	□ 2	□3	4	□ 5
Has trouble pronoui	ncing words		□ 1	□ 2	□3	4	□ 5
Uses incorrect gram	nmar		□ 1	□ 2	□3	4	□ 5
Has trouble followin		ns	□1	□ 2	□3	<u></u> 4	 5
Does not seem to u	nderstand wh	at was asked	□1	□2	□3	<u> </u>	 5
Talks constantly			□1	□ 2	□3	<u> </u>	 5
Lacks good, clear s	peech		<u> </u>	2	<u></u> 3	<u></u> 4	<u></u> 5
List any other comn	nunication pro	blems exhibited b	y clien	t:			



Behavior

1. Never	2. Rarely	3. Occasionall	y 4. Frequ	ently	5. Always
Patient Dislikes being touch rate of the prefers to touch rate of the prefers to feel more of the prefers to feel less. Has had vocal tics of the prefers had recall tics. Has had motor tics.	ched ather than be touse pain than other pain than others (clearing throat arking yelping) (words, phrases (twitches, jerks t in the past, wh	uched rs s s, s, curses) s, blinks)	□1 □2 □1 □2 □1 □2 □1 □2 □1 □2 □1 □2 □1 □2 □1 □2	□3 □3 □3 □3 □3 □3 □3	□4 □5 □4 □5 □4 □5 □4 □5 □4 □5 □4 □5 □4 □5 □4 □5 □4 □5 , how long did they
Can they be suppi	ressed?				
Does the intensity	and/or frequence	y vary over tim	e?	_	
Does stress make	them worse?	Ex	κplain in detail	•	
1. Never	2. Rarely	3. Occasiona	lly 4. Freq	uently	5. Always
Patient					
Is generally disorg Has bedroom/toys Is unable to put th Insists that bedroo precisely or	disorganized ings in order om/toys must be	□1 □2 □1 □2 □1 □2 □1 □2	□3 □4 □3 □4 □3 □4 □3 □4	□5 □5 □5	
Has no ability to ke Dresses in a disor Approaches project Seems to do thing	eep a schedule derly fashion cts illogically	□1 □2 □1 □2 □1 □2 □1 □2	□3 □4 □3 □4 □3 □4 □3 □4	□5 □5 □5 □5	
Is forgetful or lose. Confuses details Changes activities Is indecisive, chan	s belongings	□1 □2 □1 □2 □1 □2 □1 □2	3	□5 □5 □5 □5	
Is impatient, canno Cannot tolerate fru	ot wait	□1 □2 □1 □2	$ \begin{array}{ccc} $	□5 □5 □5	



1. Never	2. Rarely	3. Occa	sional	ly 4	. Frequ	uently	5. Always
Patient		_					
Does not finish wha	t is started	∐1	∐2	Ш3	<u> </u>	<u>L</u> 5	
Cannot sit through a	a board game	∐1	<u></u> 2	∐3	<u></u> 4	<u> </u>	
Hums or taps finger	S	∐1	<u></u> 2	∐3	<u> </u>	<u> </u>	
Takes a long time to		∐1	∐2	∐3	∐4	∐ 5	
Does things without	thinking	□1	\square 2	□3	□4	□5	
Talks too much		□1	\square 2	□3	4	□5	
Fidgets or squirms		□1	2	□3	4	 5	
Bumps into things		□1	2	□3	4	□ 5	
Is accident prone		□1	\square 2	□3	4	□ 5	
Constantly wants th	ings,	_					
is never satis	sfied	<u></u> 1	<u></u> 2	<u></u> ⊔3	<u> </u>	<u>L_</u> 5	
Does things in a noi	sy way	∐1	∐2	Шз	∐4	∐ 5	
Cannot play quietly	for						
twenty minute	es	□1	\square 2	□3	4	□ 5	
Climbs onto cabinet	s/furniture						
without sense	e of fear	□1	□2	Ш3	□4	□5	
Is always on the go		□1	\square 2	□3	□4	□5	
Runs, rather than w	alks	□1	\square 2	□3	□ 4	□5	
Breaks things accid	entally	<u> </u>	2	□3	4	<u></u> 5	
Cannot keep hands	to self	□1	2	□ 3	<u> </u>	<u></u> 5	
Requires unusual co	onfinement						
(harness, gat	tes, etc.)	□1	□2	□3	□4	□ 5	
Is difficult to take to	visit						
friends/relativ	es/shopping	<u> </u>	2	□3	4	<u></u> 5	
Is difficult to leave w	ith baby-sitter	<u> </u>	2	□3	<u> </u>	5	
Needs constant sup	ervision	<u></u> 1	2	□3	4	<u></u> 5	
Is hyperactive		□1	2	□3	4	5	
Is hypoactive (unde	r-active)	□1	2	□3	4	 5	
Dawdles		□1	\square 2	□3	4	□ 5	
Does things painfull	y slowly	□1	\square 2	□3	4	□ 5	
Daydreams		□ 1	2	□3	4	 5	
Must be in control o	f situations	□1	\square 2	□3	4	□ 5	
Must do things own	way	□1	\square 2	□3	□ 4	□5	
Resists being taugh	t how to do thir	ngs 🔲 1	<u>2</u>	□3	4	<u></u> 5	
Resists change in ro	outine	1	2	□3	4	<u></u> 5	
Is overly cautious		<u> </u>	2	□3	4	<u></u> 5	
Cries for the slightes	st reason	<u> </u>	2	□3	4	<u></u> 5	
Forgets social expe		<u> </u>	2	□3	4	<u></u> 5	
Hears, but does not	seem to listen	<u> </u>	2	□3	<u> </u>	<u></u> 5	
Cannot tolerate nois	sy, busy places	<u> </u>	2	 3	<u></u> 4	<u></u> 5	
Needs a calm, quiet	t atmosphere						
in order to co	ncentrate	□1	\square_2	□3	□4	□5	



Does sloppy work in spite of effort si willfully destructive 1	1. Never	2. Rarely	3. Occasi	onally	4. Freq	uently	5.	Always
Has rapid, unexpected mood changes	Patient Does sloppy work in Is willfully destructive Ignores social rules. Has no guilt for wror Has no remorse for Has excessive quilt. Believes rules apply Does not seem to le Cannot tell right from Cheats, has to be w Blames others for en Always has an excu Complains of unfair. Thinks everyone is a Worries excessively Is pessimistic (thinks Has poor self-image Talks of harming self Attempts to harm set Complains of boredo	spite of effort e of modesty ngdoing hurting others at inappropriate only to others arn from experi n wrong inner rors se treatment against him/her s things will go f, feels worthles lf	e times [onally 1	2	4	55555555555555555555555555555555555555	Always
attention was necessary Is insensitive to feelings of others Gets into arguments Provokes adults Resists authority Is defiant/belligerent when disciplined Is stubborn Ignores directives without arguing Purposely does the opposite of what is told Makes up untruths Cannot be trusted alone Picks only on people smaller than self Extends self where there is no advantage Extends self only if advantage is clear Accepts favors, but makes no effort to	Has rapid, unexpect Is irritable Has short fuse, expl	ed mood chang odes at any littl	ges [c e thing [2 <u>3</u> 2 <u>3</u>	□4 □4	5 5	
return favors □1 □2 □3 □4 □5	attention was Is insensitive to feeli Gets into arguments Provokes adults Resists authority Is defiant/belligerent Is stubborn Ignores directives w Purposely does the Makes up untruths Cannot be trusted a Picks only on people Extends self where to	necessary ings of others when discipling ithout arguing opposite of wha lone e smaller than s there is no adva	ed [at is told [self [antage [ear [1	2	□ 4 □ 4 □ 4 □ 4 □ 4 □ 4 □ 4 □ 4	□ 5 □ 5 □ 5 □ 5 □ 5 □ 5 □ 5 □ 5 □ 5 □ 5	



1. Never	2. Rarely 3. C	Occasional	ly 4	l. Frequ	uently	5.	Always
Patient Hangs around with	had crowd	□1	□ 2	□3	□ 4	□ 5	
Wants friends, but is			_		ш.		
by others	•	□1	<u>2</u>	□3	<u>4</u>	□5	
Wants friends, but p			<u>2</u>	□3	<u></u> 4	<u>□</u> 5	
Wants friends, but le		ble ∐1	<u></u> □2	<u>3</u>	<u>4</u>	<u> </u>	
Has few friends, see		<u></u>	<u></u> 2	<u></u> 3	<u></u>	<u></u> 5	
Tends to choose friends	-	<u></u>	<u></u> 2	<u></u> 3	∐4 □⊿	<u></u> 5	
Has no close friends Has no close friends		1 1⊡ aroup	□2 □2	□3 □3	∐4 □4	<u></u> 5 □5	
Cannot play well in			\square^2	3 □3	□ 4 □4	<u></u> 5	
	coordination	. ш.					
	ity to take turns						
	sion regarding rule	S					
	ntion, daydreaming						
□ Other							
llas vasvanlas da fuis		_					
Has never had a frie		e □1	□2	□3	□4	□5	
Appears unconcern			\square_2	\square 3	□4 □4	<u></u> 5	
Avoids being with p	•			3	□ - 4	<u></u> 5	
Prefers to play with		⊟i		3	<u></u>	<u></u> 5	
Prefers to play with		<u> </u>		<u></u> 3	<u></u> 4	<u></u> 5	
Prefers to play with		□1	2	□3	4	□5	
Is physically rough v	with others	□ 1	2	□3	4	□ 5	
Is excessively bossy	y with peers	□ 1	□ 2	□3	□ 4	□5	
Gets into fights beca	ause of frustration	□1	□ 2	□3	□ 4	□5	
Tattles		<u> </u>	2	3	<u></u> 4	5	
Is cold and untrusting	ng of others	□ 1	2	□3	4	□ 5	
Resists sharing		□ 1	2	□3	<u>4</u>	<u></u> 5	
Disrupts others' gan		<u> </u>	2	□3	<u></u> 4	<u></u> 5	
Gets feelings hurt e		<u> </u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	
Gets physically hurt	• .	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	
Is overly submissive		<u></u>	<u>2</u>	<u></u> 3	<u></u>	<u></u> 5	
Has to be the leade		∐_1 □_4	<u>2</u>	<u></u> 3	<u></u>	<u></u> 5	
Assumes role of clo		∐ I □ 1	□2 □2	□3 □3	∐4 □4	<u></u> 5 □5	
Cannot keep up witl Appears depressed	•	□ ' □1	□ ₂	3 □3	□ <u>4</u> □4	5 5	
, ippodio dopiocoda	,, 9::						



Please check any that do/have applied:	
☐ Has parrot-like speech, repeats mechanically	☐ Continues to have crying spells
☐ Has singsong quality to speech	☐ Rocks body for periods of time
☐ Speaks in a whisper	☐ Banged head beyond 2.5years
☐ Laughs or giggles for no apparent reason	☐ Has unusual fears
☐ Often covers ears	☐ Clings excessively to parent(s)
☐ Acts as if deaf	☐ Appears happier in the dark
☐ Had temper tantrums beyond age 4 years	☐ Resists having eyes covered
☐ Has breath-holding spells	☐ Bites, pinches, or hurts self
☐ Had prolonged crying spell before age 2.5	☐ Picks skin, pulls hair, plucks
	eyebrows or lashes
☐ Bites, pinches or hurts others	☐ Bumps and/or pushes others
☐ Bites nails	☐ Grinds teeth
☐ Chews on nonfood items	☐ Holds hands in strange positions
☐ Holds body in strange positions for extended perio	ds
☐ Seems not to learn from experience, even if it hurt	
☐ Prefers to be alone	☐ Ignores others
☐ Avoids making eye contact	☐ Shows indifference to affection
☐ Shows no attachment to parent(s)	☐ Shows attachment to unusual
,	objects
☐ Stares at lights, water or shiny objects as if entrance	ced
☐ Whirls in circles	☐ Walks on toes
☐ Eats or attempts to eat strange substances such a	s leaves, garbage
☐ Has strong aversion to being wet or dirty	☐ Smears stools
☐ Drools	☐ Has an unusual odor
☐ Has unusual ability, such as remembering jingles,	recalling dates
☐ Sees visions not seen by others	-
☐ Hears voices not heard by others	
☐ Holds odd beliefs not based in reality	☐ Engages in rituals
\square Repeats words, phrases, actions, over and over as	s if driven
☐ Reacts violently to minor changes in environment	
\square Steals when unsupervised	☐ Steals even while supervised
Responds in bizarre ways to normal events	
\square Has blank expression, stares for long periods	
☐ Breaks rules when unsupervised	☐ Breaks rules even while supervised
☐ Shows lack of awareness of location or time of day	,
☐ Is reckless, fails to appreciate danger	
·	
Comments:	



Patient has....

than family not was in course of complate others youn cona, cocaine, olence, aggington, three teaking & en	nember irt or jail iints about beh ger than self heroin, or othe ression, assau atening harm	☐Stayed out past cu ☐Gotten drunk or st er drugs ☐Engaged in vanda Its on others	family members behavior lage urfew coned
of school atte	endance as ind	icated.	
<u>DATES</u>	<u>AGE</u>	NAME OF SCHOOL/ LOCATION	ANY PROBLEMS
	han family n l, was in couse of complation others yound ccoma, cocaine, olence, agging tortion, three reaking & en ving traffic vi	others younger than self cco na, cocaine, heroin, or other clence, aggression, assau ctortion, threatening harm to reaking & entering ving traffic violations f school attendance as indep	Stolen from other han family member I, was in court or jail See of complaints about behavior from neighbors others younger than self Sco Gotten drunk or stora, cocaine, heroin, or other drugs Engaged in vandational collence, aggression, assaults on others stortion, threatening harm to others reaking & entering ving traffic violations Stolen from other of Sent home due to Used Valgar language in Used vulgar language of Stayed out past of School attendance as indicated. Stolen from other Sent home due to Used Valgar language in Used Valgar language of School attendance as indicated. Stolen from other Sent home due to Used Valgar language in Use



Academic Area

1. Performs well 2. Performs fairly well 4. Unable to perform 5. Not app							
4. Onable to	perioriii	5. Not ap	рпсаві	t			
Use scissors		□1 □2	□3	□ 4	□5		
Fine hand work (puzzles, models,	etc.)	□1 □2	3	4	 5		
Recognize letters	Age	□1 □2	 3	4	□5		
Recognize numbers	Age	□1 □2	 3	<u> </u>	 5		
Draw	Age	□1 □2	 3	□4	 5		
Print letters	Age	□1 □2	<u></u> 3	<u></u> 4	 5		
Count money	Age	□1 □2	 3	4			
Tell time on regular clock	Age	<u> </u>	□3	<u> </u>	□5		
Please check if any of the followir (unsatisfactory), Or a grade of C o conference.	•		`	•	, .		
☐ Reading☐ Written Expression☐ Social Studies	□Spe □Matl □Phys	•	tion		ndwriting ence		
□Other							



Consent Form

This form must be completed before services can be initiated. If the client is under the age of 18 years, all legal guardians must sign the form.

Consent for Treatment: I hereby attest that I have voluntarily applied for and entered into treatment, or give my consent for the minor or person under my legal guardianship, at Therapy & Learning Center of GA. I understand that I may terminate these services at any time.

Consent to Communicate with Insurance Company: I give consent to Therapy & Learning Center of GA and its employees/agents to communicate with my insurance company and to release any health information needed in order to authorize visits and collect payment.

Receipt of Policies and Procedures: I hereby attest that I have received a copy of Therapy & Learning Center of GA's Policies and Procedures, including payment policies, and have read, understood, and consented to be bound by its content.

Receipt of Patient's Rights: I hereby attest that I have received a copy of the Patient Rights notice, have read, and understood its content.

Receipt of Privacy Policy and Consent for Disclosure of Health Information: I have been provided a copy of Therapy & Learning Center of GA's Note of Privacy Policies detailing how my Medicaid record may be used and disclosed under Federal and State law. I understand that as part of the Therapy & Learning Center of GA's treatment, payment, or healthcare operations, it may become necessary to disclose my protected health information to another entity (i.e., insurance, emergency, etc.), and I consent to such disclosure for these permitted uses, including disclosures via fax and email only to appropriate parties. I fully understand and accept the terms of this Consent and acknowledge the receipt of the Privacy Notice. I understand that I may revoke this consent in writing, except to the extent that the organization has already taken action in reliance thereon. I understand that by refusing to sign this consent or revoking this consent, Therapy & Learning Center of GA may refuse to treat me. I further understand that Therapy & Learning Center of GA reserves the right to change its privacy policies and will provide me with a copy of any revised notice.

I acknowledge that if I elect service time beyond what my insurance company will cover that I am voluntarily paying for that service time.

Photocopy Authorization: I permit a photocopy of this consent.	consent form as if it were an original executed
Name of Patient (printed):	
By signing below, you are attesting to the accuracy cauthorizations implied therein. A copy of this agreem	
Legal Guardian Signature	Date



Credit Card Payment Authorization Form

Sign and complete this form to authorize Therapy & Learning Center of GA to make a debit to your credit card listed below. We require that patients keep a credit card on file for payment. This is because we do not have front office staff to process your card each day.

By signing this form you give us permission to debit your account for services rendered.

Please	complete the information bel	ow:			
credit of service compa of this Langua	authorize T card account for the amount i e. If I am using insurance, the ny provides and EOB outlinin rate before my credit card is p age Therapy, or Occupational d of the week.	ndicated on my bill credit card will be p g the negotiated ra processed. This pay	on or after the date of processed after the ins te for services. I will be yment is for <u>Speech an</u>	<u>my child's</u> urance notified <u>d</u>	
Billing a	address:		Phone#:		
City, State, Zip:			Email:		
	Account Type: Uisa Cardholder Name: Card Number: Expiration Date:				
SIGNA ⁻	TURE:		_ DATE:		

I authorize the above named business to charge the credit card indicated in this authorization form according to the terms outlined above. This payment authorization is for the goods/services described above, for the amount explained to me. I certify that I am an authorized user of this credit card and that I will not dispute the payment with my credit card company; so long as the transaction corresponds to the terms indicated in this form and for the amount explained to me.



Teacher Questionnaire for Occupational Therapy

Patient Name:				Dat	e of bir	th:		
Patient's Grade Lo	evel:							
Your Name:				_ Toda	Today's date:			
Relationship to pa	itient:							
Please consult wit	th or have you	r child's teacher act	ually co	omplete	e the fo	llowing	g questio	ns.
1. Never	2. Rarely	3. Occasionally	4. F	requer	ntly	5	. Always	;
Patient								
Is slow to complete schoolwork				2 2 2 2	3	4	5	
Is slow to complete projects of own selection				2	3 3	4		
Avoids doing homework				2	3	4		
Seems to take all night for homework			1	2	3	4		
Loses homework			1	2 2	3	4		
Turns in homework			1	2	3	4		
Shows wide variety in quality of work day to day			1	2	3 3 3 3	4		
Checks over work			1	2 2	3	4		
Avoids written work			1	2	3	4		
Completes reading tasks			1	2 2	3	4		
Completes assign		supervision	1	2	3		5	
Is interested and r		11	1	2	3	4	5	
Concentrates only		one or small	4	0	•	4	_	
group basis			1	2 2 2	3	4	5	
Works better in th Works better in th			1 1	2	3	4	5	
				2	3	4 4		
Is able to pace wo			1 1	2 2	3 3	4		
Is able to adjust to Is able to adapt to			1	2	ა ვ	4		
Disturbs classmat	_	นแบ	1	2	3	4	5	
טוטנעו אט טומטטווומנ			ı	_	J	-	J	

Takes turns

Gets into fights

Is easily frustrated

Calls out in class

Is unusually excitable

Seems very active in class

Maintains control on the playground, on the bus

Has mood fluctuations, often unrelated to situation

or in the lunchroom

Seems unruly and argumentative



1. Never	,			4. Frequently			5. Always		
Patient Makes noises in cla			4	2	2	1	E		
Talks excessively	ISS		1 1	2 2	3 3	4 4	5 5		
Seems easily distra	cted		1	2	3	4	5		
Asks to have things			1	2	3	4	5		
Listens in class	•		1	2	3	4	5		
Has gotten lost with	in building		1	2 2	3 3	4	5		
•	Seems slow to respond Can sequence alphabet or numbers easily					4	5		
•		pers easily	1	2	3	4	5		
Is able to comprehe			1	2	3	4	5		
Confuses the order		ale.	1	2 2	3 3	4	5 5		
Has difficulty copyir Has difficulty copyir			1	2	3	4 4	5 5		
Jumbles letters in w		aboard	1	2	3	4	5		
Reverses letters (d			1	2	3	4	5		
Rotates letters (p fo			1	2	3	4	5		
Reverses words (w		tc.)	1	2	3	4	5		
Loses place when r			1	2	3	4	5		
			1	2 2	3 3	4	5		
Has had school req	Approaches schoolwork in a disorganized manner Has had school request help in managing behavior					4	5		
	-	s client has been trua				and de	escribe		
If client has ever be	en expelled	from school, please (give g	rade le	vels ar	nd desc	cribe offenses.	_	
Does client read for	pleasure?						 		
Does client have ar	ny special inte	erests or hobbies? P	lease	specify	/ :				
What is client's favo	orite activity? st favorite act	ivity?							
Does client use a co	omnuter at s	chool?	Mhat	kind?					
Does client have us	Does client use a computer at school? Does client have use of a computer at home?								