

N621D AIRCRAFT SERIAL AND REGISTRATION 18208806 145316 PROPELLER MODEL AND SERIAL B3D36442 80V\$B-1 HUB SERIAL 041565 BLADE SERIALS 4F 26129 , 4F 26131 , 4F 26280

D5519-2-13

## INSTRUCTIONS

This record should be completed and maintained in accordance with FAA Federal Aviation Regulations 43.9, 43.11 and 91.417 and/or other prevailing government regulations.

NOTE: Record Service Bulletins and Airworthiness Directives in the back of this record as well as the Airframe Maintenance Record.

Copyright © 1996







# MAINTENANCE RECORD

DATE	E TOTAL TIME IN SERVICE			
2004	HOURS	10ths	DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
09/25	5	8	Propeller hub S/N <u>041565</u> , blade S/N <u>UF 36 129</u> , S/N <u>UF 26/31</u> and S/N <u>UF 26 280</u> has been installed on engine S/N <u>L-11663-66A</u> on aircraft <u>118208306</u> .	ODARF100129CE
Bods			CONTRACTOR OF THE NEW PROPERTY.	A TAND TO THE STATE OF THE STAT

_					MAIN	NTENANCE F	ECORD			
-	TOTAL 1 IN SER				DESCRIPTIO	N OF THE WORK P	ERFORMED			AUTHORIZED SIGNA CERTIFICATE TY
+		1.0	-							& NUMBER
			No 1			PROPELL			11/9/	/06
		AIRW	ORTHY	id Adalide Aviation a	Other details of	form AA003 and of this inspection ar listing.	ual inspection per FAR letermined to be in an e on file at this facility or	ınder T	AFTT Tach TSN TSO	386.1 386.1 386.1 N/A
			Atlantic	2 Aviation			A Approved Regair Station	n No. 7TFRS	57	and the
74	1	Re	g. No	N65316		PROPELLE	R	Date	12/6/0	7
CON	Post de	AI	RWORTH	and Atlantic Aviation	annual inspection:  e. Other details of	form WWA003 are this inspection are listing.	ual inspection per FAR ld determined to be in an e on file at this facility united Signature	_	ch 45 N 45	53.8 53.8 3.8 A
:			Atlar	ttic Aviation	Aller Address (Aller)	FA	A Approved Repair Station )	No. 71FR567Y		
					MAIN	NTENANCE RE	CORD		U	
	DATE	TOTAL	TIME	DUTA CONTRACT CONTRACT		VIENANCE RE	CORD			
		IN SEF			DESCRIPTIO	N OF THE WORK PERI	ORMED		AL	JTHORIZED SIGNATURE CERTIFICATE TYPE & NUMBER
		F	Reg. No	N65316		PROPELLER		Date 1/29	/0 <b>%</b>	
		A	IRWORTI ork order	t this propeller has been of and Pro-Air Aviation at the condition at this time no. 09-10265 For AD codes and touched up paint	nnual inspection for Other details of th mpliance, see AD li	m P-AA003 and de	inspection per FAR Part 4.	AFTT Tach TSN TSO	510.7 510.7 510.7 N/A	
				<b>CAI</b> VIATION MAINTENANCE			d Signature	TFR \$67Y)	· v	
						S EN TO A NOW FEST	DBATQ			Carlo Ma
1			1							
- Thinks	Sec. 1-1	Arrival was	en en en	and the state of t	A CONTRACTOR OF THE PARTY OF TH	(a) a design of the second	A COURT OF THE PARTY OF T			

			MAINTENANCE RECORD	
DATE	TOTAL IN SER	TIME VICE 10ths	DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURI CERTIFICATE TYPE & NUMBER
	I de 43	Append etermined acility und eplaced P	this propeller has been inspected in accordance with a Annual inspection per FAR Part to D and Pro-Air Aviation Maintenance Annual inspection form P-AA003 and was to be in AIRWORTHY condition. Other details of this inspection are on file at this rework order no. 10-0692. For AD compliance, see AD listing.  The propeller deice boots on all three blades B40245-53.  Authorized Cessna single engine and Caravan repair facility.  Authorized Cessna single engine and Caravan repair facility.  Authorized Signature  FAA Approved Repair Station No. 7TFR567Y	5
)	P C			A A A A A A A A A A A A A A A A A A A
DA	'_	OTAL TIMI N SERVICE DURS 1	MAINTENANCE RECORD  1. Approxing National Aviation Authority Country FAA/UNITED STATES  4. Organization Name and Address OTTOSEN PROPELLER & ACCESSORIES, INC OTTOSEN PROPELLER & ACCESSORIES ACCESSORIES, INC OTTOSEN PROPELLER & ACCESSORIES ACCESSORIES ACCESSORIES ACCESSO	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
			1 McCAULEY PROPELLER	

MAINTENANCE RECORD DAT AUTHORIZED SIGNATURE. N621D CERTIFICATE TYPE Date 11-06-2015 & NUMBER Hobb. 1170.1 TTP 1170.1 I certify that this propeller was inspected as per a 100 hr inspection and was dertermined to be in airworthy condition. Daxid Sahl A&P 3493300 Fargo Aircraft Maintenance Inc. N621D Classic Air Aviation Make McCauley Date: 11/24/19 4805 E. Falcon Dr. Model B3D36C442 ACTT: 1489.2 Serial Number 80VSB-1 Mesa, Az. 85215 TACH: 1489.2 Log Entry Page 1 of 1 **HOBBS:** 1748.2 Performed 100-hour Inspection and maintenance. All work done by referencing McCauley O.M.M. and F.A.R. 43 Appendix D. ---END---The aircraft, engine, propeller, or appliance identified above was repaired and inspected in accordance with current regulations of the FAA and is determined to be in an airworthy condition at this time and approved for return to service. No other representations concerning Airworthiness are expressed or implied. Date: 11/24/19 Authorized Signature Martin Pacheco A&P Number \_\_\_\_ AP 3079869. **MAINTENANCE RECORD** TOTAL TIME IN SERVICE DATE AUTHORIZED SIGNATURE, CERTIFICATE TYPE DESCRIPTION OF THE WORK PERFORMED & NUMBER HOURS

### MAINTENANCE RECORD

DATE	TOTA IN SI	L TIME ERVICE			DESCRIPTION OF THE W	ODK DEDEGRAFE			AUTHORIZED SIGNATU
A feet annual	HOURS	10ths		Talahar managa salata	SECONI TION OF THE W	UNK PERFURMED			CERTIFICATE TYPE & NUMBER
~		Date: 07/2 Model: B3D S/N: 04156	036C442 5		Glendale Aero \$ 6841 N. Glen Hart Glendale, AZ 88 623-877-333	oor Bivd 5307 3	Tach: 567.7 Hobbs : TSMOH: 567		
		Complied w Appendix D Removed pi Checked all	ith 100 hr / Ann op for # 1 blad Ads through th THIS PROPELL DETERMINED	e dye leak. Reii is date. IA appr	on Prop.IAW Glendale Annatalled prop after repair to oach rev 2011-15. See up I INSPECTED IN ACCORDITION AT	by Ottosen Prop odated AD sheet RDANCE WITH A THIS TIME	convice and participations	-3 AL INSPECTION	
	EV ON				CESCULLION AND IN A	Opik, supplement			PROMESH CONNECTO AND VOLUME OF SUNY
S.B.		DATE OF		SEF	TYPE S.B. (X)	NEXT COMPLIA	NCE		
NUMBE	R C	COMPLIANCE	AIRFRAME	COMPONENT	ONE-TIME RECURRING	HOURS/OTHE	TO SECURE AND ADDRESS OF THE PROPERTY OF THE PARTY OF THE	100 hr andition.	S
Ta I c	ch 690. ertify th	nat this prop	7 TSN 690.7 eller was insp	ected IAW a	100 hr inspection.	(b) 1 +		was inspected as per a 10 d to be in airworthy cond	
Ke	Henn evin Pat	Pan- tengale A&	jele	rthy condition		7 (18 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			mee Inc.
		I certify that and was de	Hobb 888.5 It this propelle	er was inspect e in airworthy	ed as per a 100 hr inspo	ection	N621D	Date 10-16-2014  Tach 851.6  1-1 certify that this propeller inspection and was determine David Sahl R&P 3493300	Fargo Aircraft Maintenance Inc
		D	A&P 349330				N621	Date Tach 1-1 cc inspec	

	2	73-8840 Fax: 701-280-0300	. (4)
FARGS  JET CENTER INC  3802 20 <sup>th</sup> St. North, Fargo, North Dakota St. North St. North, Fargo, North Dakota St. North	50102 U.S.A. Phone: 701-3	75-80 · · · · · · · · · · · · · · · · · · ·	
Fargo, North Dakota	ROOK INSERT	N NUMBER.	
FARCE 3802 20th St. North, 1 as PROPELLER LOG	PROP TT: 1162.0	andix D of FAR Part 43	
JET CENTER	inspection checklist and App	Chan	
D2D36C444 St. appual/100 Hos			
Date: 06 OCTOBER 2016  MAKE: McCauley MODEL: B3D36C442 S/N: 041565 TACH:  MODEL: Model Model: Model Mith at this time:  Model Model Mith at this time:  Model Mith at this tim	D's.	and inspected in accordance	
C/W 100H 1 AD's through BW 2016-20. No lieu are propeller of	or appliance identified above was the pertinent of the work performed. Pertine	nent details of	
1) Checked AD 5 Ch	to service to	DeVries	
MAINTENANCE RELEASE: Certifications and was found an working and was found and was fou	CTATION NO CTURO16D		
agency under Working Signature of authorized For FAACERTI			
FARGS JET CENTER LLC 3802 20th St. North, Fargo, North Dakota #1 PROPELLER LOG #1 PROPELLER LOG		701-280-0300	and the second and the second
C 7000 - 5	Phone: 701-	373-8840 Fax: 701-200	
DGS North Dakota	58102 U.S.A. THOM	N NUMBER: N621D	
GENTER LLC 3802 20th St. North, Pargo, HI PROPELLER LOG	GBOOK II IOZ	or 4 D Part 43	E I
Date: 03 NOVEMBER 2017  MAKE: McCauley MODEL: B3D36C442 S/N: 041565 TACH C/W 100Hr Inspection IAW FJC single piston engine annual/100 ho Maintenance items addressed at this time: Maintenance items addressed at a prop de-ice lead pass through's on page 14 prop de-ice lead pass through's on page 15 prop de-ice lead pass through the page 15 prop de-ice lead pag	: 1321.0 PROP TT: 1321.0	pendix D of FAR Part 43	
Date: 03 NOVEMBER 2017  MAKE: McCauley MODEL: B3D36C442 S/N: 041565 TACH  MAKE: McCauley MODEL: B3D36C442 S/N: 041565 TACH  Maintenance items addressed at this time:  Maintenance items addressed at this time:  1) Replaced grommets at prop de-ice lead pass through's on particular this time:  1) Section 13, prop de-ice ops check good.	our inspection encourse	v Cessna 340 Service Manual	
CAN 100Hr Inspection IAW FJC single piston engan	propeller spinner bulkhead IAV		a september of the second
C/W 100Hr Inspection IAW F3C single C/W 100Hr Inspection IAW F3C s			A Market State
1) Replaced grommets at prop de-lee good. Section 13, prop de-ice ops check good. Section 13 are Complied With at this time:		dence with current	
Section 13, prop de-ice ops check geota Section 13, prop de-ice ops check geota Airworthiness Directives Complied With at this time:  Airworthiness Directives Complied With at this time:  Airworthiness Directives Complied With at this time:  Airworthiness Directives Complied With at this time:	~ lance identified above was repair	ed and inspected in accordance with a this	manufacture and house and sure and
Section 13, prop de-ice ops check get  Section 13, prop de-ice ops check get  Section 13, prop de-ice ops check get  Airworthiness Directives Complied With at this time:  1) Checked AD's through BW 2017-22.  MAINTENANCE RELEASE: 1 certify that the aircraft, airframe, aircraft engine, propeller rules of the Federal Aviation Regulations and was found airworthy and a approved for cetur rules of the Federal Aviation Regulations and was found airworthy and a approved for cetur rules of the Federal Aviation Regulations and was found airworthy and a approved for cetur rules of the Federal Aviation Regulations and was found airworthy and a approved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and was found airworthy and a proved for cetur rules of the Federal Aviation Regulations and the rules of the Regulation Regulation Regulation Regulation Regulation Regulation Regulation R	n to service for the work performed. Per	uneus artistica de la companya del companya de la companya del companya de la com	
MAINTENANCE RELEASE: I certify that the strength and sapproved of the sederal Aviation Regulations and was found airworthy and sapproved of the sederal Aviation Regulations and was found airworthy and sapproved of the sederal Aviation Regulations and was found airworthy and sapproved of the sederal Aviation Regulations and was found airworthy and sapproved of the sederal Aviation Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and was found airworthy and sapproved of the sederal Regulations and the sederal Regulations are sederal Regulations and the sederal Regulations are sederal Regulations and the sederal Regulations are sederal Regulations and the sederal Regulations and the sederal Regulations are sederal Regulations are sederal Regulations and Regulations are sederal Regulations are sederal Regulations and Regulations are sederal Regulations are sed	Mike	DeVries	
MAINTENANCE RELEASE. The rules of the Federal Aviation Regulations and was found airworthy and rules of the Federal Aviation Regulations and was found airworthy and rules of the Federal Aviation Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations and was found airworthy and rules of the Federal Regulations	EPAIR STATION NO. CTURO16D		MACON I
Signature of audiorate For FAA CERTIFIED R		4117	
	COMPLIANCE RECOR	RD.	and the second second property of the second
	COMPLIANCE RECOR		
N	NEXT COMPLIANCE	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER		REMARKS
DETROIT LAKES	NEXT COMPLIANCE	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
DETROIT LAKES	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
DETROIT LAKES  24813 Hwy. 10 West Detroit Lakes MN 56501	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
DETROIT LAKES	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT & PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hoûr inspection of propeller. AD search completed thru this	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT& PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hoûr inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT& PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hoûr inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT& PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hour inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date  Date	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT& PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hoûr inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT& PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hour inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date  Date	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT& PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hour inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date  Date	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT & PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hour inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date 10-1-18 son A&P 2826620	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER  MCCAULEY	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT & PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hoûr inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date 10-1-18 Son A&P 2826620	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER  MCCAULEY B3D36C442	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT & PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hoûr inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date D-1-18 Son A&P 2826620  N621D TACH:1512.8	NEXT COMPLIANCE DUE-DATE/ HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER  MCCAULEY	REMARKS
24813 Hwy. 10 West Detroit Lakes MN 56501  TT& PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hour inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date  Date  Date  N621D  TACH:1512.8  HOBBS:1779.0  PTT: 1512.8	NEXT COMPLIANCE DUE-DATE/HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER  MCCAULEY B3D36C442 S/N 041565 2/19/21	
24813 Hwy. 10 West Detroit Lakes MN 56501  TT& PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hour inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date Do 1-18  N621D TACH:1512.8 HOBBS:1779.0 PTT: 1512.8	NEXT COMPLIANCE DUE-DATE/HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER  MCCAULEY B3D36C442 S/N 041565 2/19/21  ITH A 100 HOUR/ANNUAL	
24813 Hwy. 10 West Detroit Lakes MN 56501  TT & PTT 1418.7 PSNEW 1418.7 Hobbs 1660.3 October 1, 2018 with 100 hoûr inspection of propeller. AD search completed thru this this aircraft propeller has been inspected in accordance with a 100 hr. inspection and was to be in airworthy condition.  Date 10-1-18 Son A&P 2826620  N621D TACH:1512.8 HOBBS:1779.0	NEXT COMPLIANCE DUE-DATE/HOURS/OTHER	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER  MCCAULEY B3D36C442 S/N 041565 2/19/21  ITH A 100 HOUR/ANNUAL	

		SER	RVICE BULLETIN	COMPLIANCE RECO	RD	
DATE OF COMPLIANC	SER	TIME IN	TYPE S.B. (X)	DUE-DATE/	AUTHORIZED SIGNATURE, CERTIFICATE TYPE	
COMPLIANC	E AIRFRAME	COMPONENT	ONE-TIME RECURR		& NUMBER	REMARKS
			M.V.A.O.			
I A A . ·	e McCauler			al Airport (KLRU)		
0.10000	e: McCauley 621 D	Model: I	B3D36C442	Serial # 041565 Date: 10-04-2021		
	n Time: 1526,2	PTSN:	1526.2	Date . 10-04-2021		-
A.D. I ce	's due at this tir	ne. ler has beer ite.		act. Dressed nicks as real a 100 hr inspection and	d was found to be	
		AIRW	ORTHINESS DIF	RECTIVE COMPLIANC	E RECORD	
	METHOD	DATE	ORTHINESS DIF			Formity to:
A.D. NUMBER AND MENDMENT NO.	METHOD OF COMPLIANCE	ATTENDED	ORTHINESS DIF	14. Certifies the items ident	ified above were manufactured in conf	
AND	OF .	DATE OF	ORTHINESS DIF	14. Certifies the items ident		
AND	OF .	DATE OF COMPLIAN	ORTHINESS DIF	14. Certifies the items ident	ified above were manufactured in confi	
MENDMENT NO.	OF COMPLIANCE	DATE OF COMPLIAN	ORTHINESS DIF	14. Certifies the items ident	ified above were manufactured in conf	
AND MENDMENT NO.	OF COMPLIANCE	DATE OF COMPLIAN	ORTHINESS DIF	T4: Certifies the items ident  Approved de:  Non-approve	ified above were manufactured in confisign data and are in a condition for safe	
AND MENDMENT NO.	OF COMPLIANCE  Make: McCauley N#: 621 D	DATE OF COMPLIAN  La / Moc	ORTHINESS DIF	14. Certifies the items ident	ified above were manufactured in confisign data and are in a condition for safe	e operation.
AND MENDMENT NO.	OF COMPLIANCE Make: McCauley N#: 621 D Tach Time: 1558	DATE OF COMPLIAN  La / Moc W/C 8.2 PTS		Approved de Non-approve	ified above were manufactured in confisign data and are in a condition for safe design data specified in Block 13.	e operation.
AND MENDMENT NO.	OF COMPLIANCE  Make: McCauley N#: 621 D	DATE OF COMPLIAN  La / Moc W/C 8 2 PTS or inspection		T4: Certifies the items ident  Approved de:  Non-approve	ified above were manufactured in confisign data and are in a condition for safe design data specified in Block 13.	pproval/Authorization
AND MENDMENT NO.	OF COMPLIANCE  Make: McCauley N#: 621 D  Tach Time: 1558 completed 1008	DATE OF COMPLIAN  La / Moc W/C 8.2 PTS or inspection ata. The folic		Approved de Non-approve	ified above were manufactured in confisign data and are in a condition for safe design data specified in Block 13.	pproval/Authorization
AND MENDMENT NO.	Make: McCauley N#: 621 D Tach Time: 1556 completed 1006 airworthiness da	DATE OF COMPLIAN  La / Moc W/C 8.2 PTS or inspection ata. The folic		Approved des Non-approved  15. Authorized Signature:  17. Name (Typed or Printed):	ified above were manufactured in confisign data and are in a condition for safe and design data specified in Block 13.	pproval/Authorization  oate (m/d/s):  00/00/00  User/Installe
AND MENDMENT NO.	Make: McCauley N#: 621 D Tach Time: 1558 completed 1008 airworthiness da Replace Propell	DATE OF COMPLIAN  La / Moc W/C 8 2 PTS or inspection ata. The folic ler De-Ice bo		14. Certifies the items ident  Approved de:  Non-approve  15. Authorized Signature:  17. Name (Typed or Printed):  It is important to understand	ified above were manufactured in confisign data and are in a condition for safe design data specified in Block 13.	pproval/Authorization  Date (m/d/y):  00/00/00  Liser/Installe e does not automatica
AND MENDMENT NO.	OF COMPLIANCE  Make: McCauley N#: 621 D  Tach Time: 1558 completed 1008	DATE OF COMPLIAN  La / Moc W/C 8 2 PTS or inspection		Approved de Non-approve	ified above were manufactured in confisign data and are in a condition for safe design data specified in Block 13.	pproval/A

