

Dr. Danielle Oetker, DVM ND 1271 _

SPAY/NEUTER DOG INTAKE FORM

Minn-Kota PAAWS 2125 1st Ave S, Ste A Fargo, ND 58103 www.minnkotapaaws.org Do you Have Questions? 701-356-0523

For Emergency Only 701-793-0602

Owner Name:		Phone:		Date:
Address:		City:	ty:State:Zip:	
E-Mail: Current Veterinarian:				
How Did You Hear About Min	n-Kota PAAWS? □Friend □Flyer	□Humane Society	□Internet	□Vet □Other
PET INFORMATION Name:	Sex: □Male □Female Breed:	Co	lor(s):	Age:
How long have you owned this dog? Do you have other pets in home? □No □Yes:				
If your dog is female: Has she ever had a litter? □Yes □ No □ Unknown When was her last heat cycle?				
Do you consider your dog to be healthy today? □Yes □No If not, why?				
Has your dog received any medications in the last 2 weeks? □No □Yes If yes, what did they receive?				
	□Stray □Friend □Shelter/Re			
complications such as abnormal blee blood screening is not available. I agr information regarding my pet is corr	esia, vaccinations, and medications carry risks, a ding, infection, allergic reactions, or even death. ree not to hold the participating veterinarian(s), ect and true to the best of my knowledge.	I understand that this is no their representative(s) or t	t a full-service veter he facility liable for	rinary clinic and pre-operative damages. I certify that all the
Owner Signature.	FOR OFFICE USE ONLY, DO NO			
CANINE SERVICES	VACCINES RABIES		VETERINARIA	AN NOTES htlbs
Spay/Neuter: Rabies:	Date: 1 yr 3yr	mL Medetor	nidine 1mg/ml IM	mL ACP 1mg/ml 10mg/ml IM mL Propofol 10mg/ml IV mL Antisedan IM
Distemper: Bordatella: Microchip:	Place Rabies Label Here	mL midazol	am 5mg/ml IV	III. Alusedal IVI
Place Microchip ID Here	Next Rabies Due:	PTT		ml lidocaine 2% local block rane/Oxygen Maintenance
	Rabies Tag #			
Other: Total:	DISTEMPER	¬ I		
Owner Paid:Balance:	Place Distemper Label Here			
suture (i.e. PDS). The linea is closed in a sin continuous intradermal pattern and secured v Orchiectomy (Neuter): Pre-scrotal incis pattern. The skin is closed in a simple contin	nidline incision at umbilicus. Both ovaries and uterus are reple interrupted/continuous pattern with monofilament abs with tissue glue. No external sutures are placed. Green tatte ion. Testicles are exteriorized and the spermatic cord is do uous intradermal pattern and secured with tissue glue. No 1.5mg/ml. GivemLs by mouth once	orbable suture. The SQ is closed to ink is applied in a linear fashiouble ligated using a closed or external sutures are placed. Gree a day for three days. Start	in a simple continuous point to the dermis near the copen technique. The nattoo ink is applied to the morning after	pattern. The skin is closed in a simple incision site. the SQ is closed in a simple continuous the dermis near the incision site. surgery. This is a non-steroidal
anti-inflammatory medication for use in animals only. Give with food. Do not give with any other NSAIDs or steroid medications. Do not use if there is any vomiting or diarrhea. Attending Veterinarian's signature. Please keep this record as proof of sterilization / vaccinations.				