KOTA PAAWS	- Minn- 2125 1 Farg	NEUTER DOG INTAKE FORM Minn-Kota PAAWS 2125 1 st Ave S, Ste A Fargo, ND 58103 www.minnkotapaaws.org		Do you Have Questions? 701-356-0523 For Emergency Only 701-793-0602	
Owner Name:		Phone:		Date:	
Address:		City:	St	ate:Z	Zip:
	Current Veterinarian:				
How Did You Hear About	Minn-Kota PAAWS? □Friend	□Flyer □Humane Socie	ty □Internet	□Vet	□Other
PET INFORMATION Name:	Sex: □Male □Female	Breed:	Color(s):		Age:
How long have you owned	this dog?	_ Do you have other pets	in home? □No □	Yes:	
If your dog is female: Has	she ever had a litter? □Yes □ No	□ Unknown When was h	ner last heat cycl	le?	
Do you consider your dog	to be healthy today? \Box Yes \Box No	If not, why?			
Has your dog received any	medications in the last 2 weeks?	No □Yes If yes, what did	they receive?		
How did you obtain this do	g? □Stray □Friend □S	Shelter/Rescue Group □Cr	aigslist ⊓Pet	Store ⊓Bre	eder □Othe

Surgical Consent

0 0. 1

I understand that all surgery, anesthesia, vaccinations, and medications carry risks, and that unforseen conditions may be present which can increase the risks of complications such as abnormal bleeding, infection, allergic reactions, or even death. I understand that this is not a full-service veterinary clinic and pre-operative blood screening is not available. I agree not to hold the participating veterinarian(s), their representative(s) or the facility liable for damages. I certify that all the information regarding my pet is correct and true to the best of my knowledge.

Data

	Date						
FOR OFFICE USE ONLY. DO NOT WRITE BELOW THIS LINE.							
CANINE SERVICES	VACCINES RABIES	VETERINARIAN NOTES Weight lbs					
Spay/Neuter: Rabies: Distemper: Bordatella: Microchip:	Date:1 yr 3yr Place Rabies Label Here	mL Butorphanol 10mg/ml IM mL ACP 1mg/ml 10mg/ml IM mL Medetomidine 1mg/ml IM mL Propofol 10mg/ml IV mL Buprenorphine 0.5mg/ml IM IV mL Antisedan IM mL midazolam 5mg/ml IV mL ketamine 100mg/ml IV mL meloxicam 5mg/ml SQ post op ml lidocaine 2% local block					
Place Microchip ID Here Other: Total: Owner Paid: Balance:	Next Rabies Due:	ETT = Isoflurane/Oxygen Maintenance					

Surgical Technique: Standard procedure unless otherwise noted.

Ovariohysterectomy (Spay): Ventral midline incision at umbilicus. Both ovaries and uterus are removed. Ovarian pedicles and uterine body are double ligated with monofilament absorbable suture (i.e. PDS). The linea is closed in a simple interrupted/continuous pattern with monofilament absorbable suture. The SQ is closed in a simple continuous pattern. The skin is closed in a simple continuous pattern and secured with tissue glue. No external sutures are placed. Green tattoo ink is applied in a linear fashion to the dermis near the incision. Testicles are exteriorized and the spermatic cord is double ligated using a closed or onent.

Orchiectomy (Neuter): Pre-scrotal incision. Testicles are exteriorized and the spermatic cord is double ligated using a *closed* or *open* technique. The SQ is closed in a simple continuous pattern. The skin is closed in a simple continuous intradermal pattern and secured with tissue glue. No external sutures are placed. Green tattoo ink is applied to the dermis near the incision site.

Rx: _____mLs Metacam Oral 1.5mg/ml. Give _____mLs by mouth once a day for three days. Start the morning after surgery. This is a non-steroidal anti-inflammatory medication for use in animals only. Give with food. Do not give with any other NSAIDs or steroid medications. Do not use if there is any vomiting or diarrhea.

Attending Veterinarian's signature. Please keep this record as proof of sterilization / vaccinations. Dr. Danielle Oetker, DVM ND 1271