

2022 rule book!
Perry Off-road Dirt Track
Rozar Park

Alcohol/Drugs:

Absolutely no alcohol/illegal substances use will be allowed at any race. Anyone suspected of being intoxicated will be asked to leave the race. The use of tobacco or smoking is only authorized in accordance with Rozar Park rules. The use of profanity directed at a marshal, fellow driver, or race official will result in disqualification. Any fighting or physical abuse will immediately result in disqualification and banishment from future events. Fighting will not be tolerated! Any defacement or destruction of track or park property will result in disqualification and the driver will be asked to leave. Drivers are responsible for their guests. Any violation of these policies by a guest will reflect on the driver.

Turn-marshalling:

All drivers are required to turn-marshal the race immediately following their race. The first race of the day will be marshaled by the drivers of the last class. Failure or refusal to marshal will result in disqualification. If a driver is incapable of marshalling, a suitable replacement must be provided. When marshalling, all vehicles will be returned to the track at the point where they left the track. A vehicle returning to the track must yield to those on the track. No vehicle repairs may be made on the track in the marshal area. If a vehicle becomes disabled, the marshal must take the vehicle to the nearest edge of the track where a pit crew may retrieve it or the driver may retrieve it after the race has completed. Should the vehicle be repaired by the pit crew, the driver may re-enter the race only from the starting line.

Black-Flag:

During a race, a driver may be black-flagged. If a driver is black-flagged, they must immediately navigate their vehicle off the track area and remain on the driver stand until the race is over. Black flags may be given to a driver whose driving, vehicle operation, or performance constitutes a hazard to the other vehicles in the race or the marshals on track. This includes insufficient skills to compete in the class, unsportsmanlike driving, and intentional hitting of other vehicles, intentional short coursing, intentional corner cutting, intentional blocking when being overtaken, and other such acts.

Disqualification:

Any driver may be disqualified from the duration of the races for any act that violates the policies set forth in this instruction or any violation determined by the race manager.

Battery Safety:

No remote control vehicles may be run outside of the track area including in the pit area.

All batteries must be charged/discharged/stored in such a manner that adequate fire protection is provided in the event of a fire. Any battery that is damaged or showing signs of distress such as swelling will not be allowed on the track. Any battery found to be over-charged beyond manufacturers specifications or those outlined in the rules for that class will be disqualified.

Drivers are responsible for the proper disposal of batteries that are no longer useable. No batteries should be discarded in ordinary trash containers, and may not be abandoned at race sites.

Liability:

Rozar park nor the track officials are responsible for any accidents or injuries. Anyone participating in or observing the races do so at their own risk.

IF UNSURE OF WHAT CLASS YOU SHOULD BE IN, CONTACT A RACE OFFICIAL PRIOR TO CHECK-IN

1/8 4WD Buggy:

Chassis:

-1/8 scale buggy chassis

Electronics:

-open electronics

-14.8V (4S) LiPo Battery max

- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

-rubber tires

-1/8 scale buggy wheels ONLY (3.3" or 80mm)

Body:

-Buggy or other off-road style body that resembles an actual off-road racing non-truck type vehicle

-rear wing is required

Suspension:

-Independent suspension

-single speed transmissions only

-4WD drive system only

Gearing:

-open gearing

1/8 4WD Truggy:

Chassis:

-1/8 truggy chassis

Electronics:

-open electronics

-14.8V (4S) LiPo Battery max

- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

-rubber tires only

-1/8 scale truggy wheels (4.0" or 100mm)(3.3" buggy wheels/tires not allowed in truggy class)

Body:

-off-road truck

-rear wing is optional

Suspension:

-independent suspension

-single speed transmission

-4WD drive system only

Gearing:

-open gearing

1/10 4WD Buggy:

Chassis:

-1/10 scale buggy chassis

Electronics:

-open electronics

-7.4V (2S) LiPo Battery max

- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

-rubber tires only

-1/10 scale buggy wheels ONLY (2.2" diameter wheels)

Body:

-Buggy or other off-road style body that resembles an actual off-road racing non-truck type vehicle

-rear wing is required

Suspension:

-Independent suspension

-single speed transmissions only

-4WD drive system only

Gearing:

-open gearing

1/10 2WD Buggy:

Chassis:

-1/10 scale buggy chassis

Electronics:

-open electronics

-7.4V (2S) LiPo Battery max

- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

-rubber tires only

-1/10 scale buggy wheels ONLY (2.2" diameter wheels)

Body:

-Buggy or other off-road style body that resembles an actual off-road racing non-truck type vehicle

-rear wing is required

Suspension:

-Independent suspension

-single speed transmissions only

-2WD drive system only

Gearing:

-open gearing

1/10 4WD Short-course Truck:

Chassis:

-front and rear bumpers are required and must be plastic with no sharp points or edges

Electronics:

-open

-7.4V (2S) LiPo battery max

-open radio/receiver

-open ESC

- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

-2.2"/3.0" wheels only

-rubber tires only

Body:

-full-fender body (Body should completely cover tires when viewed from above.)

-no added or integrated spoilers/wings allowed

Suspension:

-geared or ball differential only (no spools/locked diffs)

Gearing:

-open gearing

1/10 2WD Short-course Truck:

Chassis:

-front and rear bumpers are required and must be plastic with no sharp points or edges

Electronics:

-open motor

-7.4V (2S) LiPo battery max

-open radio/receiver

-open ESC

- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

-2.2/3.0" wheels only

-rubber tires only

Body:

-full-fender body (body should completely cover tires when viewed from above)

-no added or integrated spoilers/wings allowed

Suspension:

-geared or ball differential only (no spools)

Gearing:

-open gearing

1/8 4WD Monster Truck:

Chassis:

- Greater than 12" wheelbase
- To qualify as a monster truck, the front and rear differentials should be below the chassis. (If differentials are above the chassis, it is a Truggy.)

Electronics:

- 14.8V (4S) LiPo battery max
- open motor
- open ESC
- open transmitter/receiver
- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

- 1/8 monster truck tires must be used (3.8" diameter wheels)

Body:

- truck style body

Suspension:

- Independent suspension required, no solid axles

Gearing:

- open gearing

1/10 Monster Truck:

Chassis:

- Less than 12" wheelbase

Electronics:

- 11.1V (3S) LiPo battery max (some RTR monster truck ESC/motors aren't rated for less than 3S)
- open motor
- open ESC
- open transmitter/receiver
- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

- 1/10 monster truck tires must be used (2.8" diameter wheels or larger)
- no foam or on-road tires allowed

Body:

- truck style body

Suspension:

- 2WD or 4WD, trucks will be divided if enough entries
- Independent suspension required, no solid axles

Gearing:

- open gearing

1/10 4WD Stadium Truck:

Chassis:

-Chassis must be a stock stadium truck (for example, Traxxas Rustler 4x4 or Arrma Vortek)

Electronics:

- open motor
- 7.4V (2S) LiPo battery max
- open radio/receiver
- open ESC
- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

- 2.8" size wheels (or stock wheel size) only
- rubber tires only

Body:

- open

Suspension:

- open suspension

Gearing:

- open gearing

1/10 2WD Stadium Truck:

Chassis:

-Chassis must be a stock stadium truck (for example, Traxxas Rustler, Losi 22T kit)

Electronics:

- open motor
- 7.4V (2S) LiPo battery max
- open radio/receiver
- open ESC
- Reverse must be disabled. Steering Assist/Gyros are not allowed.

Tires/Wheels:

- 2.8" size wheels (or stock wheel size) only
- rubber tires only

Body:

- open body

Suspension:

- open suspension

Gearing:

- open gearing