

5SA' Trailers

5SA' Trailers				
Frame Components				
Main Frame	2" x 3" 11GA Steel Tube			
Wall Studs	1" x 1 1/2" 18GA Steel Tube on 16" On Center			
Cross Members	2" SQ 16GA Steel Tube on 16" On Center			
Roof Studs	1" x 1 1/2" 18GA Steel Tube on 24" On Center			
Coupler	2" 5,000lb Coupler			
Jack	2,000LB A-Frame Jack			
Interior				
Height	5' or 60"			
Walls	3/8" BC Grade Premium Sanded Plywood			
Floors	3/4" BC Grade Premium Sanded Plywood			
Trim	3/8" BC Grade Premium Sanded Plywood			
Exterior				
Skin	.024 Guage Exterior Aluminum Painted (White, Black, Silver, Charcoal)			
Rockguard	24" to 12" Slanted Single One Piece Design w/ Drawbar Block			
Noseguard	24" ATP it is tucked behind the One Piece Rockguard			
Fenders	Aluminum Tread Plate Standard			
Axles & Tires				
Tires	205/75R15 6PLY Radial Tires			
Axles	MANUFACTUER: Suretrac WEIGHT: 3,500LB STYLE: 4" Drop Spring Axle			
Lighting				
Brakes	11 Diode Clear LED Lens			
Clearance	2 Diode Clear LED Lens			
Load Light	8 White LED Lights on Switch on rear combined with the 3 Diode Red Clearance			
Interior Light	48" LED Light Bar 7000 Lumens on a single 12v switch located near side door.			
Fender Lights	Dual Color Light w/ Bracket LED			
Plug	4 Way Bargman Plug			
MISC.				
Door	No Side Door - Can add Plant Made Door for \$95			
Roof	Galvalume Roof Can Upgrade to One Piece Aluminum Can add Headliner available at \$4.50 PLF*			
Vents	Standard Side Vents OR Roof Vent avaiable at \$35			



6SA' Trailers

OOA Trailers					
Frame Components					
Main Frame	2" x 3" 11GA Steel Tube				
Wall Studs	1" x 1 1/2" 18GA Steel Tube on 16" On Center				
Cross Members	2" SQ 16GA Steel Tube on 16" On Center				
Roof Studs	1" x 1 1/2" 18GA Steel Tube on 24" On Center				
Coupler	2" 5,000lb Coupler				
Jack	2,000LB A-Frame Jack				
Interior					
Height	6'3" or 75"				
Walls	3/8" BC Grade Premium Sanded Plywood				
Floors	3/4" BC Grade Premium Sanded Plywood				
Trim	3/8" BC Grade Premium Sanded Plywood				
Exterior					
Skin	.024 Aluminum Painted (White, Black, Silver, Charcoal)				
Rockguard	24" to 12" Slanted Single One Piece Design w/ Drawbar Block				
Noseguard	24" ATP Tucked behind the One Piece Rockguard				
Fenders	Aluminum Tread Plate Standard				
Axles & Tires					
Tires	205/75R15 6PLY Radial Tires				
Axles	MANUFACTUER: Suretrac WEIGHT: 3,500LB STYLE: 4" Drop Spring Axle				
Lighting					
Brakes	11 Diode Clear LED Lens				
Clearance	2 Diode Clear LED Lens				
Load Light	8 White LED Lights on Switch on rear combined with the 3 Diode Red Clearance				
Interior Light	48" LED Light Bar 7000 Lumens on a single 12v switch located near side door.				
Fender Lights	Dual Color Light w/ Bracket LED				
Plug	4 Way Bargman Plug				
MISC.					
Door	36" x 67" RV Door, w/ Triple HD Hinges & Flush Lock Chrome Metal Door Handle				
Roof	Galvalume Roof Can Upgrade to One Piece Aluminum Can add Headliner available at \$4.50 PLF*				
Vents	Standard Side Vents OR Roof Vent avaiable at \$35				



67	ΓΑ'	т.	'ail	اما	re
U		- 11	aı		. 3

Frame Components					
Main Frame	2" x 4" 11GA Steel Tube				
Wall Studs	1" x 1 1/2" 18GA Steel Tube on 16" On Center				
Cross Members	2" SQ 16GA Steel Tube on 16" On Center				
Roof Studs	1" x 1 1/2" 18GA Steel Tube on 24" On Center				
Coupler	2 5/16" 12,000 Coupler				
Jack	2,000LB A-Frame Jack				
Interior					
Height	6'3" or 75"				
Walls	3/8" BC Grade Premium Sanded Plywood				
Floors	3/4" BC Grade Premium Sanded Plywood				
Trim	3/8" BC Grade Premium Sanded Plywood				
Exterior					
Skin	.024 Aluminum Painted (White, Black, Silver, Charcoal)				
Rockguard	24" to 12" Slanted Single One Piece Design w/ Drawbar Block				
Noseguard	24" ATP Tucked behind the One Piece Rockguard				
Fenders	Aluminum Tread Plate Standard				
Axles & Tires					
Tires	205/75R15 6PLY Radial Tires				
Axles	MANUFACTUER: Suretrac WEIGHT: 3,500LB STYLE: 4" Drop Electric Brake Spring Axle				
Lighting					
Brakes	11 Diode Clear LED Lens				
Clearance	2 Diode Clear LED Lens				
Load Light	8 White LED Lights on Switch on rear combined with the 3 Diode Red Clearance				
Interior Light	48" LED Light Bar 7000 Lumens on a single 12v switch located near side door.				
Fender Lights	Dual Color Light w/ Bracket LED				
Plug	4 Way Bargman Plug				
MISC.					
Door	36" x 67" RV Door, w/ Triple HD Hinges & Flush Lock Chrome Metal Door Handle				
Roof	Galvalume Roof Can Upgrade to One Piece Aluminum Can add Headliner available at \$4.50 PLF*				
Vents	Standard Side Vents OR Roof Vent available at \$35				



7x1	0.	TA	to	7 x 1	14TA
-----	----	----	----	--------------	------

7XIVIA to 7XITIA					
Frame Components					
Main Frame	2" x 4" 11GA Steel Tube				
Wall Studs	1" x 1 1/2" 18GA Steel Tube on 16" On Center				
Cross Members	2" SQ 16GA Steel Tube on 16" On Center				
Roof Studs	1" x 1 1/2" 18GA Steel Tube on 24" On Center				
Coupler	2 5/16" 12,000 Coupler				
Jack	2,000LB A-Frame Jack				
Interior					
Height	6'3" or 75"				
Walls	3/8" BC Grade Premium Sanded Plywood				
Floors	3/4" BC Grade Premium Sanded Plywood				
Trim	3/8" BC Grade Premium Sanded Plywood				
Exterior					
Skin	.024 Aluminum Painted (White, Black, Silver, Charcoal)				
Rockguard	24" to 12" Slanted Single One Piece Design w/ Drawbar Block				
Noseguard	24" ATP Tucked behind the One Piece Rockguard				
Fenders	Aluminum Tread Plate Standard				
Axles & Tires					
Tires	205/75R15 6PLY Radial Tires				
Axles	MANUFACTUER: Suretrac WEIGHT: 3,500LB STYLE: 4" Drop Spring Electric Brake Axle				
Lighting					
Brakes	11 Diode Clear LED Lens				
Clearance	2 Diode Clear LED Lens				
Load Light	8 White LED Lights on Switch on rear combined with the 3 Diode Red Clearance				
Interior Light	48" LED Light Bar 7000 Lumens on a single 12v switch located near side door.				
Fender Lights	Dual Color Light w/ Bracket LED				
Plug	7 Way RV Plug w/ Battery Box & Junction Box				
MISC.					
Door	36" x 67" RV Door, w/ Triple HD Hinges & Flush Lock Chrome Metal Door Handle				
Roof	Galvalume Roof Can Upgrade to One Piece Aluminum Can add Headliner available at \$4.50 PLF*				
Vents	Standard Side Vents OR Roof Vent avaiable at \$35				



7x16TA TO 7x20TA

7X161A 10 7X201A					
Frame Components					
Main Frame	2" x 6" 11GA Steel Tube				
Wall Studs	1" x 1 1/2" 18GA Steel Tube on 16" On Center				
Cross Members	2" SQ 16GA Steel Tube on 16" On Center				
Roof Studs	1" x 1 1/2" 18GA Steel Tube on 24" On Center				
Coupler	2 5/16" 12,000 Coupler				
Jack	2,000LB A-Frame Jack				
Interior					
Height	6'3" or 75"				
Walls	3/8" BC Grade Premium Sanded Plywood				
Floors	3/4" BC Grade Premium Sanded Plywood				
Trim	3/8" BC Grade Premium Sanded Plywood				
Exterior					
Skin	.024 Aluminum Painted (White, Black, Silver, Charcoal)				
Rockguard	24" to 12" Slanted Single One Piece Design w/ Drawbar Block				
Noseguard	24" ATP Tucked behind the One Piece Rockguard				
Fenders	Aluminum Tread Plate Standard				
Axles & Tires					
Tires	205/75R15 6PLY Radial Tires				
Axles	MANUFACTUER: Suretrac WEIGHT: 3,500LB STYLE: 4" Drop Spring Electric Brake Axle				
Lighting					
Brakes	11 Diode Clear LED Lens				
Clearance	2 Diode Clear LED Lens				
Load Light	8 White LED Lights on Switch on rear combined with the 3 Diode Red Clearance				
Interior Light	48" LED Light Bar 7000 Lumens on a single 12v switch located near side door.				
Fender Lights	Dual Color Light w/ Bracket LED				
Plug	7 Way RV Plug w/ Battery Box & Junction Box				
MISC.					
Door	36" x 67" RV Door, w/ Triple HD Hinges & Flush Lock Chrome Metal Door Handle				
Roof	Galvalume Roof Can Upgrade to One Piece Aluminum Can add Headliner available at \$4.50 PLF*				
Vents	Standard Side Vents OR Roof Vent available at \$35				



8.5x12TA TO 8.5x24TA

8.5X1Z1A 1U 8.5XZ41A				
Frame Compone	ents			
Main Frame	2" x 6" 11GA Steel Tube			
Wall Studs	1" x 1 1/2" 18GA Steel Tube on 16" On Center			
Cross Members	2" SQ 16GA Steel Tube on 16" On Center			
Roof Studs	1" x 1 1/2" 18GA Steel Tube on 24" On Center			
Coupler	2 5/16" 12,000 Coupler			
Jack	2,000LB A-Frame Jack			
Interior				
Height	6'6" or 78"			
Walls	3/8" BC Grade Premium Sanded Plywood			
Floors	3/4" BC Grade Premium Sanded Plywood			
Trim	3/8" BC Grade Premium Sanded Plywood			
Stepwell	6" H 36" W X 8.5" L - ATP Covered Stairwell, Trimed and Caulked.			
Extras	4 Flush Mount D-Rings w/ Steel Backing Plate			
Exterior				
Skin	.024 Aluminum Painted (White, Black, Silver, Charcoal)			
Rockguard	24" to 12" Slanted Single One Piece Design w/ Drawbar Block			
Noseguard	24" ATP Tucked behind the One Piece Rockguard			
Fenders	Aluminum Tread Plate Standard			
Axles & Tires				
Tires	205/75R15 6PLY Radial Tires			
Axles	MANUFACTUER: Suretrac WEIGHT: 3,500LB STYLE: 4" Drop Spring Electric Brake Axle			
Lighting				
Brakes	11 Diode Clear LED Lens			
Clearance	2 Diode Clear LED Lens			
Load Light	8 White LED Lights on Switch on rear combined with the 3 Diode Red Clearance			
Interior Light	48" LED Light Bar 7000 Lumens on a single 12v switch located near side door.			
Fender Lights	Dual Color Light w/ Bracket LED			
Plug	7 Way RV Plug w/ Battery Box & Junction Box			
MISC.				
Door	36" x 75" RV Door, w/ Triple HD Hinges & Flush Lock Chrome Metal Door Handle			
Roof	Galvalume Roof Can Upgrade to One Piece Aluminum Can add Headliner available at \$4.50 PLF*			
Vents	Standard Side Vents OR Roof Vent avaiable at \$35			



8.5x26TA2 TO 8.5x32TA2

0.5X201A2 1U 0.5X321A2				
Frame Compone	ents			
Main Frame	2" x 8" 3/8GA Steel Tube			
Wall Studs	1" x 1 1/2" 18GA Steel Tube on 16" On Center			
Cross Members	2" SQ 16GA Steel Tube on 16" On Center			
Roof Studs	1" x 1 1/2" 18GA Steel Tube on 24" On Center			
Coupler	2 5/16" 12,000 Coupler			
Jack	2,000LB A-Frame Jack			
Interior				
Height	6'6" or 78"			
Walls	3/8" BC Grade Premium Sanded Plywood			
Floors	3/4" BC Grade Premium Sanded Plywood			
Trim	3/8" BC Grade Premium Sanded Plywood			
Stepwell	6" H 36" W X 8.5" L - ATP Covered Stairwell, Trimed and Caulked.			
Extras	4 Flush Mount D-Rings w/ Steel Backing Plate			
Exterior				
Skin	.024 Aluminum Painted (White, Black, Silver, Charcoal)			
Rockguard	24" to 12" Slanted Single One Piece Design w/ Drawbar Block			
Noseguard	24" ATP Tucked behind the One Piece Rockguard			
Fenders	Aluminum Tread Plate Standard			
Axles & Tires				
Tires	225/75R15 8PLY Radial Tires			
Axles	MANUFACTUER: Suretrac WEIGHT: 5,200LB STYLE: 4" Drop Spring Electric Brake Axle			
Lighting				
Brakes	11 Diode Clear LED Lens			
Clearance	2 Diode Clear LED Lens			
Load Light	8 White LED Lights on Switch on rear combined with the 3 Diode Red Clearance			
Interior Light	48" LED Light Bar 7000 Lumens on a single 12v switch located near side door.			
Fender Lights	Dual Color Light w/ Bracket LED			
Plug	7 Way RV Plug w/ Battery Box & Junction Box			
MISC.				
Door	36" x 75" RV Door, w/ Triple HD Hinges & Flush Lock Chrome Metal Door Handle			
Roof	Galvalume Roof Can Upgrade to One Piece Aluminum Can add Headliner available at \$4.50 PLF*			
Vents	Standard Side Vents OR Roof Vent avaiable at \$35			