CHOOSING BY ADVANTAGES AND RHETORIC IN BUILDING DESIGN: RELATIONSHIP AND POTENTIAL SYNERGIES

Paz Arroyo¹, Glenn Ballard² and Iris D. Tommelein³

ABSTRACT

Rhetoric is a natural part of the design process and has caught the interest of researchers in the last 50 years. Indeed, effective rhetoric has been studied and used since the time of the ancient Greeks to persuade and to influence all manner of things. However, little research has been done on rhetoric in design and engineering, specifically during the decision-making portion of the design process. This paper provides examples of how a decision-making method such as Choosing By Advantages (CBA) uses rhetoric during the decision process and explores how the three components of rhetoric (logos, pathos, and ethos) may apply to the decision-making process. The authors argue that understanding rhetoric may provide designers with new means for persuasion, and ultimately, help them make better decisions.

KEYWORDS

Decision-making, Rhetoric, Choosing By Advantages, CBA, Design Management.

INTRODUCTION

Many decisions need to be made in building design. In practice, few decisions are based on a formal and transparent decision-making method, and they are very likely to be influenced by arguments that only a few members of the design team provide. Arguments may sound appealing at the time of the decision. However, often decisions need to be changed later in the design process wasting time and resources. This may be due to, e.g., lack of consensus, failure in considering all relevant perspectives, or because the decisions were made before having relevant data for understanding their impacts.

Choosing By Advantages (CBA) is a decision-making method that helps design teams make collaborative and transparent decisions (Suhr 1999). CBA has been used by the U.S. Forest Service since the 1980s and more recently in Architecture Engineering and Construction (AEC) practice (e.g., Grant 2007, Koga 2012, Nguyen et al. 2009, Parrish and Tommelein 2009). CBA has been shown to be more effective than other methods such as Analytic Hierarchy Process (AHP) or Weighting Rating

¹ PhD Candidate, Civil and Envir. Engrg. Dept., Univ. of California, Berkeley, CA, USA and Assistant Professor, Engineering School, Pontificia Universidad Católica de Chile, Santiago, Chile, parroyo@berkeley.edu

² Research Director, Project Production Systems Laboratory (p2sl.berkeley.edu), Civil and Envir. Engrg. Dept., Univ. of California, Berkeley, CA 94720-1710, USA, ballard@ce.berkeley.edu

 ³ Professor, Civil and Envir. Engrg. Dept., and Director of the Project Production Systems Laboratory (p2sl.berkeley.edu), Univ. of California, Berkeley, CA 94720-1710, USA, Phone +1 (510) 643-8678, tommelein@ce.berkeley.edu

and Calculating (WRC) when choosing one among a set of known and finite alternatives (Arroyo et al. 2014). When applying CBA, the design team must use CBA language in order to provide a common basis for discussion. However, the discussion or argumentation process, especially when deciding the importance of advantages, has not been studied enough. The use of rhetorical tools in CBA, in particular, has not yet been explored.

Rhetoric is the art of discourse, an art that aims to improve the capability of writers or speakers who attempt to inform, persuade, or motivate particular audiences in specific situations (Corbett 1990, Young et al. 1970). In a recent paper Ballard and Koskela (2013) discussed the importance of studying rhetoric in design, claiming that the topic has been addressed in many fields (e.g., Buchanan 1985, Crilly, et al. 2008, Foss 2005) but not much in engineering design. This paper contributes to closing that gap by studying how rhetoric may support the process of decision-making in building related design. Specifically, this paper explores the relationship and potential synergies of the use of rhetorical means of persuasion in the CBA decision-making method.

RESEARCH QUESTIONS AND METHODS

This research explores the following questions:

- Can rhetoric inform or guide the use of CBA decision-making to support the choosing problem in design?
- How can the use of rhetorical tools improve the CBA decision-making process?

In order to answer these questions the authors reviewed the literature on the use of rhetoric in design, rhetorical tools of persuasion, and CBA applications in design decisions in the construction industry. In addition, the authors used a CBA case study to analyse discussions and interactions among design team members, looking for the natural use of rhetoric.

CHOOSING BY ADVANTAGES

Choosing By Advantages (CBA) is a type of multiple-criteria decision-making method developed by Jim Suhr. CBA provides a rich language for argumentation when comparing alternatives (Table 1). The design team is encouraged to base judgements on positive differences among alternatives (advantages), and evaluate their importance relative to the decision context. Examples of CBA applications in the AEC industry can be found in Parrish and Tommelein (2009), Grant (2007), Nguyen et al. (2009), and Arroyo et al. (2013, 2012a and b).

Table 1: CBA Definitions (Modified from Suhr 1999).

| Alternatives | Two or more construction methods, materials, building designs, or construction systems, from which one or a combination of them must be chosen. |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Factor | An element, part, or component of a decision. When assessing sustainability, factors should represent economic, social, and environmental aspects. It is important to note that CBA considers money (e.g., cost or price) after attributes of alternatives have been evaluated based on factors and criteria. |
| Criterion | A decision rule or a guideline. A 'must' criterion represents conditions each alternative must satisfy. A 'want' criterion represents preferences of one or multiple decision makers. |
| Attribute | A characteristic, quality, or consequence of one alternative. |
| Advantage | A benefit, gain, improvement, or betterment. Specifically, an advantage is a beneficial difference between the attributes of two alternatives. |

Suhr developed different CBA methods for different applications. One is the simplified two-list method for simple decisions involving two alternatives of equal cost. Another is the tabular method, appropriate for more complex decisions especially when the decision involves multiple alternatives, too much information is available to judge mentally, large amounts of data have been documented, or a group is involved in the decision making process. This paper will focus on decisions that require the use of the CBA tabular method, which could be described using the following steps.





- In step 1, stakeholders generate alternative designs, or identify alternatives.
- In step 2, they define factors with the purpose of differentiating between alternatives. In CBA, it is important to identify which factors will reveal significant differences among alternatives, not which factor will be more important in the decision.

- In step 3, stakeholders agree on the criteria within each factor. Criteria will be used to evaluate attributes of alternatives. A criterion can be either a desirable (want) or a mandatory (must) decision rule. Alternatives that do not comply with a must criterion are not considered in the following steps.
- In step 4, stakeholders summarize the attributes of each alternative.
- In step 5, they identify the least preferred attribute for each criterion, and then decide on the advantage of every other alternative's attribute relative to the least-preferred one. In CBA, decisions are based solely on the advantages (rather than advantages and disadvantages) thereby avoiding double counting.
- In step 6, they decide on the importance of each advantage (IofA). First they have to select the paramount advantage, which is the most important advantage among all, and use it to assign an IofA scale. Then stakeholders use this scale to weigh other advantages by making comparisons among them. The CBA table gets completed by summing the IofAs for each alternative.
- In step 7, stakeholders finally evaluate cost data (value for money) and select from the alternatives. Once an alternative has been chosen, the group will take time to reconsider their decision as a whole, incorporating a holistic analysis into the decision-making process.

RHETORICAL TOOLS

Aristotle defines rhetoric as "the faculty of observing in any given case the available means of persuasion." (Aristotle 1941). In other words, rhetoric is the art of discovering and delivering all available means of persuasion.

Rhetoric, as understood by Aristotle, involves invention, arrangement, style, memory, and delivery, all of which can be taught. Invention was based on topics, or places from which to launch arguments, such as similarity and difference, better and worse, etc. Arrangement concerned the structure of a speech, style and delivery concerned methods of effective presentation, and memory, obviously restricted to unwritten speeches, concerned aids to memorization.

A speaker knowledgeable in rhetoric supports a message by logical (logos), ethical (ethos), and emotional (pathos) proofs. The use of rhetorical proofs is very common; many would say that some form of logos, ethos, and pathos is present in most public presentations. However, usually few people in design teams use arguments in an appealing manner able to influence decisions. According to Aristotle, the 'art' of rhetoric can and should be taught.

In short, the three different types of rhetorical proof according to Aristotle:

Logos: the use of reasoning, either inductive or deductive, to construct an argument. The term logic evolved from logos. Logos appeals to statistics, mathematics, logic, and objectivity.

Inductive reasoning uses examples (e.g., statistics or historical data) to draw conclusions. Deductive reasoning uses generally accepted propositions to derive desired conclusions. Aristotle emphasized enthymematic reasoning as central to the process of rhetorical invention, though later rhetorical theorists placed much less emphasis on it. Enthymemes are truncated syllogisms, with a missing premise to be provided by the audience. An enthymeme is persuasive because the audience is providing the missing premise. For instance, a manufacturer can make a logical appeal by claiming that their product has 50% more recycled contents than the competition, expecting the 'audience' to supply the missing premise 'More recycled contents are better.'

Ethos: how the character and credibility of a speaker can influence an audience to consider him/her to be believable. This could be any situation in which the speaker is recognized as an expert on the topic. An audience is more likely to be persuaded by a credible source because the source is more reliable. In addition, three qualities contribute to a credible ethos: perceived intelligence, virtuous character, and goodwill. Ethos is also related with 'ethical appeal.' Is the argument ethical?

For instance, if a renowned structural engineer gives his/her opinion about the building design in terms of earthquake performance, it is more likely that the rest of the design team (e.g., owner, architects, MEP, etc.) will accept this opinion. He/she will have a 'strong' credibility because of his/her professional credentials and background.

Pathos: the use of emotional appeals to influence the audience's judgment. This can be done through metaphor, amplification, storytelling, or presenting the topic in a way that evokes strong emotions in the audience. Aristotle used pathos to help the speaker create appeals to emotion in order to motivate decision making. Strong emotions are likely to persuade when there is a connection with the audience. For instance, in building design, architects may evoke the user experience as means of persuasion to incorporate changes in the design.

CASE STUDY

BACKGROUND AND CBA RESULTS

This case study applied CBA to deciding on ceiling tile alternatives on a Design-Bid-Build (DBB) project in which the client was seeking LEED (Leadership in Energy and Environmental Design) gold certification. The researcher (the first author on this paper) was actively involved in helping the design team apply the CBA method. She obtained access to the project information through an internship and was aware of the background of the decision. The design team was composed of architects, interior designers, an acoustic specialist, and a sustainability specialist. The researcher led a decision session, which was videotaped, so the interaction between the design team could be analysed later. Details of the case study were published in Arroyo et al. (2013).

Tile selections were being made for a number of different office building locations throughout the world. The decision for the San Francisco office considered 3 ceiling tile alternatives evaluated against 6 factors and criteria. Table 2 shows the result of the tabular method.

| Factor & | | | | | Optima Plant Based | |
|--------------------------|----------------------------------|-------------|-------------------------------------|---------|----------------------------------|-------------|
| Criterion | Optima (Fiberglass) | | Ultima (Mineral Fiber) | | (Fiberglass) | |
| 1. Acoustics | Att: 0.9 | | <u>Att.: 0.7</u> | | Att.: 0.95 | |
| Crit.: Higher is | | | | | | |
| better. | Adv.: 0.2 Higher | Imp.: | Adv · | Imn · 0 | Adv.: 0.25 Higher | Imp.: |
| Minimum 0.7 | noise resistance | 100 | 7 Ku v | mp v | noise resistance | 100 |
| NRC. | | | | | | |
| 2. Anti- | Att: Inherent | | Att : It has BioBlock+ | | Att: Inherent | |
| microbial | | | AuIt has bioblock | | | |
| Crit.: Higher is | Adv.: Better Anti- | Imp.: | Adv · | Imp · 0 | Adv.: Better Anti- | Imp.: |
| better | Microbial | 15 | Auv | Imp 0 | Microbial | 15 |
| 3. Weight | Att.: 0.55 (lbs/sqft) | | Att.: 1.14 (lbs/sqft) | | Att.: 0.55 (lbs/sqft) | |
| Criterion: | A = 0.50 (11 = 1 = 10) | T | | | A = 0.50 (11 - 1/2 - 240) | T |
| Lighter is | Adv.: 0.59 (IDS/Sqt1) lighter | 1mp.: 50 | Adv.: | Imp.: 0 | Adv.: 0.59 (105/sqt1) lighter | 1mp.: |
| better | ngntei | 50 | | | ngntei | 50 |
| 4.Insulation | Att - P Factor 4.0 PTU | | Att · D Easter 2.2 DTU | | Att : D Faster 4.0 DTU | |
| Value | All K Factor 4.0 DT | 0 | Att.: K Factor 2.2 BTU | | | |
| Crit.: Higher is | Adv.: 1.8 BTU | Imp.: | A | Imm · 0 | Adv.: 1.8 BTU | Imp.: |
| better | higher | 45 | Adv | Imp 0 | higher | 45 |
| 5. VOC | Att: Low Formaldehyde - less | | Att: Free of Formaldebude | | Att: Erec of Formaldohudo | |
| Formaldehyde | than 13.5 ppb | | Au. Fiee of Formaidenyde | | Au. Flee of Formaldenyde | |
| Crit.: Lower is | Adv | Imn :0 | Adv.: Free of | Imp.: | Adv.: Free of | Imp.: |
| better | Auv | mpo | Formaldehyde | 90 | Formaldehyde. | 90 |
| 7. CO ₂ | Att.: 275 t CO ₂ eq | | <u>Att.: 392 t CO₂eq</u> | | Att.: 275 t CO ₂ eq | |
| Emission SF | | | | | | |
| Crit.: Lower | $A dy \cdot 117 f CO loss$ | Imp · | | Imn · | Adv:117 + CO | Imn · |
| CO ₂ emission | $Auv11/1CO_2 less$ | 1111p 20 | Adv.: | 0 Innp | $Auv11/1CO_2 less$ | 1111p 20 |
| is better | | 30 | | U | | 50 |
| Total IofA SF | | 240 | | 90 | | 330 |

Table 2: CBA steps (1) to (6).

Figure 2 shows step 7, in which the IofA vs. cost of the alternatives is analysed.



Figure 2: CBA results IoAs vs. first cost

EVIDENCE OF THE USE OF RHETORIC IN CBA

During the application of CBA the researcher could observe the use of rhetorical arguments:

Acoustic performance factor

In the process of summarizing attributes, describing advantages and assigning importance to them, all three types of rhetorical proofs were used:

- An example of logos in CBA is the design team's requirement to assess advantages based on attributes of the alternatives. In other words, design teams describe alternatives using their inherent and quantitative characteristics. For example, the design team can use the advantage that Optima PB has 0.25 higher NRC points for noise resistance than Ultima (Optima PB 0.95 NRC vs. Ultima 0.7 NRC) for arguing in favor of Optima.
- An example of ethos is the design team believing the information provided by the acoustic specialist about the level of acceptable performance for the ceiling tiles. That specialist had the authority and knowledge to influence the decision. In this case, the acoustic consultant recommended using a minimum acceptable value of 0.7 for NRC to be aligned with the rest of the design and the purpose of the building. This information was used for setting the criterion for the factor acoustics.
- An example of pathos was that a designer made an argument appealing to user experience. He argued that the difference in acoustic performance of Optima PB vs. Ultima would affect the users in how they would feel about the space. This argument was enough to convince the rest of the team that the advantage of Optima PB vs. Ultima in acoustic performance was the most important advantage. In this case, he was using empathy with the user in order to convince other decision makers.

A change in perspective from thinking about importance factors to thinking about importance of advantages.

In one instance, a designer disagreed with an IofA score. She argued that the team should assign the highest IofA to the advantage of Optima vs. Ultima in terms of Global Warming Potential (GWP). Her argument was that the GWP factor was the most important to her due to its importance of climate change. The researcher reminded the design team that in CBA decisions are based on the differences between the alternatives instead of the general importance of the factor. When looking at the differences in WGP, the design team realized that the differences between the GWP attributes of the alternatives (275 t CO₂eq vs. 392 t CO₂eq difference between Optima PB and Ultima respectively) were not that significant compared to the paramount advantage (0.95 vs. 0.7 NRC difference between Optima PB vs. Ultima respectively). In order to understand the impact of differences in CO₂ emissions, the design team translated it into taking 18 average U.S. cars off the road for 1 year (logos argument). However, that argument need to be put in perspective, approximately 140,000,000 cars circulate every year in the U.S., the impact of this decision on GWP it is

insignificant. By contrast, the building's user will perceive the higher noise resistance over the life of the facility, which in this case is around 50 years. This is an important impact on user experience (pathos argument). Finally, the design team agreed to assign an IofA of 30 to the advantage of Optima vs. Ultima in GWP.

The change of perspective in CBA, in which decision makers analyse the particular advantages instead of the general ideas about the importance of factors, makes the design team more connected with the context. This provides more 'strong' arguments since the decision makers can appeal to data that is relevant to this particular decision instead of data that is abstract or ambiguous.

Deciding the importance of the advantages

The CBA process of deciding the importance of the advantages is highly collaborative and decisions are reached through discussion within the design team. Rhetorical tools are used in many comparisons between advantages including facts (logos), and expert opinion (ethos). The designers often appeal to the client vision or to the user experience (pathos) in order to argue in favour of an advantage. However, not all the members of the design team are aware of the tools they can use to build arguments. A person with better rhetorical skills can dominate the decisions.

DISCUSSION

Even when the design team has no formal training in the use of rhetoric, the use of rhetorical tools appeared naturally during the discussion and argumentation phase of the decision, especially when deciding the IofAs.

As Aristotle thought, designers can improve their rhetorical skills to discover and develop better arguments. We think that the better the arguments that are discovered, the better the design outcome can be. Here are some questions that we thought may contribute to the discovery of new arguments.

Using Logos

In CBA the use of logos is encouraged by requiring the design team to describe the advantages of the alternatives based on their attributes; the design team needs to summarize the attributes of each alternative. These assessments influence the decision.

The design team needs to think of all available arguments which favor a particular alternative, for example:

- What data or facts can support an advantage?
- What other factors may be considered?

Using Ethos

Considering the arguments from people who have authority or relevant knowledge (Superiority).

- Who can speak for making a credible statement about one advantage? Who has relevant knowledge for this decision context?
- The specialist's role in the AEC process, their attitude and words will impact the decision. Have all relevant specialists been given the option to speak?

• A tool for developing a more credible speech is to show a variety of sources. This may be applied by involving all relevant specialists and having the 'right people' in the design room with the authority to judge (the right status).

Using Pathos

Considering arguments that appeal to the people who will be affected by the decision (e.g., users, environment, etc.). (Inferiority)

Designers can appeal to emotion in many ways. Some relevant questions are:

- How will this advantage impact the user experience?
- How will this advantage impact the environment?
- How can previous experiences relevant to this context be used?

CONCLUSIONS

In conclusion, the case study confirmed the use of rhetoric in CBA applications including conscious and unconscious use of rhetoric. The authors provide insights about the use of rhetoric in CBA by providing questions that the design team should ask in discovering new arguments.

We think that CBA provides the right framework to ask questions and find arguments to influence decisions. The score behind every IofA should be analysed using logos (the facts and differences among the alternatives), ethos (the opinion of the relevant specialists about the impact of the advantage) and pathos (the sense of how this advantage will affect others). In other words, the alternatives should be judged based on how they work, how they are perceived by expert judgement, and how they appeal to the users.

More research in needed in order to understand how best to consciously apply rhetoric in the CBA process and what the benefits are.

ACKNOWLEDGMENTS

Research for this paper was supported in part by the Project Production Systems Laboratory (P2SL). In addition, P. Arroyo is supported by a CONICYT Ph.D. fellowship from the Chilean government and the Pontificia Universidad Católica (PUC) de Chile. All support is gratefully acknowledged. Any opinions, findings, conclusions, or recommendations expressed in this paper are those of the authors and do not necessarily reflect the views of contributors to P2SL, CONICYT or PUC.

REFERENCES

- Aristotle. (1941). "The basic works of Aristotle." R. McKeon ed., W. D. Ross Trans. Random House LLC, New York, 1520 pp.
- Arroyo, P., Tommelein, I., and Ballard, G. (2014). "Comparing AHP and CBA as Decision Methods for Choosing Problem in Detailed Design" ASCE, J. Constr. Engrg. and Mgmt., in press.
- Arroyo, P., Tommelein, I., and Ballard, G. (2013). "Using 'Choosing By Advantages' to Select Ceiling Tile from a Global Sustainable Perspective." Proc. 21st Ann. Conf. Int'l. Group for Lean Construction (IGLC), Fortaleza, Brazil, 309-318.
- Arroyo, P., Tommelein, I., and Ballard, G. (2012a). "Deciding a Sustainable Alternative by 'Choosing By Advantages' in the AEC Industry". Proc. 20th Ann. Conf. Int'l. Group for Lean Construction (IGLC), San Diego, CA, 41-50.
- Arroyo, P., Tommelein, I., and Ballard, G. (2012b). "Comparing Multi-Criteria Decision-Making Methods to Select Sustainable Alternatives in the AEC Industry". 2nd Int'l. Conf. for Sustainable Design, Engineering and Construction (ICSDEC), Fort Worth, TX.
- Ballard, G. and Koskela, L. (2013). "Rhetoric and Design" Proc. 13th Int'l. Conf. on Engineering Design (ICED), 19-22 August, Sungkyunkwan Univ., Seoul, Korea.
- Buchanan, R. (1985). "Declaration by design: Rhetoric, argument, and demonstration in design practice." Design Issues, 17 (3), 3-23.
- Buchanan, R. (2001). "Design and the new rhetoric: Productive arts in the philosophy of culture." Philosophy and Rhetoric, 34 (3), 183-206.
- Corbett, E. P. J. (1990). "Classical Rhetoric for the Modern Student." New York: Oxford University Press, 562 pp.
- Crilly, N., Good, D., Matravers, D., and Clarkson, P. J. (2008) "Design as communication: Exploring the validity and utility of relating intention to interpretation." Design Studies, 29 (5), 425-457.
- Grant, E. (2007). "A Decision-Making Framework for Vegetated Roofing System Selection." PhD Dissertation, Architecture and Design Research, Virginia Polytechnic Institute and State University, Blacksburg, VA, 300 pp.
- Foss, S. K. (2005). "Theory of visual rhetoric." Handbook of visual communication: Theory, methods, and media, K. Smith, S. Moriarty, G. Barbatsis, and K. Kenney, eds., Lawrence Erlbaum, Mahwah, NJ, 141-152.
- Koga, J. (2012) "Choosing By Advantages Sound Decisionmaking." CBA workshop Module 1 and Module 2, 6-7 June, San Francisco, CA.
- Nguyen, H. V., Lostuvali, B., and Tommelein I. D. (2009). "Decision Analysis Using Virtual First-Run Study of a Viscous Damping Wall System." Proc. 17th Annual Conf. Int'l. Group for Lean Constr (IGLC), 15-17 July, Taipei, Taiwan, 371-382.
- Parrish, K., Tommelein, I. D. (2009). "Making design decisions using Choosing By Advantages." Proc. 17th Annual Conference of the International Group for Lean Construction (IGLC), 15-17 July, Taipei, Taiwan, 501-510.
- Suhr, J. (1999). "The Choosing By Advantages Decisionmaking System." Quorum, Westport, CT, 293 pp.
- Young, R. E., Becker, A. L., and Pike, K. L. (1970). "Rhetoric: discovery and change." Harcourt Brace & World, New York. NY, 383 pp.