


King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES



M-36005 ©



ITEMS 13-04000-220 13-10216-240

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



Y
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN ROUND BAR

ENTRY GATES



ITEMS

45-848

10-6011-34


13-05024-302

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

NEW


ENTRY GATES

C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR



C-30480 ©

A.




A. 13-33026-549 Forged steel

C 5/8" (16 mm or .6299") Plain Square Bar

CC 5/8" x 5/16" (16 mm x 8 mm or .6299" x .3149") Flat Bar
 ↑ 33-7/8" ↔ 47-1/4" ⇄ 42.64 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR

ENTRY GATES

B. 13-88026-827 Forged steel

C 5/8" (16 mm or .6299") Plain Square Bar

CC 5/8" x 5/16" (16 mm x 8 mm or .6299" x .3149") Flat Bar

↑ 25" ↔ 17-5/16" ⚖ 17.48 lbs

C. 13-45026-127 Forged steel

C 5/8" (16 mm or .6299") Plain Square Bar


CC 5/8" x 5/16" (16 mm x 8 mm or .6299" x .3149") Flat Bar

↑ 45-1/4" ↔ 7-5/16" ⚖ 10.08 lbs



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


NEW



A.

C-30481 ©

B.




A. 13-45026-000 Forged steel

C 5/8" (16 mm or .6299") Plain Square Bar
 ↑ 45-1/4" ↔ 5/8" ⚖ 5.06 lbs

B. 13-33043-508 Forged steel

CC 5/8" x 5/16" (16 mm x 8 mm or .6299" x .3149") Flat Bar
 ↑ 35-7/16" ↔ 31-1/2" ⚖ 35.49 lbs

* In almost all instances, our 45-1/4" long K  nig Eisen balusters will reach and penetrate the stair tread.



C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR

ENTRY GATES

C. 13-33043-503 Forged steel

CC 5/8" x 5/16" (16 mm x 8 mm or .6299" x .3149") Flat Bar
 ↑ 33-7/8" → 11-3/4" ± 8.20 lbs

D. 13-45026-002 Forged steel

C 5/8" (16 mm or .6299") Plain Square Bar
 ↑ 45-1/4" → 5/8" ± 5.15 lbs



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

NEW


C
FAMILY

5/8"
IMPERIAL
(APPROX)


.630"
IMPERIAL
(EXACT)

16 mm

SOLID
PLAIN
SQUARE
BAR



C-36015 ©



C-36019 ©

* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



NEW




C-33528 ©

C	FAMILY
5/8"	IMPERIAL (APPROX)
.630"	IMPERIAL (EXACT)
16 mm	SOLID PLAIN SQUARE BAR

ENTRY GATES

NEW



C-36010 ©


* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals


LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES

C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR




C-36059 ©



C-36023 ©


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.




C-36020 ©

C	FAMILY
5/8"	IMPERIAL (APPROX)
.630"	IMPERIAL (EXACT)
16 mm	SOLID PLAIN SQUARE BAR

ENTRY GATES



C-36021 ©



C-36070 ©

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES

C
FAMILY

5/8"
IMPERIAL
(APPROX)

.630"
IMPERIAL
(EXACT)

16 mm

SOLID
PLAIN
SQUARE
BAR

13-33043-551

NEW

13-33043-532

13-45026-001



C-36532 ©

45-0214-58 13-05026-339 13-33043-578 13-159-5 13-02000-305 13-20043-282 13-45026-000

NEW




C-36578 ©

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



NEW



C-36100 ©

C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR

ENTRY GATES

A. 13-33043-531 Forged steel

CC 5/8" x 5/16" (16 mm x 8 mm or .6299" x .3149") Flat Bar
 ↓ 29-15/16" ↔ 26" ± 21.10 lbs

B. 13-45026-043 Forged steel

C 5/8" (16 mm or .6299") Plain Square Bar
 ↓ 45-1/4" ↔ 2-15/16" ± 5.35 lbs



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES


C
FAMILY

5/8"
IMPERIAL
(APPROX)


.630"
IMPERIAL
(EXACT)

16 mm



SOLID
PLAIN
SQUARE
BAR



* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.



C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES


C
FAMILY

5/8"
IMPERIAL
(APPROX)


.630"
IMPERIAL
(EXACT)

16 mm

SOLID
PLAIN
SQUARE
BAR




C-11622 ©




C-11620 ©

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



C
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
SOLID PLAIN SQUARE BAR

ENTRY GATES



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

NEW

ENTRY GATES

CT
FAMILY
5/8"
IMPERIAL (APPROX)
.630"
IMPERIAL (EXACT)
16 mm
STEEL SQUARE TUBING



A. 13-33044-248 Forged steel

DD 3/4" x 5/16" (20 mm x 8 mm or .7874" x .3149") Plain Flat Bar
 ↑ 11-13/16" ↔ 39-3/8" ± 7.08 lbs

B. 13-07372-190 Forged steel

CT 5/8" (16 mm or .6299") 16 GA Plain Square Tubing
 ↑ 39-3/8" ↔ 4-9/16" ± 1.76 lbs


C. 13-04000-010

Decorative Hand Forged Steel Post Top
 ↑ 10-1/8" ↔ 5" ± 2.95 lbs

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



NEW



CC-30437 ©

CC
FAMILY

5/8" x 5/16"

IMPERIAL
(APPROX)

.630" x .315"


IMPERIAL
(EXACT)

16 x 8
mm mm

SOLID
PLAIN
FLAT
BAR

ENTRY GATES

NEW




CC-30434 ©

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

NEW




NEW



* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.




NEW



CC
FAMILY
5/8" x 5/16"
IMPERIAL (APPROX)
.630" x .315"
IMPERIAL (EXACT)
16 x 8 mm mm
SOLID PLAIN FLAT BAR

ENTRY GATES





* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES




* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



CC
FAMILY
5/8" x 5/16"
IMPERIAL (APPROX)
.630" x .315"
IMPERIAL (EXACT)
16 x 8 mm
SOLID PLAIN FLAT BAR

ENTRY GATES





* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals


LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES


CC
FAMILY
5/8" x 5/16"
IMPERIAL (APPROX)
.630" x .315"
IMPERIAL (EXACT)
16 x 8 mm mm
SOLID PLAIN FLAT BAR




* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



CC-11323 ©



CC-11120 ©



CC-11330 ©

CC
FAMILY

5/8" x 5/16"

IMPERIAL
(APPROX)

.630" x .315"

IMPERIAL
(EXACT)



16 x 8
mm mm

SOLID
PLAIN
FLAT
BAR


ENTRY GATES

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

CC
FAMILY
5/8" x 5/16"
IMPERIAL (APPROX)
.630" x .315"
IMPERIAL (EXACT)
16 x 8 mm mm
SOLID PLAIN FLAT BAR




* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



T	FAMILY
I	5/8" x 5/16"
	IMPERIAL
	(APPROX)
I	.630" x .315"
	IMPERIAL
	(EXACT)
16 x 8	
mm	
FLUTED	
FLAT	
BAR	

ENTRY GATES



* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES


NEW

U
FAMILY

5/8"
IMPERIAL
(APPROX)

.630"
IMPERIAL
(EXACT)

16 mm
HAND
HAMMERED
ROUND
BAR



U-37022 ©




A. 13-11000-288 Forged steel

U 5/8" (16 mm or .6299") Hot Hammered Round Bar
↑ 10-1/4" ↔ 25-3/16" ± 7.16 lbs

B. 13-11000-289 Forged steel

U 5/8" (16 mm or .6299") Hot Hammered Round Bar
↑ 10-1/4" ↔ 25-3/16" ± 7.16 lbs

* In almost all instances, our 45-1/4" long K  nig Eisen balusters will reach and penetrate the stair tread.



NEW

D
FAMILY

3/4"
IMPERIAL
(APPROX)

.787"
IMPERIAL
(EXACT)

20 mm

SOLID
PLAIN
SQUARE
BAR

ENTRY GATES

C. 13-33044-534 Forged steel

DD 3/4" x 5/16" (20 mm x 8 mm or .7874" x .3149") Plain Flat Bar
↑ 31-7/8" ↔ 10" ± 11.07 lbs

D. 13-45027-044 Forged steel

D 3/4" (20 mm or .7874") Plain Square Bar
↑ 45-1/4" ↔ 3-9/16" ± 8.82 lbs

E. 13-45027-043 Forged steel

D 3/4" (20 mm or .7874") Plain Square Bar
↑ 45-1/4" ↔ 3-9/16" ± 8.38 lbs




* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

ENTRY GATES

DD
FAMILY
3/4" x 5/16"
IMPERIAL (APPROX)
.787" x .315"
IMPERIAL (EXACT)
20 x 8
mm mm
SOLID
PLAIN
FLAT
BAR



A. 13-88000-978 Forged steel

W 3/8" (10 mm or .3937") Hand Hammered Round Bar
 ↔23-5/8" ↓11-7/16" ±6.62 lbs



Flat On Back For
Surface Mounting



B. 13-88000-977 Forged steel

W 3/8" (10 mm or .3937") Hand Hammered Round Bar
 ↔23-5/8" ↓11-7/16" ±6.62 lbs

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.