







F
FAMILY
1/2"
IMPERIAL (APPROX)
472"
IMPERIAL (EXACT)
12 mm
COLD ROLLED HAMMERED 4 CORNERS

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE





F
FAMILY

1/2"
IMPERIAL
(APPROX)





.472"
IMPERIAL
(EXACT)

12 mm

COLD
ROLLED
HAMMERED
4 CORNERS



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



F
FAMILY
1/2"
IMPERIAL (APPROX)
472"
IMPERIAL (EXACT)
12 mm
COLD ROLLED HAMMERED 4 CORNERS

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



F
FAMILY

1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm

COLD
ROLLED
HAMMERED
4 CORNERS



ITEM 13-77284-452

* In almost all instances, our 45-1/4" long K  nig Eisen balusters will reach and penetrate the stair tread.




R
FAMILY

1/2"
IMPERIAL
(APPROX)


.472"
IMPERIAL
(EXACT)

12 mm


FLUTED
SQUARE
BAR



R-13776 ©



R-13777 ©



R-13778 ©




A. 13-2004-4 Forged steel

R 1/2" (12 mm or .4724") Fluted Square Bar
 ↓ 35-7/16" ↔ 9-1/4" ± 7.98 lbs

B. 13-2004-2 Forged steel

R 1/2" (12 mm or .4724") Fluted Square Bar
 ↓ 35-7/16" ↔ 9-1/4" ± 7.18 lbs




RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.


King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

W
FAMILY
1/2"
IMPERIAL
(APPROX)
.472"
IMPERIAL
(EXACT)
12 mm
HAND
HAMMERED
ROUND
BAR



W-13109 ©



W-13116 ©







A. 13-716-3 Forged steel

W 1/2" (12 mm or .4724") Hand Hammered Round Bar
↑ 36-1/4" ↔ 29-15/16" ⇄ 16.32 lbs

B. 13-716-4 Forged steel

W 1/2" (12 mm or .4724") Hand Hammered Round Bar
↑ 36-1/4" ↔ 29-15/16" ⇄ 16.32 lbs

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



Z
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN ROUND BAR

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

Z
FAMILY

1/2"
IMPERIAL
(APPROX)



.472"
IMPERIAL
(EXACT)

12 mm

SOLID
PLAIN
ROUND
BAR



RAILINGS - SHORT

NEW




NEW

NEW



NEW


* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.




NEW

Z-30411 ©

NEW




Z-30448 ©



Z-30449 ©

NEW

NEW



Z-37128 ©

Z
FAMILY
1/2"
IMPERIAL
(APPROX)
.472"
IMPERIAL
(EXACT)
12 mm
SOLID
PLAIN
ROUND
BAR

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

Z

FAMILY

1/2"

IMPERIAL
(APPROX)



.472"

IMPERIAL
(EXACT)

12 mm


SOLID
PLAIN
ROUND
BAR

NEW




NEW





NEW



NEW



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



Z
FAMILY

1 1/2"
IMPERIAL
(APPROX)

.472"
IMPERIAL
(EXACT)

12 mm
SOLID
PLAIN
ROUND
BAR

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

Z

FAMILY

1/2"


IMPERIAL
(APPROX)

.472"


IMPERIAL
(EXACT)

12 mm


SOLID
PLAIN
ROUND
BAR




Z-13624 ©



Z-13622 ©




Z-13620 ©






Z-13621 ©

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



Z
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN ROUND BAR



RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

Z

FAMILY

1/2"


IMPERIAL
(APPROX)

.472"


IMPERIAL
(EXACT)

12 mm


SOLID
PLAIN
ROUND
BAR




Z-13687 ©



Z-13632 ©




Z-13631 ©





Z-13630 ©

* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



Z
FAMILY
1 1/2"
IMPERIAL (APPROX)
.472"
IMPERIAL (EXACT)
12 mm
SOLID PLAIN ROUND BAR



RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

B
FAMILY


9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)


14 mm

SOLID
PLAIN
SQUARE
BAR


NEW




NEW




NEW




* In almost all instances, our 45-1/4" long K nig Eisen balusters will reach and penetrate the stair tread.




B-13563 ©



B-13561 ©



B-13566 ©



B-13583 ©

B
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN SQUARE BAR

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.





B
FAMILY

9/16"
IMPERIAL
(APPROX)





.551"
IMPERIAL
(EXACT)

14 mm
SOLID
PLAIN
SQUARE
BAR

RAILINGS - SHORT



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



B
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN SQUARE BAR

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

B

FAMILY

9/16"

IMPERIAL
(APPROX)





.551"

IMPERIAL
(EXACT)





14 mm

SOLID
PLAIN
SQUARE
BAR

RAILINGS - SHORT



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



B
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN SQUARE BAR

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE





B
FAMILY

9/16"
IMPERIAL
(APPROX)





.551"
IMPERIAL
(EXACT)

14 mm

SOLID
PLAIN
SQUARE
BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



B
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN SQUARE BAR

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

BB
FAMILY

9/16" x 5/16"

IMPERIAL
(APPROX)


.551" x .278"

IMPERIAL
(EXACT)

14 x 7
mm x mm

SOLID
PLAIN
FLAT
BAR

13-20060-017



BB-33017 ©




A.



B.



C.



BB-12175 ©

A. 13-20060-017 Forged steel

BB 9/16" x 1/4" (14 mm x 6 mm or .551" x .2362") Flat Bar
↑ 11" ↔ 8-1/4" ± 1.58 lbs


B. 13-31060-357 Forged steel ring

BB 9/16" x 1/4" (14 mm x 6 mm or .551" x .2362") Flat Bar
Ø 5-1/4" ± .66 lbs




C. 13-20060-133 Forged steel

BB 9/16" x 1/4" (14 mm x 6 mm or .551" x .2362") Flat Bar
↑ 5-1/8" ↔ 3-3/4" ± .53 lbs

* In almost all instances, our 45-1/4" long Köenig Eisen balusters will reach and penetrate the stair tread.



K
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
HAND HAMMERED TAPERED SQ BAR



RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.




K
FAMILY

9/16"
IMPERIAL
(APPROX)





.551"
IMPERIAL
(EXACT)

**14
mm**

HAND
HAMMERED
TAPERED
SQ BAR



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



L
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
HOT ROLLED HAMMERED 4 CORNERS

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

M

FAMILY

9/16"


IMPERIAL
(APPROX)

.551"

IMPERIAL
(EXACT)

**14
mm**

HOT
HAND
HAMMERED
4 SIDES




A. 13-715-1 Forged steel

W 1/2" (12 mm or .4724") Hand Hammered Round Bar
 ↓ 34-5/8" ↔ 22-7/8" ⇄ 13.88 lbs

B. 13-715-2 Forged steel

W 1/2" (12 mm or .4724") Hand Hammered Round Bar
 ↓ 34-5/8" ↔ 22-7/8" ⇄ 13.88 lbs

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



N
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
HOT HAND HAMMERED 4 SIDES



ITEM 45-9472-H

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

P
FAMILY


9/16"
IMPERIAL
(APPROX)

.551"
IMPERIAL
(EXACT)

14 mm

MACHINE
SCORED
4 CORNERS
& 4 SIDES

13-116-A4 13-20247-005 13-45192-591 13-33192-049



P -13720 ©

RAILINGS - SHORT



ITEMS

13-20119-423

13-45351-000

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.



ITEMS

13-45025-938

13-45026-002

45-5-XL214

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.

© 2009 King Architectural Metals All Rights Reserved

KINGMETALS.COM • 800.542.2379

King Architectural Metals

LOS ANGELES • DALLAS • BALTIMORE

Y

FAMILY

9 7/16"

IMPERIAL
(APPROX)

.551"


IMPERIAL
(EXACT)

14 mm


SOLID
PLAIN
ROUND
BAR

RAILINGS - SHORT


NEW




NEW







NEW



NEW



* In almost all instances, our 45-1/4" long Koenig Eisen balusters will reach and penetrate the stair tread.



Y
FAMILY
9/16"
IMPERIAL (APPROX)
.551"
IMPERIAL (EXACT)
14 mm
SOLID PLAIN ROUND BAR

RAILINGS - SHORT

* In almost all instances, our 45-1/4" long König Eisen balusters will reach and penetrate the stair tread.