



PROCURE

CATALOGUE

Battery





PART NUMBER:	BATT-25
TYPE:	SEALED LEAD ACID
SIZE:	97MM X 24MM X 52MM(58MM)
VOLTAGE:	6V
RATED CAPACITY:	1.2AH
TERMINAL TYPE:	T1
WEIGHT(APPROX):	0.30KG



PART NUMBER:	BATT-6
TYPE:	SEALED LEAD ACID
SIZE:	134MM X 35MM X 61MM(67MM)
VOLTAGE:	6V
RATED CAPACITY:	3.2AH
TERMINAL TYPE:	T1
WEIGHT(APPROX):	0.71KG



PART NUMBER:	BATT-23
TYPE:	SEALED LEAD ACID
SIZE:	70MM X 47MM X 101MM(107MM)
VOLTAGE:	6V
RATED CAPACITY:	4.5AH
TERMINAL TYPE:	T1
WEIGHT(APPROX):	0.73KG



PART NUMBER:	BATT-57/1
TYPE:	SEALED LEAD ACID
SIZE:	96MM X 25MM X 62MM
VOLTAGE:	12V
RATED CAPACITY:	0.8AH
TERMINAL TYPE:	CRIMP CONNECTOR HOUSING
WEIGHT(APPROX):	0.36KG



PART NUMBER: BATT-2

TYPE: SEALED LEAD ACID

SIZE: 97MM X 43MM X 52MM(58MM)

VOLTAGE: 12V

RATED CAPACITY: 1.2AH

TERMINAL TYPE: T1

WEIGHT(APPROX): 0.57KG



PART NUMBER: BATT-18

TYPE: SEALED LEAD ACID

SIZE: 178MM X 35MM X 61MM(67MM)

VOLTAGE: 12V

RATED CAPACITY: 2.3AH

TERMINAL TYPE: T1

WEIGHT(APPROX): 0.92KG



PART NUMBER: BATT-16

TYPE: SEALED LEAD ACID

SIZE: 134MM X 67MM X 61MM(67MM)

VOLTAGE: 12V

RATED CAPACITY: 3.2AH

TERMINAL TYPE: T1

WEIGHT(APPROX): 1.39KG



PART NUMBER: BATT-55

TYPE: SEALED LEAD ACID

SIZE: 90MM X 70MM X 101MM(107MM)

VOLTAGE: 12V

RATED CAPACITY: 4.5AH

TERMINAL TYPE: T1

WEIGHT(APPROX): 1.43KG



PART NUMBER:	BATT-13
TYPE:	SEALED LEAD ACID
SIZE:	151MM X 65MM X 93MM(99MM)
VOLTAGE:	12V
RATED CAPACITY:	7AH
TERMINAL TYPE:	T1
WEIGHT(APPROX):	2.08KG



PART NUMBER:	BATT-13/4
TYPE:	SEALED LEAD ACID
SIZE:	151MM X 65MM X 93MM(99MM)
VOLTAGE:	12V
RATED CAPACITY:	7.2AH
TERMINAL TYPE:	T1
WEIGHT(APPROX):	2.15KG



PART NUMBER:	BATT-13/3
TYPE:	SEALED LEAD ACID
SIZE:	151MM X 65MM X 93MM(99MM)
VOLTAGE:	12V
RATED CAPACITY:	9AH
TERMINAL TYPE:	T1
WEIGHT(APPROX):	2.40KG



PART NUMBER:	BATT-13/5
TYPE:	SEALED LED ACID
SIZE:	151MM X 65MM X 93MM(99MM)
VOLTAGE:	12V
RATED CAPACITY:	9AH
TERMINAL TYPE:	T2
WEIGHT(APPROX):	2.40KG



PART NUMBER:	BATT-37
TYPE:	SEALED LEAD ACID
SIZE:	151MM X 98MM X 95MM(101MM)
VOLTAGE:	12V
RATED CAPACITY:	12AH
TERMINAL TYPE:	T2
WEIGHT(APPROX):	3.56KG



PART NUMBER:	BATT-11
TYPE:	SEALED LEAD ACID
SIZE:	181MM X 77MM X 167MM
VOLTAGE:	12V
RATED CAPACITY:	17AH
TERMINAL TYPE:	T3
WEIGHT(APPROX):	4.90KG



PART NUMBER:	BATT-20
TYPE:	SEALED LEAD ACID
SIZE:	166MM X 175MM X 125MM
VOLTAGE:	12V
RATED CAPACITY:	25AH
TERMINAL TYPE:	T3
WEIGHT(APPROX):	8.02KG



PART NUMBER:	BATT-56
TYPE:	SEALED LEAD ACID DEEP DISCHARGE
SIZE:	195MM X 130MM X 159MM(180MM)
VOLTAGE:	12V
RATED CAPACITY:	33AH
TERMINAL TYPE:	T7
WEIGHT(APPROX):	11.10KG



PART NUMBER:	BATT-13/1
TYPE:	SEALED LEAD ACID
SIZE:	151MM X 65MM X 93MM(99MM)
VOLTAGE:	12V
RATED CAPACITY:	7AH
TERMINAL TYPE:	T1
WEIGHT(APPROX):	2.00KG



PART NUMBER:	BATT-43
TYPE:	GP NiMH
SIZE:	DIAMETER = 25MM X 25MM
VOLTAGE:	3.6V
RATED CAPACITY:	280MAH
TERMINAL TYPE:	THROUGH HOLE
WEIGHT(APPROX):	0.04KG



PART NUMBER:	BATT-86
TYPE:	SEALED LEAD ACID (GOLF CART)
SIZE:	166MM X 175MM X 125MM
VOLTAGE:	12V
RATED CAPACITY:	28AH
TERMINAL TYPE:	T3
WEIGHT(APPROX):	8.10KG



PART NUMBER:	BATT-95
TYPE:	SEALED LEAD ACID (GOLF CART)
SIZE:	181MM X 77MM X 167MM
VOLTAGE:	12V
RATED CAPACITY:	20AH
TERMINAL TYPE:	T3
WEIGHT(APPROX):	6.40KG




PART NUMBER: BAT-PS7-6B
TYPE: SEALED LEAD ACID
SIZE: 151MM X 34MM X 94(100MM)
VOLTAGE: 6V
RATED CAPACITY: 7AH
TERMINAL TYPE: T1
WEIGHT(APPROX): 1.05KG



PART NUMBER: BAT-PS18-12
TYPE: SEALED LEAD ACID
SIZE: 181MM X 77MM X 167MM
VOLTAGE: 12V
RATED CAPACITY: 18AH
TERMINAL TYPE: T3
WEIGHT(APPROX): 4.90KG



PART NUMBER: BAT-AS3.5-24
TYPE: SEALED LEAD ACID
SIZE: 185MM X 73MM X 70MM
VOLTAGE: 24V
RATED CAPACITY: 3.5AH
TERMINAL TYPE: CRIMP CONNECTOR HOUSING
WEIGHT(APPROX): 2.45KG



Terminal Type	A	B	C	D	E	Φ	M
T1	4.8	6.35	0.8	3.15	—	—	—
T2	6.35	6.35	0.8	3.15	—	—	—
T3	12	12	2.0	5.0	5.0	—	—
T4	17	19	3.0	6.0	6.0	—	—
T5	20	19	3.0	6.0	6.0	—	—
T6	22	18	3.0	10	8.0	—	—
T7	17	18	9.0	8.0	6.0	—	—
T8	17	16	6.0	7.0	8.0	—	—