



WELCOME BACK TO SCHOOL

FENTANYL POISONINGS

- 4 in 10 counterfeit pills can have a lethal dose of fentanyl.
- Counterfeit pills are made to look like Xanax, Adderall, oxycodone, OxyContin, Percocet, and Vicodin.
- As little as 2mg of fentanyl can be lethal. That amount is equivalent to a few grains of salt.

WHAT IS AN OPIOID OVERDOSE/POISONING

An opioid overdose is a medical emergency and can cause an individual to become unconscious and stop breathing.

SIGNS OF AN OVERDOSE/POISONING

- Choking, gurgling noises, loud snoring sounds.
- Slowed, weak, or non-breathing.
- Cold, clammy skin, blue lips, or nails.
- Unresponsive and/or unconscious.
- Drowsiness or difficulty staying awake.

BE PREPARED TO SAVE A LIFE

- Know the signs of an overdose.
- Try to wake the person up.
- Call 911 if you can't wake them up.
- Start CPR if the person's breath is slow or has stopped.
- Give NARCAN if you have it.
- Stay with the person until emergency help arrives.

PARENT REMINDERS

- Have the talk now before your student goes back to school.
- Have contact information for dorm/apartment roommates.
- Have location services active in student's cell phone.
- Know the password for student's phone and set up legacy contact.

1pillkills.org @ONEPILLKILLS

