



Williamson County Department Of  
**SEWAGE DISPOSAL MANAGEMENT**  
 1320 West Main Street - Suite 411  
 Franklin, Tennessee 37064  
 Voice: 615.790.5751 FAX: 615.595.1293

**PERMIT FOR CONSTRUCTION  
 OF SUBSURFACE SEWAGE  
 DISPOSAL SYSTEM**

(Permit void three (3) years after date of issue)

Issued to: LYNCH CHUCK

Location:

Subdivision: HILLSBORO COVE LLC LOT 1  
 Street Address: OLD HILLSBORO RD 1617

ID no: 37931

Gis\_no: 038--02200

Installation:

New

Repair

Capacities:

Septic tank: 1250

Pump tank:

Establishment:  Residential  Other

Soil Evaluation Basis: SOIL TYPING BY SOILS SCIENTIST - EXTRA HIGH INTENSITY BDR: 5 OST: 0 GPD: 750

Type of System: CONVENTIONAL

Estimated absorption rate: 45 MPI

Notes:

Other description:

- " FIELD LINES TO BE LOCATED WITHIN THE CONFINES OF THE PLATTED SUBSURFACE SEWAGE DISPOSAL SYSTEM AREA "A" AS SHOWN ON THE FINAL PLAT OF HILLSBORO COVE LLC LOT 1.
- " 525 LINEAR FEET OF FIELD LINE IS REQUIRED.
- " NO PART OF THE PLATTED SUBSURFACE SEWAGE DISPOSAL SYSTEM AREAS IS TO BE DISTURBED BY COMPACTION, CUTTING, OR FILLING NOR IS ANY PART OF THE AREAS TO BE ENCLOSED UPON BY ANY PART OF THE HOUSE, DRIVEWAYS, OR ANY UNDERGROUND OR OVERHEAD UTILITIES (GAS, WATER, ELECTRIC, ETC.).
- " WELL, SPRING, OR CISTERN MUST BE A MINIMUM OF 50 FEET FROM ANY PART OF THE PLATTED SUBSURFACE SEWAGE DISPOSAL SYSTEM AREAS OR SEPTIC / PUMP TANKS.
- " WATER, GAS, OR UNDERGROUND ELECTRIC LINES MUST BE A MINIMUM OF 10 FEET FROM ANY PART OF THE PLATTED SUBSURFACE SEWAGE DISPOSAL SYSTEM AREAS OR SEPTIC / PUMP TANKS.
- " OVERHEAD UTILITIES MUST BE A MINIMUM OF 25 FEET FROM ANY PART OF THE PLATTED SUBSURFACE SEWAGE DISPOSAL SYSTEM AREAS.
- " FIELD LINES AND SEPTIC / PUMP TANKS MUST BE A MINIMUM OF 20 FEET FROM ANY PROPERTY LINE.
- " A PUMP AND 1500 PUMP TANK MAY BE REQUIRED IF GRAVITY FLOW CANNOT BE OBTAINED.
- " THE EXISTING SEPTIC TANK IS TO BE PUMPED, COLLAPSED AND FILLED IN PER COUNTY REGULATIONS AND THE EXISTING FIELD LINES ARE TO BE ABANDONED.
- " THE SYSTEM MUST BE INSTALLED PRIOR TO OBTAINING ANY PERMITS FOR CONSTRUCTION ON THIS STRUCTURE AS STATED ON RECORDED PLAT.
- " ANY CUTTING FOR THE PURPOSE OF HOUSE CONSTRUCTION, GREATER THAN 18 INCHES, MUST BE A MINIMUM OF 25 FEET FROM ANY PART OF THE PLATTED SUBSURFACE SEWAGE DISPOSAL SYSTEM AREAS.
- " THIS APPROVAL IS LIMITED TO ONE-5 BEDROOM SINGLE FAMILY DWELLING.
- " THIS LOT IS NOT APPROVED FOR ANY OVERSIZED BATHING FIXTURES.
- " THE INSTALLER MUST CONTACT WCSDSM PRIOR TO SYSTEM INSTALLATION TO INITIATE THE PERMIT TO INSTALL PROCESS.

The recipient of this permit agrees to construct or have constructed the system described above in accordance with the Regulations to Govern On-Site Sewage Disposal Systems of the Williamson County Department of Sewage Disposal Management, as operated under the auspices of the Williamson County Board of Health, and T.C.A. 68-221-401 et seq. All installers of subsurface sewage disposal systems must hold a valid annual license from the Williamson County Department of Sewage Disposal Management.

Signature *[Signature]*  
 (Signature of Recipient)

Date 12/8/15

Issued by ELLIOTT ELEY *EE*  
 (Name)

SOIL SCIENTIST  
 (Title)

12/4/2015  
 (Date)

**Applicant Copy**

Williamson County Department of  
SEWAGE DISPOSAL MANAGEMENT  
1320 West Main Street - Suite 411  
Franklin, Tennessee 37064  
Phone: 615-790-5751

# OFFICIAL RECEIPT

NOTE: If payment is made by check,  
this receipt is not valid until check is  
paid by bank

DATE: 12/08/2015 TIME: 10:53:48 CASHIER: BRENDA RECEIPT #: 01-00011640


NAME: LYNCH, CHUCK

CITY/STATE:

CODE	DESCRIPTION	REFERENCE	AMOUNT
100	CONV PERMIT NO OST	038---02200	350.00
	HILLSBORO COVE LLC	PERMIT	
		REFERENCE	
		6861	
		TOTAL:	350.00
		TENDERED:	350.00
		CHANGE:	



AT LEAST 1500 GALLONS MUST BE A MINIMUM OF 20 FEET FROM ANY PROPERTY LINE.  
 THE EXISTING SEPTIC TANK IS TO BE PUMPED, COLLAPSED AND FILLED IN PER COUNTY REGULATIONS AND THE EXISTING  
 FIELD LINES ARE TO BE ABANDONED.  
 THE SYSTEM MUST BE INSTALLED PRIOR TO OBTAINING ANY PERMITS FOR CONSTRUCTION ON THIS STRUCTURE AS STATED  
 ON RECORDED PLAT.  
 ANY CUTTING FOR THE PURPOSE OF HOUSE CONSTRUCTION, GREATER THAN 18 INCHES, MUST BE A MINIMUM OF 25 FEET  
 FROM ANY PART OF THE PLATTED SUBSURFACE SEWAGE DISPOSAL SYSTEM AREAS.  
 THIS APPROVAL IS LIMITED TO ONE-5 BEDROOM SINGLE FAMILY DWELLING.  
 THIS LOT IS NOT APPROVED FOR ANY OVERSIZED BATHING FIXTURES.  
 THE INSTALLER MUST CONTACT WCDSDM PRIOR TO SYSTEM INSTALLATION TO INITIATE THE PERMIT TO INSTALL PROCESS.



The recipient of this permit agrees to construct or have constructed the system described above in accordance with the  
 Regulations to Govern On-Site Sewage Disposal Systems of the Williamson County Department of Sewage Disposal  
 Management, as operated under the auspices of the Williamson County Board of Health, and T.C.A. 68-221-401 et  
 seq. All installers of subsurface sewage disposal systems must hold a valid annual license from the Williamson County  
 Department of Sewage Disposal Management.

Signature *Charles Eley*  
 (Signature of Recipient)

Date *12.8.15*

Issued by ELLIOTT ELEY  
 (Name)

SOIL SCIENTIST  
 (Title)

12/4/2015  
 (Date)