



**Conductivity and Total Dissolved Solids (TDS)** measure the total amount of material dissolved in the water. Higher values indicate potentially richer, more productive water, whereas lower values indicate potentially cleaner, less productive water. Localized increases in conductivity and TDS may indicate inputs of groundwater or other nutrient-enriched water. [Note: Human activities that result in nutrient pollution (e.g., fertilizer runoff) can increase the productivity of algae and other organisms without raising conductivity/total dissolved solids very much. If nutrient pollution is occurring, the total phosphorus concentration is a much better indicator of potential productivity.]




**pH** describes the balance between acids and bases in the water. Neutral values of pH (between 6 and 9) are desirable. Low pH values typically result either from the growth of bog vegetation (such as peat moss), acid precipitation (“acid rain”), or acid runoff (as in acid mine drainage). Excessive growth of certain plants and algae can raise pH values above 9.0 or 10.0.




**Alkalinity** measures the concentration of carbonates and bicarbonates in the water. These compounds and other ions associated with them make water “hard”. High alkalinity lakes are hardwater lakes, while low alkalinity lakes are softwater lakes. Different kinds of plants, algae, and other aquatic organisms live in hardwater than in softwater. Alkalinity also influences the effectiveness of some herbicides and algicides. Alkalinity is a basic characteristic of water, but is neither inherently good nor bad.




**Total Phosphorus** measures the total (organic and inorganic, dissolved and particulate) amount of phosphorus in the water. Phosphorus is usually the plant nutrient (i.e., fertilizer) that controls the amount of algal growth in lakes and ponds. Most Midwestern lakes have more phosphorus and more algae than is desirable, so lower values are generally better, though very unproductive water bodies typically support little fish production.




**Nitrate** measures the total inorganic amount of nitrogen in the water. Nitrogen is the plant nutrient (i.e., fertilizer) most likely to control the amount of rooted plant growth in lakes and ponds. Most Midwestern lakes have more nitrogen and more rooted plant growth than is desirable, so lower values are generally considered better



**Trophic State Indices** calculate the trophic status of the waterbody. Waterbodies are classified as oligotrophic, mesotrophic, eutrophic or hypereutrophic depending on the overall amount of plants, algae and other organisms the waterbody supports. Lakes of different trophic states vary in a number of chemical characteristics and support different types of organisms (see the enclosure “Lake Trophic States and Eutrophication”). Thus the trophic state of a waterbody provides a wealth of information concerning the types of organisms living in the waterbody, the processes likely to occur there and the kinds of problems to be expected. Trophic State Index values can be calculated from a number of variables. LakeScan calculates Carlson’s Trophic State Index (TSI) from total phosphorus, Secchi disk depth and chlorophyll (separate TSI values are calculated for each of the variables that was measured as part of your LakeCheck package).




**Dissolved Oxygen** is a measure of the amount of oxygen dissolved in the water. Oxygen is needed by fish and other aquatic organisms to allow them to “breathe” underwater. Plants and algae produce oxygen by photosynthesizing during the day and use oxygen for respiration at night.



**Temperature** provides information about the kinds of fish that can grow in a lake, information necessary for interpretation of other parameters, and information about the extent to which a lake is stratified into layers having water of different temperatures. If the lake is stratified, the **thermocline depth** tells how deep the surface layer of warm water is.

**Fecal Indicator Bacteria** (*E. coli*) measurements count the number of live fecal indicator bacteria in the sample. These bacteria are considered reliable indicators of fecal contamination—when they are found in a pond or lake, it is very likely that the water is being contaminated by animal feces. Contamination can potentially be derived from a number of sources, including failed septic systems, agricultural runoff, or waterfowl or wildlife droppings.



- *E. coli* counts of 300 (CFU/100 mL) and above in a single sample are considered to represent conditions that are **UNSAFE** for swimming and other body contact recreation.
- *E. coli* counts of 130 (CFU/100 mL) and above averaged (using a geometric mean) over measurements made during a 30-day period are considered to represent conditions that are **UNSAFE** for swimming and other body contact recreation. When values of 130 (CFU/100 mL) or higher but less than 300 are encountered, LakeCheck rates the safety of the water for swimming as questionable.
- *E. coli* counts below 130 are considered safe for swimming and other body-contact recreation

We recommend prompt retesting whenever Fecal Indicator Bacteria counts exceed 100 (CFU/100 mL) to determine whether contamination is an ongoing problem. If frequent contamination is detected, steps to identify and eliminate the source of contamination are highly recommended.


# LAKE CHECK Water Quality Monitoring Report

2025099

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Banks Lake	Date: 4/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	11.5	11.3	107
1	11.4	11.0	103
2	10.9	11.1	103
3	10.8	11.2	103
4	12.5	9.2	88
5	10.1	9.8	89
6	9.2	9.6	86
7	8.9	9.0	80
8	8.3	6.4	56
9	8.0	4.3	38
10	8.9	5.1	46



Secchi Disk Depth 6.0 meters

Thermocline Depth meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	355	uS/cm	
Total Dissolved Solids	231	mg/L	Moderate concentration of dissolved salts
pH	8.3	S.U.	Water is slightly alkaline
Alkalinity	150	mg CaCO <sub>3</sub> /L	Water is hard
Total Phosphorus	8	ug/L	Slightly phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	34	meso-oligotrophic
Based on Total Phosphorus	30	oligotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions are good for fish growth.
- Minimum dissolved oxygen is adequate for good fish production.
- pH is within acceptable limits.
- Phosphorus and Nitrogen are within acceptable limits.
- Repeat LakeCheck in Fall.

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by Jaimee Desjardins

Date 8/25/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025132

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Banks Lake	Date: 9/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	22.2	9.5	109
1	22.1	9.6	110
2	22.1	9.2	106
3	20.4	9.5	106
4	19.2	7.1	76
5	18.1	3.0	32
6	15.8	0.3	4
7	12.7	0.2	2
8	9.0	0.1	1
9	8.0	0.0	0
10	7.4	0.0	0



Secchi Disk Depth 2.3 meters

Thermocline Depth 3.5 meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	326	uS/cm	
Total Dissolved Solids	224	mg/L	Moderate concentration of dissolved salts
pH	8.4	S.U.	Water is slightly alkaline
Alkalinity	157	mg CaCO <sub>3</sub> /L	Water is hard
Total Phosphorus	16	ug/L	Moderately phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	48	moderately eutrophic
Based on Total Phosphorus	40	mesotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions for fish growth are FAIR. (see cautions/warnings below)
- Minimum dissolved oxygen is nearly low enough to adversely affect sensitive fish.
- Bottom water is deoxygenated, preventing fish from living in cooler water at bottom of lake.
- pH is within acceptable limits.
- Sample is somewhat phosphorus enriched. Create natural buffer between lawn & lakeshore.
- REPEAT LakeCheck NEXT YEAR!

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 10/15/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294



# Bacteria Sampling Report

Waterbody:

Woodbeck Chain of Lakes

Banks

Date Sampled:

7/16/2025

Location	E. coli	Total Coliforms	Interpretation
#1	4.0		● Water meets bacteriological standards for safe swimming.
#2	<4.0		● Water meets bacteriological standards for safe swimming.
#3	<4.0		● Water meets bacteriological standards for safe swimming.

Bacterial counts are expressed as the number of Colony Forming Units per 100 milliliters (CFU/100mL).

For full body contact recreation (including swimming) counts of E. coli should not exceed 130 (CFU/100mL) as a monthly geometric mean of at least five samples per the State of Michigan standard, or single samples should not exceed 298 (CFU/100mL) [235 CFU/100mL in a designated bathing beach area] per Federal (EPA) guidelines.

Current recreational water quality standards do not rely on Total Coliform counts.

Approved by

*Jaimee Desjardins*

Mrs. Jaimee Desjardins, Technical Services Manager

Date 21-Jul-25



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025100

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Halfmile Lake	Date: 4/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	10.7	12.3	113
1	10.5	11.7	108
2	10.1	11.7	107
3	10.1	11.6	106
4	12.2	9.5	90
5	11.4	9.9	93
6	10.2	9.9	91
7	8.9	9.8	87
8	8.5	9.4	82
9	8.7	8.7	77
10	8.2	8.3	72



Secchi Disk Depth 5.0 meters

Thermocline Depth meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	372	uS/cm	
Total Dissolved Solids	242	mg/L	Moderate concentration of dissolved salts
pH	8.3	S.U.	Water is slightly alkaline
Alkalinity	161	mg CaCO3/L	Water is hard
Total Phosphorus	11	ug/L	Moderately phosphorus enriched
Nitrates	640	ug/L	Moderately nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	37	meso-oligotrophic
Based on Total Phosphorus	34	meso-oligotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions are good for fish growth.
- Minimum dissolved oxygen is adequate for good fish production.
- pH is within acceptable limits.
- Sample is somewhat nutrient (N and P) enriched. Adopt appropriate lakeshore landscaping and lawn care practices.
- Repeat LakeCheck in Fall.

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 8/25/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025151

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Halfmile Lake	Date: 9/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	21.8	9.8	111
1	21.8	9.8	112
2	21.8	9.8	112
3	20.8	10.5	117
4	19.3	9.0	98
5	18.1	6.0	64
6	15.2	0.3	4
7	11.4	0.2	2
8	9.8	0.2	1
9	8.4	0.1	1
10	7.1	0.1	1



Secchi Disk Depth 3.5 meters

Thermocline Depth 3 meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	330	uS/cm	
Total Dissolved Solids	228	mg/L	Moderate concentration of dissolved salts
pH	8.4	S.U.	Water is slightly alkaline
Alkalinity	186	mg CaCO <sub>3</sub> /L	Water is very hard
Total Phosphorus	10	ug/L	Slightly phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	42	mesotrophic
Based on Total Phosphorus	33	meso-oligotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions for fish growth are FAIR. (see cautions/warnings below)
- Minimum dissolved oxygen is nearly low enough to adversely affect sensitive fish.
- Bottom water is deoxygenated, preventing fish from living in cooler water at bottom of lake.
- pH is within acceptable limits.
- Sample is somewhat phosphorus enriched. Create natural buffer between lawn & lakeshore.
- REPEAT LakeCheck NEXT YEAR!

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 10/15/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294



# Bacteria Sampling Report

Waterbody:  
Halfmile

Woodbeck Chain of Lakes

Date Sampled:  
7/16/2025

Location	E. coli	Total Coliforms	Interpretation
#1	4.0		● Water meets bacteriological standards for safe swimming.
#2	<4.0		● Water meets bacteriological standards for safe swimming.
#3	<4.0		● Water meets bacteriological standards for safe swimming.

Bacterial counts are expressed as the number of Colony Forming Units per 100 milliliters (CFU/100mL).

For full body contact recreation (including swimming) counts of E. coli should not exceed 130 (CFU/100mL) as a monthly geometric mean of at least five samples per the State of Michigan standard, or single samples should not exceed 298 (CFU/100mL) [235 CFU/100mL in a designated bathing beach area] per Federal (EPA) guidelines.

Current recreational water quality standards do not rely on Total Coliform counts.

Approved by Jaimee Desjardins Date 21-Jul-25  
Mrs. Jaimee Desjardins, Technical Services Manager



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025101

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Horseshoe Lake	Date: 4/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	11.4	13.7	130
1	11.3	12.3	116
2	11.0	12.3	114
3	10.9	12.0	111
4	13.4	9.4	92
5	11.8	9.5	92
6	11.0	6.1	56



Secchi Disk Depth 4.0 meters

Thermocline Depth meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	300	uS/cm	Low concentration of dissolved salts
Total Dissolved Solids	195	mg/L	
pH	8.4	S.U.	Water is slightly alkaline
Alkalinity	117	mg CaCO <sub>3</sub> /L	Water is soft
Total Phosphorus	8	ug/L	Slightly phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	40	mesotrophic
Based on Total Phosphorus	30	oligotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions are good for fish growth.
- Minimum dissolved oxygen is adequate for good fish production.
- pH is within acceptable limits.
- Phosphorus and Nitrogen are within acceptable limits.
- Repeat LakeCheck in Fall.

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 8/25/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp

P.O. Box 132

Caledonia MI 49316-

Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025152

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Horseshoe Lake	Date: 9/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	22.1	96.3	111
1	22.1	96.4	111
2	22.1	9.6	110
3	22.0	9.4	107
4	20.9	8.3	93
5	20.0	6.3	69



Secchi Disk Depth 3.0 meters

Thermocline Depth meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	256	uS/cm	Low concentration of dissolved salts
Total Dissolved Solids	176	mg/L	
pH	8.5	S.U.	Water is slightly alkaline
Alkalinity	109	mg CaCO <sub>3</sub> /L	Water is soft
Total Phosphorus	18	ug/L	Moderately phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	44	mesotrophic
Based on Total Phosphorus	41	mesotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions are good for fish growth.
- Minimum dissolved oxygen is adequate for good fish production.
- pH is within acceptable limits.
- Sample is somewhat phosphorus enriched. Create natural buffer between lawn & lakeshore.
- REPEAT LakeCheck NEXT YEAR!

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 10/15/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294



# Bacteria Sampling Report

Waterbody:  
Horseshoe

Woodbeck Chain of Lakes

Date Sampled:  
7/16/2025

Location	E. coli	Total Coliforms	Interpretation
#1	<4.0		● Water meets bacteriological standards for safe swimming.
#2	<4.0		● Water meets bacteriological standards for safe swimming.
#3	<4.0		● Water meets bacteriological standards for safe swimming.

Bacterial counts are expressed as the number of Colony Forming Units per 100 milliliters (CFU/100mL).

For full body contact recreation (including swimming) counts of E. coli should not exceed 130 (CFU/100mL) as a monthly geometric mean of at least five samples per the State of Michigan standard, or single samples should not exceed 298 (CFU/100mL) [235 CFU/100mL in a designated bathing beach area] per Federal (EPA) guidelines.

Current recreational water quality standards do not rely on Total Coliform counts.

Approved by

*Jaimee Desjardins*

Mrs. Jaimee Desjardins, Technical Services Manager

Date 21-Jul-25



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025102

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Thomas Lake	Date: 4/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	11.9	11.2	107
1	11.7	10.8	102
2	11.4	10.9	102
3	10.9	11.2	104
4	10.6	10.8	100
5	10.1	9.4	92



Secchi Disk Depth 2.5 meters

Thermocline Depth meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	345	uS/cm	
Total Dissolved Solids	225	mg/L	Moderate concentration of dissolved salts
pH	8.4	S.U.	Water is slightly alkaline
Alkalinity	143	mg CaCO <sub>3</sub> /L	Water is hard
Total Phosphorus	12	ug/L	Moderately phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	47	mesotrophic
Based on Total Phosphorus	36	meso-oligotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions are good for fish growth.
- Minimum dissolved oxygen is adequate for good fish production.
- pH is within acceptable limits.
- Sample is somewhat phosphorus enriched. Create natural buffer between lawn & lakeshore.
- Repeat LakeCheck in Fall.

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 8/25/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025182

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Thomas Lake	Date: 9/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	22.1	9.2	105
1	22.1	9.2	106
2	22.1	9.0	103
3	20.7	8.3	92
4	19.2	0.3	3



Secchi Disk Depth 2.0 meters

Thermocline Depth 2.5 meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	332	uS/cm	
Total Dissolved Solids	228	mg/L	Moderate concentration of dissolved salts
pH	8.3	S.U.	Water is slightly alkaline
Alkalinity	158	mg CaCO <sub>3</sub> /L	Water is hard
Total Phosphorus	11	ug/L	Moderately phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	50	moderately eutrophic
Based on Total Phosphorus	34	meso-oligotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions are good for fish growth.
- Minimum dissolved oxygen is adequate for good fish production.
- pH is within acceptable limits.
- Sample is somewhat phosphorus enriched. Create natural buffer between lawn & lakeshore.
- REPEAT LakeCheck NEXT YEAR!

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 10/16/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294



# Bacteria Sampling Report




Waterbody:

Woodbeck Chain of Lakes

Thomas

Date Sampled:

7/16/2025

Location	E. coli	Total Coliforms	Interpretation
#1	8.0		Water meets bacteriological standards for safe swimming.
#2	32.0		Water meets bacteriological standards for safe swimming.
#3	<4.0		Water meets bacteriological standards for safe swimming.

Bacterial counts are expressed as the number of Colony Forming Units per 100 milliliters (CFU/100mL).

For full body contact recreation (including swimming) counts of E. coli should not exceed 130 (CFU/100mL) as a monthly geometric mean of at least five samples per the State of Michigan standard, or single samples should not exceed 298 (CFU/100mL) [235 CFU/100mL in a designated bathing beach area] per Federal (EPA) guidelines.

Current recreational water quality standards do not rely on Total Coliform counts.

Approved by

*Jaimee Desjardins*

Mrs. Jaimee Desjardins, Technical Services Manager

Date 21-Jul-25



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025103

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Woodbeck Lake	Date: 4/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	11.0	12.0	112
1	10.8	11.5	107
2	10.5	11.6	107
3	10.5	11.6	107
4	12.8	9.7	93
5	12.1	10.0	95
6	11.3	10.2	96
7	10.1	8.1	74
8	9.7	7.7	70
9	9.6	73.0	66
10	9.5	7.0	63



Secchi Disk Depth 4.0 meters

Thermocline Depth meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	311	uS/cm	
Total Dissolved Solids	202	mg/L	Moderate concentration of dissolved salts
pH	8.3	S.U.	Water is slightly alkaline
Alkalinity	130	mg CaCO3/L	Water is hard
Total Phosphorus	7	ug/L	Slightly phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	40	mesotrophic
Based on Total Phosphorus	28	oligotrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions are good for fish growth.
- Minimum dissolved oxygen is adequate for good fish production.
- pH is within acceptable limits.
- Phosphorus and Nitrogen are within acceptable limits.
- Repeat LakeCheck in Fall.

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 8/25/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294


# LAKE CHECK Water Quality Monitoring Report

2025189

Customer	Waterbody	Sample Information
Woodbeck Chain of Lakes	Woodbeck Lake	Date: 9/22/2025
		Site: Deep Hole

## On-Site Results

Depth (m)	Temperature (degrees C)	Dissolved Oxygen mg/L	%
0	22.0	10.2	116
1	22.0	10.2	117
2	22.0	10.2	117
3	22.0	10.3	117
4	21.1	10.1	113
5	20.1	6.7	74
6	19.4	2.7	29
7	18.5	0.5	5
8	15.7	0.2	2
9	12.6	0.2	2
10	10.7	0.1	1



Secchi Disk Depth 3.3 meters

Thermocline Depth 4.5 meters

## Analytical Results

Parameter	Result	Units	Interpretation
Fecal Bacteria (E. coli)		CFU/100 mL	N/A
Conductivity	263	uS/cm	
Total Dissolved Solids	181	mg/L	Low concentration of dissolved salts
pH	8.6	S.U.	Water is slightly alkaline
Alkalinity	124	mg CaCO <sub>3</sub> /L	Water is hard
Total Phosphorus	49	ug/L	Phosphorus enriched
Nitrates	200	ug/L	Not nitrogen enriched
Chlorophyll	N/A		

## Trophic State Evaluation

	TSI	Trophic Status
Based on Secchi Disk Depth	43	mesotrophic
Based on Total Phosphorus	56	eutrophic
Based on Chlorophyll	N/A	

---

## Conclusions

- Conditions for fish growth are FAIR. (see cautions/warnings below)
- Minimum dissolved oxygen is nearly low enough to adversely affect sensitive fish.
- Bottom water is deoxygenated, preventing fish from living in cooler water at bottom of lake.
- pH is within acceptable limits.
- Sample is highly phosphorus enriched. Consider nutrient abatement measures.
- REPEAT LakeCheck NEXT YEAR!

- 
- WARNING. condition requires immediate attention.
  - CAUTION. condition requires further evaluation.
  - OK. condition within acceptable limits.
  - NEUTRAL. condition neither good nor bad.

## Notes

Report describes conditions at the time the sample was collected.

Approved by

*Jaimee Desjardins*

Date 10/16/2025

Mrs. Jaimee Desjardins, Technical Services Manager

FROM YOUR



DEALER



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294



# Bacteria Sampling Report

Waterbody:  
Woodbeck

Woodbeck Chain of Lakes

Date Sampled:  
7/16/2025

Location	E. coli	Total Coliforms	Interpretation
#1	<4.0		● Water meets bacteriological standards for safe swimming.
#2	<4.0		● Water meets bacteriological standards for safe swimming.
#3	<4.0		● Water meets bacteriological standards for safe swimming.

Bacterial counts are expressed as the number of Colony Forming Units per 100 milliliters (CFU/100mL).

For full body contact recreation (including swimming) counts of E. coli should not exceed 130 (CFU/100mL) as a monthly geometric mean of at least five samples per the State of Michigan standard, or single samples should not exceed 298 (CFU/100mL) [235 CFU/100mL in a designated bathing beach area] per Federal (EPA) guidelines.

Current recreational water quality standards do not rely on Total Coliform counts.

Approved by Jaimee Desjardins  
Mrs. Jaimee Desjardins, Technical Services Manager

Date 21-Jul-25



PLM Lake & Land Management Corp  
P.O. Box 132  
Caledonia MI 49316-  
Phone: (616) 891-1294