

**20
25**


MÉDICA

DUORT

**CATÁLOGO
TRAUMATOLOGÍA Y
ORTOPEDIA
SISTEMAS DE COLUMNA -
SISTEMA ESPINAL ANAX 5.5**

El sistema espinal ANAX™ 5.5 es un sistema de fijación espinal posterior de carga superior con múltiples componentes.

- Diseño de tornillo pedicular autotarzante (self-tapping): protección contra la extracción del tornillo y fácil inserción.
- Sin roscado cruzado ni expansión de la cabeza.
- Tornillo de bajo perfil: minimiza el riesgo de impacto en las facetas e irritación de los tejidos blandos.



Polyaxial Screw Ø4.0 mm

Cat. No.	Length (mm)
SFA4030	30
SFA4035	35
SFA4040	40
SFA4045	45



Polyaxial Reduction Screw Ø5.0 mm

Cat. No.	Length (mm)
SFRA5035	35
SFRA5040	40
SFRA5045	45
SFRA5050	50



Polyaxial Screw Ø5.0 mm

Cat. No.	Length (mm)
SFA5030	30
SFA5035	35
SFA5040	40
SFA5045	45



Polyaxial Reduction Screw Ø6.0 mm

Cat. No.	Length (mm)
SFRA6035	35
SFRA6040	40
SFRA6045	45
SFRA6050	50



Polyaxial Screw Ø6.0 mm

Cat. No.	Length (mm)
SFA6035	35
SFA6040	40
SFA6045	45
SFA6050	50
SFA6055	55



Polyaxial Reduction Screw Ø7.0 mm

Cat. No.	Length (mm)
SFRA7035	35
SFRA7040	40
SFRA7045	45
SFRA7050	50



Polyaxial Screw Ø7.0 mm

Cat. No.	Length (mm)
SFA7035	35
SFA7040	40
SFA7045	45
SFA7050	50
SFA7055	55



Polyaxial Reduction Screw Ø8.0 mm

Cat. No.	Length (mm)
SFRA8035	35
SFRA8040	40
SFRA8045	45
SFRA8050	50



Polyaxial Screw Ø8.0 mm

Cat. No.	Length (mm)
SFA8040	40
SFA8045	45
SFA8050	50
SFA8055	55



Set Screw for screws

Cat. No.
SF1310



Titanium (Ti) Rods Ø5.5 mm, Straight



Cat. No.	Length (mm)
SF5035TS	35
SF5040TS	40
SF5045TS	45
SF5050TS	50
SF5060TS	60
SF5070TS	70
SF5080TS	80
SF5090TS	90
SF5100TS	100
SF5120TS	120
SF5150TS	150
SF5200TS	200
SF5300TS	300
SF5400TS	400

Cobalt-Chrome (CoCr) Rods Ø5.5 mm, Straight



Cat. No.	Length (mm)
SF5035CS	35
SF5040CS	40
SF5045CS	45
SF5050CS	50
SF5060CS	60
SF5070CS	70
SF5080CS	80
SF5090CS	90
SF5100CS	100
SF5120CS	120
SF5150CS	150
SF5200CS	200
SF5300CS	300
SF5400CS	400

Titanium (Ti) Rods Ø5.5 mm, Curved



Cat. No.	Length (mm)
SF5035TC	35
SF5040TC	40
SF5045TC	45
SF5050TC	50
SF5060TC	60
SF5070TC	70
SF5080TC	80
SF5090TC	90
SF5100TC	100
SF5110TC	110
SF5120TC	120

Cobalt-Chrome (CoCr) Rods Ø5.5 mm, Curved



Cat. No.	Length (mm)
SF5035CC	35
SF5040CC	40
SF5045CC	45
SF5050CC	50
SF5060CC	60
SF5070CC	70
SF5080CC	80
SF5090CC	90
SF5100CC	100
SF5110CC	110
SF5120CC	120

Lateral Connectors, Open



Cat. No.	Length (mm)
SF1511	16.5
SF1512	35

Lateral Connectors, Closed



Cat. No.	Length (mm)
SF1521	16.5
SF1522	35

* Lateral Open and Closed Connectors are assembled with [Set screw for screws \(SF1310\)](#)

Domino Connectors



Cat. No.	
SF1611	2 holes
SF1612	4 holes

Axial Connectors



Cat. No.	
SF1711	2 holes
SF1712	3 holes
SF1713	4 holes

* Axial and Domino Connectors are assembled with [Set screw for connectors \(SF1320\)](#)


Set Screw for connectors

Cat. No.
SF1320



Crosslinks

Cat. No.	Length (mm)
SFTA1410	33-40
SFTA1420	40-50
SFTA1430	50-60
SFTA1440	60-70
SFTA1450	70-80



Instruments

SG0001

AWL



SN0042

SCREW ADJUSTMENT INSTRUMENT



SN0009

HOUSING HOLDER



SP0040

FD RATCHET HANDLE



SG0032

TORQUE WRENCH FOR T LINK COLLET TYPE



SF0010

POLYSCREW DRIVER



SF0020

MONOSCREW DRIVER



SF0030

ANTI-TORQUE DEVICE



SF0040 TAP 4.0



SF0050 TAP 5.0



SF0060 TAP 6.0



SF0070 TAP 7.0



SF0080 TAP 8.0



SF0090

ROD HOLDER




SF0100

ROD BENDER




SF0110

TORQUE LIMITING T-HANDLE (10N-m)




SF0120

AXIAL TORQUE WRENCH 5 HEX (10N-m)



SF0130

PERSUADER



SF0140

ANAX REDUCTION HOUSING CUTTER



SF0150

POLY HEAD ADJUSTER



SF0160

SET SCREW DRIVER GUIDE



SF0170

IN-SITU ROD BENDER - RIGHT




SF0180

IN-SITU ROD BENDER - LEFT




SF0190

COMPRESSOR for 5.5mm ROD



SF0200

SPREADER for 5.5mm ROD



SF0210

DEROTATOR



SF0220

ROCKER



SF0230

5mm DRIVER WITH ADAPTOR



SF0240

GUIDE PIN - LEFT



SF0250

GUIDE PIN - RIGHT



SF0260

T-LINK HOLDER



SF0270

ROD PUSHER



SF0280

STRAIGHT PROBE



SF0290

CURVED PROBE



SF0300

TESTER - STRAIGHT



SF0310

TESTER - CURVED

