





SOLAR ROAD STUD LIGHT

ITEM CODE	DESCRIPTION	PRICE	PICTURE
BL-DM136S DL	SOLAR ROAD STUD LIGHT SOLAR PANEL: 2.5V 140MA NIMH BATTERY: 1.2V 1200MA SIZE: 136*136*48MM MODE: STEADY FOR 7 DAYS CCT: DAYLIGHT	2,400.00	
BL-DM136S YLW	SOLAR ROAD STUD LIGHT SOLAR PANEL: 2.5V 140MA NIMH BATTERY: 1.2V 1200MA SIZE: 136*136*48MM MODE: STEADY FOR 7 DAYS CCT: YELLOW	2,400.00	
BL-DM136SF DL	SOLAR ROAD STUD LIGHT SOLAR PANEL: 2.5V 140MA NIMH BATTERY: 1.2V 1200MA SIZE: 136*136*48MM MODE: FLASHING FOR 12 DAYS CCT: DAYLIGHT	2,400.00	
BL-DM136F YLW	SOLAR ROAD STUD LIGHT SOLAR PANEL: 2.5V 140MA NIMH BATTERY: 1.2V 1200MA SIZE: 136*136*48MM MODE: FLASHING FOR 7 DAYS CCT: YELLOW	2,400.00	
BL-D011AS DL	SOLAR ROAD STUD LIGHT SOLAR PANEL: 2.5V 120MA NIMH BATTERY: 1.2V 600MA SIZE: 105*105*23MM MODE: STEADY FOR 7 DAYS CCT: DAYLIGHT	1,000.00	
BL-D011AS YLW	SOLAR ROAD STUD LIGHT SOLAR PANEL: 2.5V 120MA NIMH BATTERY: 1.2V 600MA SIZE: 105*105*23MM MODE: STEADY FOR 7 DAYS CCT: YELLOW	1,000.00	
BL-D011AF DL	SOLAR ROAD STUD LIGHT SOLAR PANEL: 2.5V 120MA NIMH BATTERY: 1.2V 600MA SIZE: 105*105*23MM MODE: FLASHING FOR 12 DAYS CCT: DAYLIGHT	1,000.00	
BL-D011AF YLW	SOLAR ROAD STUD LIGHT SOLAR PANEL: 2.5V 120MA NIMH BATTERY: 1.2V 600MA SIZE: 105*105*23MM MODE: FLASHING FOR 12 DAYS CCT: YELLOW	1,000.00	




BIGLITE LED SOLAR LAMP

ITEM CODE	DESCRIPTION	WATTAGE	DIMENSION	PRICE	PICTURE
BBK-13 BLK DL	SOLAR LED WALL LAMP W/ MOTION SENSOR	LED 1W	L:86MM W:91MM H:235MM	1,150.00	
BBK-13 BLK WW	SOLAR LED WALL LAMP W/ MOTION SENSOR	LED 1W	L:86MM W:91MM H:235MM	1,150.00	
BBK-17W	SOLAR LED WALL LAMP	5W	Ø:165MM H:245MM	2,350.00	
BBK-17P1	SOLAR GARDEN LIGHT	5W	Ø:165MM H:195MM	2,350.00	
BBK-17P2	SOLAR GARDEN LIGHT	5W	Ø:165MM H:410MM	2,600.00	
BBK-17P4	SOLAR GARDEN LIGHT	5W	Ø:165MM H:830MM	3,150.00	

BIGLITE LED SOLAR LAMP

ITEM CODE	DESCRIPTION	WATTAGE	DIMENSION	PRICE	PICTURE
BBK-17G	SOLAR GARDEN LIGHT	5W	Ø:165MM H:400MM	2,600.00	
BBK-17 POST	SOLAR GARDEN LIGHT	METAL TUBE	200MM	260.00	
BBK-15W	SOLAR LED POST LAMP	5W	L:205MM W:250MM H:235MM	3,600.00	
BBK-16W	SOLAR LED POST LAMP	5W	Ø:205MM W:250MM H:235MM	3,600.00	
BBK-15P1	SOLAR LED POST LAMP	5W	L:205MM H:170MM	3,000.00	
BBK-16P1	SOLAR LED POST LAMP	5W	Ø:205MM H:170MM	3,000.00	
BBK-15P2	SOLAR LED BOLLARD LIGHTS	5W	L:205MM H:340MM	3,600.00	


BIGLITE LED SOLAR LAMP

ITEM CODE	DESCRIPTION	WATTAGE	DIMENSION	PRICE	PICTURE
BBK-16P2	SOLAR LED BOLLARD LIGHTS	5W	Ø:205MM H:340MM	3,600.00	
BBK-15P3	SOLAR LED BOLLARD LIGHTS	5W	L:205MM H:800MM	4,300.00	
BBK-16P3	SOLAR LED BOLLARD LIGHTS	5W	Ø:205MM H:800MM	4,300.00	




BIGLITE LED SOLAR GARDEN LAMPS



ITEM CODE	DESCRIPTION	DIMENSION	MATERIAL	SRP	PICTURE
BL18160	E27 LED BULB:2W Output Power: 0.6W CRI/CCT:Ra: 80 / 3000K Solar Panel:6V/2.5W Battery: 18650 3.7V2200 mAh Charging time: 6 hours working time:8 hours 100%	240*160*245mm	1.Body made of die-casting aluminum 2. Clear PC 3. IP65	5,000.00	
BL18161	E27 LED BULB:2.5W Output Power: 0.6W CRI/CCT:Ra: 80 / 3000K Solar Panel:6V/2.5W Battery: 18650 3.7V/2200 mAh Charging time: 6 hours working time:8 hours 100%	225*145*245mm	1.Body made of die-casting aluminum 2. Clear PC 3. IP65	5,000.00	
BLS18160	E27 LED BULB:2W Output Power: 0.6W CRI/CCT:Ra: 80 / 3000K Solar Panel:6V/2.5W Battery: 18650 3.7V2200 mAh Charging time: 6 hours working time:8 hours 100%	160*220mm WITH BULB	1.Body made of die-casting aluminum 2. Clear PC 3. IP65	4,500.00	
BLS18161	E27 LED BULB:2.5W Output Power: 0.6W CRI/CCT:Ra: 80 / 3000K Solar Panel:6V/2.5W Battery: 18650 3.7V/2200 mAh Charging time: 6 hours working time:8 hours 100%	145*145*220mm WITH BULB	1.Body made of die-casting aluminum 2. Clear PC 3. IP65	4,500.00	
BLS8016-65	LED:CREE Output Power: 1.2W CRI/CCT:Ra: 80 / 3000K ,6500K Solar Panel:6V/3W Battery: 3.7V/2500 mAh Charging time: 6 hours working time:8 hours 100%	170*170*650mm	1.Body made of aluminum 2. Tempered clear glass diffuser; 3.IP65.	5,200.00	
BLS8172	LED : Osram LED 20*0.2W Output Power: 0.6W CRI/CCT:Ra: 80 / 3000K Solar Panel:6V/2.5W Battery: 18650 3.7V/2200 mAh Charging time: 6 hours working time:8 hours 100%	160*600mm	1.Body made of die-casting aluminum 2.Opal white PC diffuser; 3.IP65	5,200.00	

BIGLITE LED OUTDOOR SOLAR GARDEN LIGHT





ITEM CODE	DESCRIPTION	WATTAGE	DIMENSION	SRP	PICTURE
BJD-03 5W WW	1. Lamp size: $\phi 60 \times 260$ mm/ABS 2. Light source: LED COB/ 5W 3. Photovoltaic panels: 6V/1.5W polysilicon 136.79.5mm 4. Battery: 3.7V 2000mAh/18650 5. Control mode: light control + switch 6. Charge and discharge: full charge time>6H, lighting time>10H 7. Duration: 2-3 rainy days 8.IP65 9.3000K/6000K 10.Light control	5W	60*260mm	1,100.00	

BIGLITE LED SOLAR STREETLIGHT

NO.	IMAGE	ITEM CODE	PRODUCT SIZE	BATTERY	WATTAGE	IP RATING	CHARGING TIME	WORKING TIME	FUNCTION	PRICE
1		BGY-04 100W	L:250MM W:570MM	LITHIUM IRON PHOSPHATE	100W	IP65	6-12H	2-3 RAINY DAYS	REMOTE CONTROL LIGHT CONTROL MOTION SENSOR	2,600.00
2		BGY-04 200W	L:260MM W:650MM	LITHIUM IRON PHOSPHATE	200W	IP65	6-12H	2-3 RAINY DAYS	REMOTE CONTROL LIGHT CONTROL MOTION SENSOR	3,300.00
3		BGY-04 300W	L:250MM W:570MM	LITHIUM IRON PHOSPHATE	300W	IP65	6-12H	2-3 RAINY DAYS	REMOTE CONTROL LIGHT CONTROL MOTION SENSOR	4,000.00

BIGLITE SOLAR STREETLIGHT												
NO.	IMAGE	ITEM CODE	PRODUCT SIZE	SYSTEM	WATTAGE	CHARGING TIME	DISCHARGING TIME	BATTERY	LED TYPE	EFFECTIVE AREA	MOUNTING HEIGHT	PRICE
1		BGY-01 80W	L:500MM W:230MM	Light Control & human body induction	80W	5 hours	1-2 rainy day	Lithium 3.7V 12Ah	5730	80 sq.m	4-6M	3,200.00
2		BGY-02 120W	L:630MM W:245MM	Light Control & human body induction	120W	5 hours	1-2 rainy day	Lithium 3.7V 16Ah	5730	110 sq.m	4-6M	4,300.00

BIGLITE SOLAR STREETLIGHT

NO.	IMAGE	ITEM CODE	PRODUCT SIZE	MATERIAL	PIPE SIZE & MOUNTING HEIGHT	PACKAGING	SERVICE LIFE	BATTERY	SMD CHIP	SERVICE LIFE	CHARGING	IP RATING	PRICE
1		BGY-31 60W	L:150MM W:90MM H:335MM	DIE CAST ALUMINUM + GLASS	Φ50CM Recommended installation height: 3 meters	S03-60W: 39*15*47CM , 5.92kg/ctn	2 years for battery, 3-5 years for solar panel	3.2V/ 20AH /4 batteries (lithium iron phosphate)	Sanan 2835, 120pcs, 6500-7000K, whole lamp 1375LM	2 years for battery, 3-5 years for solar panel	4-6H, working duration: 12-15H, 1-2 consecutive cloudy and rainy days	IP65	6,500.00
2		BGY-32 100W	L:178MM W:90MM H:405MM	DIE CAST ALUMINUM + GLASS	Φ50CM Recommended installation height: 4 meters	S03-100W: 40*15*59.5CM, 7.54kg/ctn	2 years for battery, 3-5 years for solar panel	3.2V/ 30AH /6 batteries (lithium iron phosphate)	Sanan 2835, 160pcs, 6500-7000K, whole lamp 1950LM	2 years for battery, 3-5 years for solar panel	4-6H, working duration: 12-15H, 1-2 consecutive cloudy and rainy days	IP65	8,600.00
3		BGY-33 150W	L:214MM W:90MM H:465MM	DIE CAST ALUMINUM + GLASS	Φ50CM Recommended installation height: 5 meters	S03-150W: 40*15*66CM, 8.66kg/ctn	2 years for battery, 3-5 years for solar panel	3.2V/ 40AH /8 batteries (lithium iron phosphate)	Sanan 2835, 300pcs, 6500-7000K, whole lamp 2500LM	2 years for battery, 3-5 years for solar panel	4-6H, working duration: 12-15H, 1-2 consecutive cloudy and rainy days	IP65	10,000.00
4		BGY-34 200W	L:232MM W:90MM H:510MM	DIE CAST ALUMINUM + GLASS	Φ60CM Recommended installation height: 6 meters	S03-200W: 48.5*15*68.5CM, 8.66kg/ctn	2 years for battery, 3-5 years for solar panel	3.2V/ 50AH /10 batteries (lithium iron phosphate)	Sanan 2835, 406pcs, 6500-7000K, whole lamp 3500LM	2 years for battery, 3-5 years for solar panel	4-6H, working duration: 12-15H, 1-2 consecutive cloudy and rainy days	IP65	11,500.00

BIGLITE SOLAR STREET LIGHT

Product	Street Light	Model	BL-SSL6M 60W	Height	6m
Light source	LED	Power	60W	Brand	BIGLITE
Control Mode	Solar intelligent light control + time control, to ensure 3 to 5 consecutive rainy and cloudy days operation, Solar light works 10 hours a day				

List of products and price

No.	ITEM	SPECIFICATION	QTY	PRICE
1	Solar panel	6V70 Silicon High Efficiency Solar Panel	1PC	26,000.00
2	Solar lithium battery	3.2V 60AH Solar Maintenance-free Lithium	1PC	
3	Solar Controller	3.2V10A Intelligent Controller (Build-in)	1PC	
4	Street Light	60W High Power Led	1PC	
5	Pole and Arm		1SET	
6	Anchor bolt		1SET	
7	2-year warranty			

Product Details and Specifications

(1)The total height of the pole is 6 meters, the top diameter is 60mm, the bottom is 132mm, the height of the main fixture is 6 meters, the solar panel bracket is made of 20*30mm square tubes with the thickness of ≥2mm, the wind resistance is up to 36M/S to ensure the normal operation of the pole in bad weather conditions.

(2)70W × 1 high-efficiency polycrystalline silicon solar panels, TPT EVA special solar module aluminum frame, conversion rate of 17.4% or more, service life of more than 20 years, warranty of 3 years.

(3)The maintenance-free lithium battery for solar energy is 3.2V/60AH*1, the discharge depth can reach 96%, the service life is more than 5 years, and the adaptable ambient temperature range is -20~+65°C.





(4)LED Chip is high-power 60W, heat dissipation effect is good, the chip is the United States brand Bridgelux brand, to ensure that the life span of chip is greater than 50,000 hours, for the power of single led chip is 1W, 180LM/W. Color temperature 6500K daylight. Pole is made of high quality aluminum.

(5)3.2V/10A solar energy special half power intelligent controller
Light control and time control Service life more than 3 years.

(6) 10 hours of lighting time per day, the first 5 hours of full power, after 5 hours of half-power. Ensure normal operation for 3 to 5 consecutive rainy days.




LED SOLAR STREET LIGHT






ITEM CODE	SEPECIFICATION	CONTROL MODE	PRICE	PICTURE
BLNY-200W	ITEM NO. : 200W SOLAR PANEL : 6V 8W POLY BATTERY : 3.2v 6000mAH LITHIUM BODY SIZE : 423*215*60mm PANEL SIZE : 212*316mm LUMENS: 1400LM	control + radar induction	2,100.00	
BLNY-300W	ITEM NO : 300W SOLAR PANEL : 6V 10WPOLY BATTERY : 10000mAH LITHIUM BODY SIZE : 504*215*60mm PANEL SIZE : 397mm*212mm LUMENS: 1700LM	control + radar induction	3,000.00	
BLNY-400W	ITEM NO : 400W SOLAR PANEL : 6V 15W POLY BATTERY : 12000mAH LITHIUM BODY SIZE : 613*236*60mm LUMENS: 1900LM	control + radar induction	3,500.00	
BLNY-500W	ITEM NO : 500W SOLAR PANEL : 6V 18W POLY BATTERY : 18000mAH LITHIUM BODY SIZE : 704*236*60mm PANEL SIZE : 559mm*231mm LUMENS: 2250LM	control + radar induction	4,300.00	

**All prices are subject to change without prior notice*

SOLAR STREETLIGHT



ITEM CODE	SPECIFICATIONS	WORKING MODE	PRICE	PRODUCT IMAGE
BL-SA3-40W	Power: 40W Monocrystalline photovoltaic panel: 6V/60W Lamp body size: 830*360*90mm Lithium iron phosphate battery: 3.2V45AH Lamp beads::3030 150 pcs Installation height: 4-6 meters diameter: 60mm Packing size: 93*41*17cm Packing quantity: 1 set Gross weight: 8.1kg	Light sensor + smart mode Charging time: 6 hours effective sunlight Discharge time: 12 hours/night 2-3 rainy days	18,500.00	

BIGLITE LED SOLAR STREETLIGHT



NO.	IMAGE	ITEM CODE	PRODUCT DESCRIPTION	CONTROL MODE	WARRANTY	PRICE
1		BGY-05 60W	Power:60W Size:200*150*45mm Solar panel:polycrystalline silicon(5v/8w) Solar panel size:180*270*4mm Battery capacity:3.2v/5000ma Lamp beads:81pcs Housing material: ABS IP rating :IP66	Light-control Remote control Time control	1 Year	2,000.00
2		BGY-05 100W	Power:100W Size:251*202*60mm Solar panel:polycrystalline silicon(5v/15w) Solar panel size:350*350*17mm Battery capacity:3.2v/6000ma Lamp beads:144pcs Housing material:Aluminum IP rating :IP66	Light-control Remote control Time control	1 Year	3,250.00
3		BGY-05 200W	Power:200W Size:250*300*60mm Solar panel:polycrystalline silicon(5v/20w) Solar panel size:460*350*17mm Battery capacity:3.2v/12000ma Lamp beads:441pcs Housing material: Aluminum IP rating :IP66	Light-control Remote control Time control	1 Year	4,600.00
4		BGY-05 300W	Power:300W Size:300*350*60mm Solar panel:polycrystalline silicon(5v/25w) Solar panel size:530*350*17mm Battery capacity:3.2v/18000ma Lamp beads:576pcs Housing material: Aluminum IP rating :IP66	Light-control Remote control Time control	1 Year	5,850.00
5		BGY-05 400W	Power:400W Size:300*350*60mm Solar panel:polycrystalline silicon(6v/30w) Solar panel size:600*350*17mm Battery capacity:3.2v/24000ma Lamp beads:576pcs Housing material: Aluminum IP rating :IP66	Light-control Remote control Time control	1 Year	6,500.00

**All prices are subject to change without prior notice*


BIGLITE LED SOLAR FLOODLIGHT

NO.	IMAGE	ITEM CODE	MATERIAL	PRODUCT SIZE	PACKAGING	CHARGING	SMD CHIP	SERVICE LIFE	BATTERY	SOLAR PANEL	IP RATING	PRICE
1		BGY-21 60W	DIE-CAST ALUMINUM + GLASS	L:278MM H:70MM W:238MM	S01-60W: 39*37*38CM, 18.7kg/ctn	4-6H, working duration: 12-15H, 1-2 consecutive cloudy and rainy days	San'an 5730, 100pcs, 6500-7000K, whole lamp 1375LM	2 years for battery, 3-5 years for solar panel	6.4V/ 10AH /4 batteries (lithium iron phosphate)	10V/20W, 350*350*17mm, 1.61kg, (Polysilicon solar panel)	IP65	4,750.00
2		BGY-22 100W	DIE-CAST ALUMINUM + GLASS	L:160MM W:50MM H:140MM	S01-10W: 33.5*33*40.5CM, 19.8kg/ctn	4-6H, working duration: 12-15H, 1-2 consecutive cloudy and rainy days	San'an 5730, 30pcs, 6500-7000K, whole lamp 300LM	2 years for battery, 3-5 years for solar panel	3.2V/ 5AH /1 battery (lithium iron phosphate)	6V/8W, 260*175*17mm, 0.75kg, (Polysilicon solar panel)	IP65	6,500.00


BIGLITE SOLAR STRING LIGHT

ITEM CODE	EFFICIENT SOLAR PANEL	AUTO ON/OFF	USB CHARGING	UP TO 4 MODES	SIZE	PRICE	PICTURE
BHJ-1320	Normally the charging time is 8 hours. Can use 10 hours in steady mode.	The light sensor panel makes it turns on at night and off at dawn.	It can be charged by USB. It is very convenient to charge in the rainy and cloudy day.	Flash Strobe / Slow Strobe / Blink / Steady	13 meter Solar String light with 20 LED bulbs	4,750.00	
BHJ-G1010	Normally the charging time is 6 hours. Can use 10 hours in steady mode. polycrystalline solar panels: 3.8w 6v 650MA	The light sensor panel makes it turns on at night and off at dawn	It can be charged by USB. It is very convenient to charge in the rainy and cloudy day.	Flash Strobe / Slow Strobe / Blink / Steady With Remote	10 meter Solar String light with 10 LED bulbs	3,900.00	

SOLAR LED BULB USB RECHARGEABLE (OUTDOOR)

ITEM CODE	DESCRIPTION	PACKAGING	PRICE	PICTURE
BGY-51 50W	WATTAGE: LED 50W 5 LIGHTING MODES: (BRIGHT LIGHT/SOFT LIGHT/DIM/FAST STROBE/SLOW STROBE) SIZE: Ø: 110mm COLOR TEMP: 6500K LUMENS: 900lm CHARGING TIME: 8 HRS. WORKING DURATION: 4-6 HRS. LED CHIPS : 5050 30D PLUG AND USB CABLE INCLUDED	8PCS/CTN	1,450.00	 <p>LED Solar Bulb</p> <p>USB Charger</p> <p>Solar Panel</p>

BIGLITE SOLAR SWAYING LIGHT

ITEM CODE	DESCRIPTION	PRICE	PICTURE
BL-FFSL06 WW	<p>SOLAR FIREFLY SWAYING LIGHT</p> <p>Material: High-quality fabric</p> <p>Switch:Light Control ON/OFF Solar</p> <p>Panel: Wider Monocrystalline Silicon</p> <p>IP Rating: IP65</p> <p>Charging Time: 6-8 hours</p> <p>Working Time: 10-12 hours</p>	400.00	
BL-BSL06 WW	<p>SOLAR BEE SWAYING LIGHT</p> <p>Material: High-quality fabric</p> <p>Switch:Light Control ON/OFF Solar</p> <p>Panel: Wider Monocrystalline Silicon</p> <p>IP Rating: IP65</p> <p>Charging Time: 6-8 hours</p> <p>Working Time: 10-12 hours</p>	550.00	