



# ROOFING SIKALASTIC® ROOFCOAT LIQUID APPLIED RECOVER SOLUTION

BUILDING TRUST





# IS IT A NEW ROOF OR A RECOVER?


Sikalastic® RoofCoat recover solutions are an excellent choice to extend the life of your building's old roofing system. A simple cleaning, priming, and coating can extend the life for up to 20 years. Why pay for tearing off the old system when you can save money and keep your building watertight with a roof coating.

- ROOFCOAT POLYURETHANE RESINS ARE EASY TO USE: OPEN THE BUCKET, NO MIXING, JUST DIP WITH A ROLLER AND APPLY!
- ROOFCOAT SILICONES AND ACRYLICS ONLY REQUIRE MINIMAL MIXING
- ENJOY A REJUVENATED ROOF WITHOUT THE COSTLY TEAR OFF OF REPLACING IT
- REINFORCED, FULLY ADHERED, AND FULLY CONFORMED TO THE EXISTING ROOF SURFACE
- A RECOVER ROOF IS AN ADDED WEIGHT OF LESS THAN 1 LB/SF
- ENERGY SAVING COOL ROOF COLORS AVAILABLE

An existing roof can be significantly enhanced by a new Sikalastic® RoofCoat system.

## NEW RECOVERS CAN PROLONG THE LIFE OF:

- EPDM
- HYPALON
- METAL ROOFS
- PVC
- MOD-BIT (fully reinforced)



## SIKALASTIC® ROOFCOAT PRODUCTS

### Sikalastic®-646 Lo-VOC

Is a cold liquid applied, Lo-VOC highly elastic, aliphatic (UV resistant), single component moisture triggered polyurethane resin.

### Sikalastic® - 500

Is a liquid applied, single component, silicone roof coating. Features include ultra high solids, rapid cure and Lo-VOC properties and it also provides superior UV energy star compliance.

### Sikalastic® - 500 Flash


Is a Silicone coating is enhanced high solids with excellent vertical hang and performs well under ponding water.

### Sikalastic® - 515 AC

Is a 100% acrylic elastomeric coating. Provides roof life extension and enhanced reflectivity.

### Sikalastic® -515 FG

Is an acrylic flashing mastic to use for detailing and flashing with the 515 AC system.



| Warranty Offerings                 | Sikalastic® RoofCoat |
|------------------------------------|----------------------|
| Up to 20 Year Warranties           | ■                    |
| Approved Applicators               | ■                    |
| Material Cost for Material Defects | ■                    |
| Free In-Person Applicator Training | ■                    |

A recover project registration with Sika is eligible for up to a 20 year warranty. Each registered project comes with a first time free onsite applicator training.

| Key Characteristics        | 646 Lo-VOC | Silicone 500 | Acrylic 515 AC |
|----------------------------|------------|--------------|----------------|
| Low VOC                    | ■          | ■            | ■              |
| Locally Reinforced         | ■          | ■            | ■              |
| Resistant to Ponding Water | ■          |              |                |
| Early Rain Resistance      | ■          |              |                |
| Custom Colors              | ■          | ■            | ■              |
| Reflective White           | ■          | ■            | ■              |
| Applications               | 646 Lo-VOC | Silicone 500 | Acrylic 515 AC |
| Metal                      | ■          | ■            | ■              |
| PVC, TPO, EPDM, Hypalon    | ■          | ■            | ■              |
| Pedestrian Traffic         | ■          |              |                |
| Mod-Bit (fully reinforced) | ■          | ■            | ■              |