



Hospitality

Product Guide



*Intirion Corporation and its affiliates are not responsible for false and/or actual fire alarms caused by the proper or in-proper use of MicroFridge products.

microfridge.com



MicroFridge® by Danby, the B2B division of Danby Products, is the leading supplier of small space appliances to hotels, assisted living residences, colleges and universities, military facilities, and offices in North America.

We are proud to be an approved vendor for major hotel brands, providing quality products with industry-best warranties and unsurpassed customer service. Your guests will feel right at home with Danby® and MicroFridge® in-room refrigerators and microwaves. We also offer air purifiers, dehumidifiers, wine and beverage coolers, and full-size appliances for extended-stay suites.

We work with major hotel brands, designers, and FF & E companies to bring the comforts of home to their guests' rooms.



We are proud to be an approved vendor for major hotel brands, such as:



**Marriott
Hotels**

Three Brands To Meet Your Needs

Combination Appliances



- Safe Plug®, our patented current limiting technology, restricts electrical draw to just 11 amps, by not allowing the refrigerator compressor to come on while the microwave is running. No more overloading circuits!



- The Next Generation front charging station offers 3 plug-in options for even greater convenience. Two USB ports and one traditional three-prong grounded outlet to safely and conveniently charge small electrical devices.



- Patented internal smoke sensor automatically shuts down microwave operation and alerts the user of smoke before any damage is done.



- Industry Best Warranty - 7 years on major components.

Combination Appliances



- Bracket provided to attach the refrigerator and microwave. Refrigerator and microwave can also be installed separately into case goods.



- One-Plug-to-the-Wall operation with 3 minute delay. Saves valuable outlet space, ensures less wear and tear on the refrigerator's compressor, and won't overload circuits.



- Industry Best Warranty - 7 years on major components.

Refrigerators, Microwaves & Specialty Appliances



- Refrigerators from 1.0 cu. ft. to 18 cu. ft. including outdoor and glass door models.
- Microwaves from 0.7 cu. ft. to 1.6 cu. ft. including counter-top and over-the-range models.
- Specialty appliances including ranges, safes, beverage centers, wine coolers, and more.
- Industry Best Warranty - 24 months parts and labor.



How Our Warranties Work

Call or email us for more information about our warranty: Phone: (800) 637-7567 | Email: microfridge@microfridge.com



- 1 year parts & labor
- 7 years on major components (refrigerator compressor & sealed system and microwave magnetron)
- If the major components fail in the first 7 years, we ship a replacement refrigerator or microwave at no charge with free shipping.



- 1 year parts & labor
- 7 years on major components (refrigerator compressor & sealed system and microwave magnetron)
- If the major components fail in the first 5 years, we ship a replacement refrigerator or microwave at no charge with free shipping.



- 24 months parts & labor warranty
- Onsite service available
- Applies to all Danby® brand products purchased through the Hospitality Division

Microfridge® Combination Appliances

2.3 cu.ft Combination Unit

2.3MF4-7B1S

Combination Unit Dimensions: 35 9/16" (90.5 cm) H x 18 10/16" (47.3 cm) W x 19 13/16" (50.3 cm) D

Refrigerator Features

- 2 full-width wire shelves
- 2 half-width door shelves
- 2-liter bottle storage
- CanStor®
- Temperature control
- Auto-defrost
- Black interior
- Estar rated
- 223 kWh

Cabinet Features

- Bevel-edge, Tri-Panel door design
- Integrated door handle
- Cord management hinge clip system
- Reversible door hinge
- Leveling legs
- Flush back design
- 5.5 ft (1.69 meters) cord

Microwave Features

- NEW internal smoke sensor
- NEW USB charging station with 4 amps max for the 2 USBports and one charging station
- Easy-grip pull door
- Express cook settings
- Programmed cooking options
- LED display and clock
- Signal beeper with adjustable volume
- Removable 10 11/16" (27.1 cm) glass carousel
- 5.0 ft (1.5 meters) cord

Shown in true stainless steel. Also available in classic white or classic black.

Similar Model: Available in black and stainless steel.

Safe plug only: 2.3MF4-7A1 - Smoke Sensor: 2.3MF4-7B1

Industry Best Warranty - 7 years on major components.

3.1 cu.ft Combination Unit

3.1MF7-7B1S

Combination Unit Dimensions: 44" (111.76 cm) H x 18 11/16" (47.4 cm) W x 19 11/16" (50.0 cm) D

Refrigerator Features

- 1 full-width wire shelf
- 2 3/4-width door shelves
- CanStor®
- Temperature control
- Manual defrost
- Transparent crisper
- White interior
- Environmentally friendly R600a refrigerant
- Estar Rated
- 195 kWh

Cabinet Features

- Bevel-edge, Tri-Panel door design
- Recessed door handle
- Cord management hinge clip system
- Reversible door hinge
- Leveling legs
- Flat back design
- 5.25 ft (1.60 meters) cord

Microwave Features

- NEW internal smoke sensor
- NEW USB charging station with 4 amps max for the 2 USB ports and one charging station
- Easy-grip pull door
- Express cook settings
- Programmed cooking options
- LED display and clock
- Signal beeper with adjustable volume
- Removable 10 11/16" (27.1 cm) glass carousel
- 5.0 ft (1.5 meters) cord

Shown in spotless steel. Also available in classic black.

Similar Model: Available in black and stainless steel.

Safe plug only: 3.1MF4-7A1 - Smoke Sensor: 3.1MF4-7B1

Industry Best Warranty - 7 years on major components.

Freezer Features

- True zero-degree freezer
- Manual defrost
- Full-width door shelf

Microfridge® Safe Plug™ Combination Appliances

2.6 Cu. Ft. Combination Unit

2.6MF4-7A1

Combination Unit Dimensions: 17 13/16 in. (45.2 cm) W x 36 15/16 in. (93.8 cm) H x 20 1/16 in. (50.9cm) D

Refrigerator Features

- CanStor® beverage dispenser
- 2 full and 1 half shelves for maximum storage versatility
- 2 liter bottle storage
- Reversible door hinge
- Environmentally friendly R600a refrigerant
- Annual energy consumption 228 kWh

Microwave Features

- Simple one touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, and reheat)
- 3 specialty programs (cook by weight, defrost by weight, speed defrost)
- Microwave display panel in English or French
- Easy to read LED timer/clock

Similar Model: Available in black and stainless steel.

Safe plug only: 2.6MF4-7A1 - Smoke Sensor: 2.6MF4-7B1

Industry Best Warranty - 7 years on major components.



MicroFridge® Combination Appliances can be used attached to each other or separated for installation into cabinets.

Microfridge® Safe Plug™ Combination Appliances

3.1 Cu. Ft. Combination Unit

3.1MF7-7A1

A 3.1 cu. ft. (87 liter) compact refrigerator with true zero-degree freezer, 0.7 cu. ft. (20 liter) , 700 watt, and 250 kWh annual energy consumption microwave.

Combination Unit Dimensions: 18 11/16 in. (47.4 cm) W x 43 12/16 in. (111.1 cm) H x 19 11/16 in. (50.0 cm) D

Refrigerator Features

- CanStor® beverage dispenser
- 1 full shelf
- 2 liter bottle storage
- Reversible door hinge
- Cord length: 5.25 ft. (160 cm)
- Environmentally friendly R600a refrigerant
- Annual energy consumption 250 kWh
- True zero-degree freezer

Microwave Features

- Simple one touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, and reheat)
- 3 specialty programs (cook by weight, defrost by weight, speed defrost)
- Microwave display panel in English or French
- Easy to read LED timer/clock
- Cord length: 6.0 ft. (182.9 cm)

Industry Best Warranty - 7 years on major components.



3.2 Cu. Ft. Combination Unit

3.2MF4-7A1

A 3.2 cu. ft. (91.57 liter) compact refrigerator with auto-defrost and a 0.7 cu. ft. (20 liter) 700 watt microwave.

Combination Unit Dimensions: 17 13/16 in. (45.2 cm) W x 43 in. (109.2 cm) H x 18 8/16 in. (50.9 cm) D

Refrigerator Features

- Silent defrost timer
- Digital thermostat
- CanStor® beverage dispenser
- 2 full and 1 half shelves for maximum storage versatility
- Full-width ice compartment
- 2 liter bottle storage
- Reversible door hinge
- Annual energy consumption 258 kWh

Microwave Features

- Simple one touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, and reheat)
- 3 specialty programs (cook by weight, defrost by weight, speed defrost)
- Microwave display panel in English or French
- Easy to read LED timer/clock
- Cord length: 6.0 ft. (182.9 cm)

Industry Best Warranty - 7 years on major components.



3.3 Cu. Ft. Combination Unit

3.3MF4-7A1

A 3.3 cu. ft. (93.52 liter) compact refrigerator with auto-defrost and a 0.7 cu. ft. (20 liter) 700 watt microwave.

Combination Unit Dimensions: 17 13/16 in. (45.2cm) W x 43 in. (109.2 cm) H x 20 1/16 in. (51.0 cm) D

Refrigerator Features

- CanStor® beverage dispenser
- 1 full and 3 half shelves for maximum storage versatility
- 2 liter bottle storage
- Reversible door hinge
- Environmentally friendly R600a refrigerant
- Annual energy consumption 259 kWh

Microwave Features

- Simple one touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, and reheat)
- 3 specialty programs (cook by weight, defrost by weight, speed defrost)
- Microwave display panel in English or French
- Easy to read LED timer/clock
- Cord length: 6.0 ft. (182.9 cm)

Industry Best Warranty - 7 years on major components.



MicroFridge® with Safe Plug™ Combination Appliances can be used attached to each other or separated for installation into cabinets.

Compact All-Refrigerators

All-Refrigerator: Refrigeration only, no freezer compartment



DAR010A1BDB

1.0 cu. ft. compact all-refrigerator with automatic defrost

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 241 kWh
- Quiet Operation at 37db
- Cord Length - 61"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45 cm)
Depth 17 11/16 in. (45 cm)
Height 19 13/16 in. (50.3 cm)

Only Available in black.



DAR016A1BDB

1.6 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 245 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45 cm)
Depth 17 11/16 in. (45 cm)
Height 19 13/16 in. (50.3 cm)

Shown in black. Also available in spotless steel - Model DAR016A1BSLDB



DAR017A2BDD

1.7 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 221 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45 cm)
Depth 20 1/16 in. (51 cm)
Height 20 1/16 in. (51 cm)

Only available in black.



DAR022A1SLDB

2.2 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Reversible Door Hinging
- Smooth Back Design
- Glass Shelves
- Interior Light
- Energy Rating: 208 kWh
- Cord Length - 61"
- 24 Month Warranty

Unit Dimensions:

Width 18 11/16" (47.4 cm)
Depth 17" (43.2 cm)
Height 24 15/16" (63.3 cm)

Shown in spotless steel. Also available in black - Model DAR022A1BDB



DAR026A1BDD

2.6 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 253 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45 cm)
Depth 20 1/16 in. (51 cm)
Height 26 15/16 in. (68.5 cm)

Shown in black. Also available in white - Model DAR026A1WDD

Compact All-Refrigerators

All-Refrigerator: Refrigeration only, no freezer compartment



DAR033A1BDD

3.3 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 259 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16" (45.0 cm)
Depth 20 1/16" (51.0 cm)
Height 33 1/16" (84.0 cm)

Shown in black. Also available in white - Model DAR033A1WDD.



DAR044A4BDD

4.4 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Interior Light
- Energy Rating: 268 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 20 11/16" (52.6 cm)
Depth 20 14/16" (53.0 cm)
Height 32 11/16" (83.1 cm)

Shown in black. Also available in white - Model DAR044A4WDD and in spotless steel - Model DAR044A5BSLDD with glass shelves.

Compact Commercial Glass Door Refrigerators



DAG016A2BDB

1.6 cu. ft. compact all-refrigerator with see-through glass door.

Features

- Automatic Defrost
- NSF7 Commercially Certified
- Includes Integrated Door lock and key
- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 328.5 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45.0 cm)
Depth 19 11/16 in. (50.0 cm)
Height 20 1/4 in. (51.5 cm)



DAG026A2BDB

2.6 cu. ft. compact all-refrigerator with see-through glass door.

Features

- Automatic Defrost
- NSF7 Commercially Certified
- Includes Integrated Door lock and key
- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 525.6 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 1/2 in. (44.5 cm)
Depth 19 11/16 in. (50.0 cm)
Height 27 1/8 in. (68.9 cm)

Compact Refrigerators

Compact fridge comes with a full-width freezer compartment



DCR016A3BDB

1.6 cu. ft. compact refrigerator with full-width ice compartment and semi-automatic defrost

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 207 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16" (44.9 cm)
Depth 18 1/2" (47.0 cm)
Height 19 3/4" (50.2 cm)

Shown in black. Also available in white - Model DCR016A3WDB and in spotless steel - Model DCR016A3BSLDD.



DCR032A2BSLDD

3.2 cu. ft. compact refrigerator with full-width ice compartment and semi-automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Energy Rating: 218 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16" (44.9 cm)
Depth 18 8/16" (47.0 cm)
Height 32 11/16" (83.1 cm)

Shown in spotless steel. Also available in black - Model DCR032A2BDD and in white - Model DCR032A2WDD.



DCR044A2BSLDD

4.4 cu. ft. compact refrigerator with full-width ice compartment and semi-automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Energy Rating: 226 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 20 11/16" (52.6 cm)
Depth 20 14/16" (53.0 cm)
Height 32 11/16" (83.1 cm)

Shown in spotless steel. Also available in black - Model DCR044A2BDD and in white - Model DCR044A2WDD.



DCR031B1BSLDD

3.1 cu. ft. compact refrigerator with true-zero degree freezer and cycle defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Interior Light
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 18 14/16" (48.0 cm)
Depth 19 11/16" (50.0 cm)
Height 33 7/16" (85.0 cm)

Shown in spotless steel. Also available in white - Model DCR031B1WDD.

Glass Cooktops



DRC12B1DBD

Danby 12-inch Radiant Cooktop

Features

- 2-burner cooktop (2 x 6.5")
- 9-power level ceramic glass cooktop
- Intuitive light touch controls
- 36 Month Warranty

Unit Dimensions:

Width 11 1/4" (28.8 cm)
Depth 20 1/2" (52 cm)
Height 2" (5.1 cm)



DIC12B1DBD

Danby 12-inch Induction Cooktop

Features

- 2-burner cooktop (6" and 8")
- 9-power level ceramic glass cooktop
- Intuitive light touch controls
- 36 Month Warranty

Unit Dimensions:

Width 11 1/4" (28.8 cm)
Depth 20 1/2" (52 cm)
Height 2 1/4" (5.7 cm)

Refrigerator Tray



DRT-001

Protect your case goods from moisture and scratching

Features

- Durable Textured Finish
- Rust-resistant Plastic
- Non-Slip PEVA Tape on Bottom Four Corners
- Raised Tray Lip Holds 50 Ounces of Liquid
- Sold in Cases of 10

Unit Dimensions:

Width 21" (53.3 cm)
Depth 1/2" (13 cm)
Height 19 3/4" (50.2 cm)

Available in black only.

DET-001 (Package of 10)

DRT-001EA (individual purchase)

Outdoor Refrigerators



DAR033A1BSLDBO

3.3 cu. ft. outdoor refrigerator with automatic defrost

Features

- Tested to Operate in a Tropical Environment
- 4 Rust-Resistant Castors
- Integrated Door Lock
- Field Reversible Hinging
- Smooth Back Design
- Interior Light
- 259 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16" (44.9 cm)
Depth 20 1/16" (50.9 cm)
Height 33 1/16" (83.9 cm)



DAR044A6BSLDBO

4.4 cu. ft. outdoor refrigerator with automatic defrost

Features

- Tested to Operate in a Tropical Environment
- 4 Rust-Resistant Castors
- Integrated Door Lock
- Field Reversible Hinging
- Smooth Back Design
- Interior Light
- 268 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 20 3/4" (52.7 cm)
Depth 21 5/16" (54.1 cm)
Height 33 1/16" (84.0 cm)



DAR044A1SSO

4.4 cu. ft. outdoor refrigerator with automatic defrost

Features

- Tested to Operate in a Tropical Environment
- Integrated Door Lock
- Reversible door hinge
- Smooth Back Design
- Interior Light
- 268 kWh
- Cord Length - 61"
- 24 Month Warranty

Unit Dimensions:

Width 20 12/16" (52.7 cm)
Depth 20 10/16" (52.4 cm)
Height 33 7/16" (85.0 cm)

Mid-Size Refrigerators



DPF074B2BSLDB

7.4 cu. ft. refrigerator with manual defrost

Features

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Interior Light
- Energy Rating: 342 kWh
- Cord Length - 71"
- 24 Month Warranty

Unit Dimensions:

Width 21 13/16" (55.4 cm)
Depth 21 14/16" (55.5 cm)
Height 56 5/16" (143.0 cm)

Shown in spotless steel.

Also available in white - Model DPF074B2WDB-6 - Black Model DPF074B2BDB-6



DBMF100B1SLDB

10.3 cu. ft. refrigerator with bottom-mount freezer

Features

- Integrated Door Handle
- Bottom-Mount Freezer
- Glass Shelves
- Interior Light
- Energy Rating: 384 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 20 12/16" (60.2 cm)
Depth 23 10/16" (60.0 cm)
Height 73 13/16" (187.5 cm)

Shown in stainless steel. Also available in white - Model DBMF100B1WDB



DFF101B1BSSDB

10.1 cu. ft. refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Interior Light
- Energy Rating: 297 kWh
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 23 7/16" (59.5 cm)
Depth 26 1/8" (66.4 cm)
Height 59 1/2" (151.1 cm)

Only available in spotless steel.



DFF142E1SSDB

14.2 cu. ft. refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Interior Light
- Energy Rating: 333 kWh
- Cord Length - 78"
- 24 Month Warranty

Unit Dimensions:

Width 27 9/16" (70.0 cm)
Depth 28 12/16" (73.1 cm)
Height 61 4/16" (155.5 cm)

Optional Ice Maker Accessory: DAIM224

- 115V 60Hz 6W
- Produces up to 2.7 pounds of ice a day
- Stores up to 5.5 pounds of ice
- NSF 61 & 372 Compliant for all states

Shown in stainless steel. Also available in white - Model DFF142E1WDB

Extended Stay Suite



DFF180E2SSDB

18 cu. ft. stainless steel refrigerator with top-mount freezer.

Unit Dimensions:

Width 29 8/16 in. (74.9 cm)
Depth 32 13/16 in. (83.3 cm)
Height 64 14/16 in. (164.8 cm)

Optional Ice Maker Accessory:

DAIM224

- 115V 60Hz 6W
- Produces up to 2.7 pounds of ice a day
- Stores up to 5.5 pounds of ice
- NSF 61 & 372 Compliant for all states

Only available in stainless steel, color shown.



DFF101B1BSSDB

10.1 cu. ft. stainless steel refrigerator with top-mount freezer.

- Energy Rating: 287 kWh

Unit Dimensions:

Width 29 8/16 in. (74.9 cm)
Depth 32 13/16 in. (83.3 cm)
Height 64 14/16 in. (164.8 cm)

Only available in stainless steel, color shown.



DDW2404EBSS

24" built-in stainless steel dishwasher.

Features

- Drain hose included.
- Power cord and connector hoses not included.

Unit Dimensions:

Width 23 10/16 in. (60.0 cm)
Depth 23 13/16 in. (58.0 cm)
Height 32 8/16 in. (82.5 cm)

Only available in stainless steel, color shown.



DDW18D1ESS

18" built-in stainless steel dishwasher.

Features

- Drain hose included.
- Power cord and connector hoses not included.

Unit Dimensions:

Width 17 5/8 in. (44.77 cm)
Depth 22 7/16 in. (56.99 cm)
Height 34 1/4 in. (87 cm)

Shown in stainless steel. Also available in black - Model DDW18D1EB and white - Model DDW18D1EW



DOM1741BSSDB

1.7 cu. ft. Over The Range Microwave Oven in Stainless Steel

Features

- Sensor reheat
- 300 CFM vented fan
- Over-the-range installation

Unit Dimensions:

Width 29 7/8 in. (75.9 cm)
Depth 15 3/8 in. (39.12 cm)
Height 16 3/8 in. (41.66 cm)

Only available in stainless steel, color shown.



DOM014401G1

1.4 cu. ft. Over The Range Microwave Oven

Features

- Sensor reheat
- 300 CFM vented fan
- Over-the-range installation

Unit Dimensions:

Width 29 13/16 in. (75.9 cm)
Depth 18 3/16 in. (46.2 cm)
Height 16 14/16 in. (42.9 cm)

Only available in stainless steel, color shown.



DBMW1126BBS

1.1 cu. ft. Countertop Microwave in Black and Stainless Steel

Features

- Express cook buttons
- Auto defrost options
- Child safety lock

Unit Dimensions:

Width 20 3/8 in. (51.6 cm)
Depth 14 15/16 in. (38.00 cm)
Height 11 13/16 in. (30 cm)

Only available in stainless steel, color shown.

Microwaves



DBMW0720ABD

0.7 cu. ft microwave with 700 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length - 59"
- 24 Month Warranty

Unit Dimensions:

Width 17 9/16" (44.6 cm)
Depth 12 15/16" (32.8 cm)
Height 9 9/16" (24.3 cm)



DBMW0720ASD

0.7 cu. ft microwave with 700 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length - 41"
- 24 Month Warranty

Unit Dimensions:

Width 17 9/16" (44.6 cm)
Depth 12 15/16" (32.8 cm)
Height 9 9/16" (24.3 cm)



DBMW0720AWD

0.7 cu. ft microwave with 700 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length - 41"
- 24 Month Warranty

Unit Dimensions:

Width 17 9/16" (44.6 cm)
Depth 12 15/16" (32.8 cm)
Height 9 9/16" (24.3 cm)



DBMW0921BBB

0.9 cu. ft microwave with 900 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length - 41"
- Child Safety Lock
- 24 Month Warranty

Unit Dimensions:

Width 18 5/8" (48.58 cm)
Depth 13 3/8" (36.99 cm)
Height 10 11/16" (29.37 cm)

Shown in black. Also available in white - Model DBMW0921BWW and in stainless steel - Model DBMW0924BBS.



DBMW1121BBB

1.1 cu. ft microwave with 1000 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length - 41"
- Child Safety Lock
- 24 Month Warranty

Unit Dimensions:

Width 20 3/8" (51.3 cm)
Depth 14 15/16" (40.0 cm)
Height 11 13/16" (30.6 cm)

Shown in black. Also available in white - Model DBMW1121BWW.



DDMW1126BBS

1.1 cu. ft microwave with 1000 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length - 41"
- Child Safety Lock
- 24 Month Warranty

Unit Dimensions:

Width 20 3/16" (51.3 cm)
Depth 15 13/16" (40.2 cm)
Height 12 1/16" (30.6 cm)

Only available in stainless steel.



DER203BSS

20" Free Standing Electric Coil Range

Features

- 2.3 cu. ft. Oven Capacity
- Easy-clean Interior
- No Power Cord Supplied
- 24 Month Warranty

Unit Dimensions:

Width 19 3/4" (50.2 cm)
Depth 23 3/4" (60.4 cm)
Height 41 3/4" (106.0 cm)

Shown in stainless steel. Also available in white - Model DER203W and in black - Model DER203B



DR203BGLP

20" Free Standing Gas Range

Features

- 2.3 cu. ft. Oven Capacity
- Easy-clean Interior
- No Power Cord Supplied
- 24 Month Warranty.

Unit Dimensions:

Width 19 3/4" (50.2 cm)
Depth 23 3/4" (60.4 cm)
Height 41 3/4" (106.0 cm)

Shown in stainless steel. Also available in white - Model DR203WGLP and in black - Model DR203BGLP



DBC117A1BSSDB-6

This 120 can beverage cooler is small enough to place on counter-tops, while drinks stay secured with bottom mount lock.

Features

- Field Reversible Hinging
- Smooth Back Design
- Blue LED Lighting
- Door Lock
- 287 kWh
- Cord Length - 61"

Unit Dimensions:

Width 17 14/16" (45.5 cm)
Depth 19 12/16" (50.2 cm)
Height 33 11/16" (85.6 cm)



DBC026A1BSSDB

2.6 cu. ft. Free-Standing Beverage Center in Stainless Steel

Features

- Reversible Door Swing
- Cord Length - 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 8/16" (44.5 cm)
Depth 19 11/16" (50 cm)
Height 27 2/16" (68.9 cm)



DBC052A1BSS

5.2 cu. ft. Built-in Beverage Center in Stainless Steel

Features

- French Door design
- Cord Length - 61"
- 24 Month Warranty

Unit Dimensions:

Width 23 13/16" (60.5 cm)
Depth 25 6/16" (64.5 cm)
Height 34 12/16" (88.2 cm)



DBC057A1BSS

5.7 cu. ft. Built-in Beverage Center in Stainless Steel

Features

- Reversible Door Swing
- Cord Length - 61"
- 24 Month Warranty

Unit Dimensions:

Width 23 13/16" (60.5 cm)
Depth 24 2/16" (61.3 cm)
Height 35 1/16" (89 cm)

Climate Control



DAP143BAB-UV

Air Purifier - Ideal for any space up to 210 square feet

Features

- TRUE HEPA Filter: Captures 99.97% of airborne particles 0.3 microns
- Carbon activated pre-filter helps reduce odors from pets/smoke cooking
- High CADR: Smoke 135, Dust 145, Pollen 228
- 3 fan speeds with electronic controls
- Operates as low as 30dB
- Filter replacement indicator light
- AHAM verifide and ETL certified
- DAP143UV-F, replacement filter (SOLD Separately)*
- 24-month warranty on parts & labor with carry-in service

Unit Dimensions:

Width 6 14/16" (17.46 cm)
Depth 10 1/16" (25.40 cm)
Height 26 9/16" (66.04 cm)



DAP143BAW-UV

Air Purifier - Ideal for any space up to 210 square feet

Features

- TRUE HEPA Filter: Captures 99.97% of airborne particles 0.3 microns
- Carbon activated pre-filter helps reduce odors from pets/smoke cooking
- High CADR: Smoke 135, Dust 145, Pollen 228
- 3 fan speeds with electronic controls
- Operates as low as 30dB
- Filter replacement indicator light
- AHAM verifide and ETL certified
- DAP143UV-F, replacement filter (SOLD Separately)*
- 24-month warranty on parts & labor with carry-in service

Unit Dimensions:

Width 6 14/16" (17.46 cm)
Depth 10 1/16" (25.40 cm)
Height 26 9/16" (66.04 cm)



DAP290BAW

Air Purifier - Ideal for any space up to 450 square feet

Features

- Two TRUE HEPA Filters (Captures 99.97% of airborne particles 0.3 microns) with activated carbon pre-filter
- High CADR: Smoke 285, Dust 265, Pollen 280
- Four fan speeds with touch controls
- PM2.5 & VOC sensor included
- LED display of air status & quality
- Three modes: Auto, Sleep, Turbo
- Smart night mode
- Large visible filter air window
- Removable wheels for easy transportation
- Filter replacement indicator light
- AHAM verifide and ETL certified
- DAP143UV-F, replacement filter (SOLD Separately)*
- 24-month warranty on parts & labor with carry-in service

Unit Dimensions:

Width 12 3/16" (30.96 cm)
Depth 12 3/16" (30.96 cm)
Height 26 12/16" (67.95 cm)

Other Items We Offer: Wine Refrigeration | Kegerators | Freezers - Upright and Chest | Dehumidifiers |
Air Conditioners - Portable, Window, Thru-the-Wall, Mini Split, PTAC, and Vertical

Packaged Terminal Air Conditioners - PTACs



DPTA070HEB2WDB

7000 BTU Terminal Air Conditioner with heat pump

Features

- Powerful 3 fan speeds for variable air flow
- Uses eco-friendly R32 refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Auto-restart
- High efficiency compressor provides durability & efficiency
- Freeze protection protects the air conditioning coils
- 5 years warranty on parts & labor with in-home service

Unit Dimensions:

Width 42.01" (106.71 cm)
Depth 23.9" (60.71 cm)
Height 15.98" (40.59 cm)



DPTA090HEB2WDB

9000 BTU Terminal Air Conditioner with heat pump

Features

- Powerful 3 fan speeds for variable air flow
- Uses eco-friendly R32 refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Auto-restart
- High efficiency compressor provides durability & efficiency
- Freeze protection protects the air conditioning coils
- 5 years warranty on parts & labor with in-home service

Unit Dimensions:

Width 42.01" (106.71 cm)
Depth 23.9" (60.71 cm)
Height 15.98" (40.59 cm)



DPTA120HEB2WDB

12000 BTU Terminal Air Conditioner with heat pump

Features

- Powerful 3 fan speeds for variable air flow
- Uses eco-friendly R32 refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Auto-restart
- High efficiency compressor provides durability & efficiency
- Freeze protection protects the air conditioning coils
- 5 years warranty on parts & labor with in-home service

Unit Dimensions:

Width 42.01" (106.71 cm)
Depth 23.9" (60.71 cm)
Height 15.98" (40.59 cm)



DPTA150HEB2WDB

15000 BTU Terminal Air Conditioner with heat pump

Features

- Powerful 3 fan speeds for variable air flow
- Uses eco-friendly R32 refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Auto-restart
- High efficiency compressor provides durability & efficiency
- Freeze protection protects the air conditioning coils
- 5 years warranty on parts & labor with in-home service

Unit Dimensions:

Width 42.01" (106.71 cm)
Depth 23.9" (60.71 cm)
Height 15.98" (40.59 cm)



DPSL120B1W

PTAC sleeve is designed for use with Danby Packaged Terminal Air Conditioners. It is designed for air conditioners with the dimensions: 42.01" (W) x 20.94" (D) x 15.98" (H)

Unit Dimensions:

Width 42.01" (106.71 cm)
Depth 14.80" (37.6 cm)
Height 16.06" (40.8 cm)

Architectural Grill - Sold Separately - Special Order

Part# Z01116-A

Standard aluminum finish, architectural louvered grill for use with DPSL120B1W PTAC Sleeves.































Specifications

Danby Compact All Refrigerators

Glass

Danby Compact Refrigerators


	DAR017A2BDD	DAR010A1BDB	DAR016A1BDB	DAR022A1BSLDB	DAR026A1BDD/WDD	DAR033A1BDD/WDD	DAR044A4BDD/WDD	DAR044A1SSO	DAG016A2BDB	DAG026A2BDB	DCR016A3BDB	DCR031B1BSLDD	DCR032A2BSLDD/BDD/WDD	DCR044A2BSLDD/BDD/WDD
Capacity	1.7 cu. ft. (49 L)	1.0 cu. ft. (29 L)	1.6 cu. ft. (45 L)	2.2 cu. ft. (61 L)	2.6 cu. ft. (73 L)	3.3 cu. ft. (93.5 L)	4.4 cu. ft. (124 L)	4.4 cu. ft. (124 L)	1.6 cu. ft. (45.4 L)	2.6 cu. ft. (74.4 L)	1.6 cu. ft. (87.0 L)	3.1 cu. ft. (87.0 L)	3.2 cu. ft. (92.0 L)	4.4 cu. ft. (126 L)
Freezer Type/ Capacity	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Ice Compartment	True-zero degree freezer/0.87 cu. ft.	Ice Compartment /0.31 cu. ft.	Ice Compartment /0.45 cu. ft.
Exterior Color														
Interior Color														
Reversible Hinge	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handle Type	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Full Shelves	1	0	1	1	2	1	2	2	2	3	0	1	1	2
Half Shelves	1	1	1	1	1	3	1	1	0	0	1	0	1	1
Door Shelves	1 ½ width	1 ½ width	1 ½ width	1 ½ width	2 ¾ width	1 full, 2 ¾ width	1 full, 2 ¾ width	1 full, 2 ¾ width	N/A	N/A	1 ½ width	2 ½ width	1 full, 2 ¾ width	1 full, 2 ¾ width
Crisper	No	No	No	No	No	No	No	Yes	No	No	Yes	Yes	No	No
Upright 2-liter bottle storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Canstor® Beverage Dispenser	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Defrost	Automatic	Defrost Drain	Defrost Drain	Defrost Drain	Automatic	Automatic	Automatic	Defrost Drain	Defrost Drain	Defrost Drain	Cycle	Cycle	Semi-Automatic	Semi-Automatic
Cord Length	63"	61"	63"	61"	63"	63"	63"	61"	63"	63"	63"	60"	63"	63"

UNIT DIMENSIONS														
Width	17 11/16" (45.0 cm)	15 1/8" (38.4 cm)	17 11/16" (44.9 cm)	18 11/16" (47.4 cm)	17 11/16" (45.0 cm)	17 11/16" (45.0 cm)	20 11/16" (52.6 cm)	20 12/16" (52.7 cm)	17 11/16" (45.0 cm)	17 1/2" (44.5 cm)	17 11/16" (44.9 cm)	18 7/8" (48.0 cm)	17 11/16" (45.0 cm)	20 11/16" (52.6 cm)
Height	20 1/16" (51.0 cm)	19 1/16" (49.0 cm)	19 13/16" (50.3 cm)	24 15/16" (63.3 cm)	26 15/16" (68.5 cm)	33 1/16" (84.0 cm)	32 11/16" (83.1 cm)	33 7/16" (85.0 cm)	20 1/4" (54.0 cm)	27 1/8" (68.9 cm)	19 1/4" (50.1 cm)	33 7/16" (85.0 cm)	32 11/16" (83.1 cm)	32 11/16" (83.1 cm)
Depth	20 1/16" (51.0 cm)	16 1/8" (41.0 cm)	17 11/16" (44.9 cm)	17" (43.2 cm)	20 1/16" (51.0 cm)	20 1/16" (51.0 cm)	20 7/8" (53.0 cm)	20 10/16" (52.4 cm)	19 11/16" (50.0 cm)	19 11/16" (50.0 cm)	18 1/2" (47.0 cm)	19 11/16" (50.0 cm)	18 1/2" (47.0 cm)	20 7/8" (53.0 cm)
Weight	40.4 lbs (18.3 kg)	30.86 lbs (14.0 kg)	34.2 lbs (15.5 kg)		45.7 lbs (20.7 kg)	51.7 lbs (23.5 kg)	57.8 lbs (26.2 kg)	64.37 lbs (29.2 kg)	43.4 lbs (19.7 kg)	56.9 lbs (23.6 kg)	37.2 lbs (16.87 kg)	50.7 lbs (23.0 kg)	47.4 lbs (21.5 kg)	57.8 lbs (26.3 kg)

CARTON DIMENSIONS														
Width	18 1/8" (46.0 cm)	16 1/8" (41.0 cm)	18 1/8" (46.0 cm)	19 11/16" (50.0 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	22 1/4" (56.5 cm)	22 4/16" (56.5 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	19 11/16" (50.0 cm)	18 1/8" (46.0 cm)	22 1/16" (56.5 cm)
Height	21 7/16" (54.5 cm)	20 11/16" (52.6 cm)	20 7/8" (53.0 cm)	26 6/16" (67.0 cm)	21 1/8" (71.5 cm)	34 5/8" (88.0 cm)	34 5/8" (88.0 cm)	34 10/16" (88.0 cm)	21 1/4" (54.0 cm)	28 1/16" (71.2 cm)	20 7/8" (53.0 cm)	34 13/16" (88.5 cm)	34 1/16" (86.5 cm)	34 5/8" (88.0 cm)
Depth	21 1/4" (54.0 cm)	17 5/16" (44.0 cm)	19 5/16" (49.0 cm)	18 5/16" (46.5 cm)	21 1/4" (54.0 cm)	21 1/4" (54.0 cm)	22 5/8" (57.5 cm)	22 10/16" (57.5 cm)	21 1/4" (54.0 cm)	21 1/4" (54.0 cm)	19 11/16" (50.0 cm)	21 1/4" (54.0 cm)	19 11/16" (50.0 cm)	22 5/8" (57.5 cm)
Weight	44.1 lbs (20.0 kg)	34.17 lbs (15.5 kg)	38.6 lbs (17.5 kg)	44.1 lbs (20.0 kg)	50.2 lbs (22.8 kg)	56.6 lbs (25.7 kg)	64.4 lbs (29.2 kg)	70.77 lbs (32.1 kg)	48.3 lbs (21.9 kg)	56.9 lbs (25.8 kg)	40.5 lbs (18.35 kg)	55.1 lbs (25.0 kg)	52.4 lbs (23.4 kg)	64.3 lbs (25.0 kg)







MISCELLANEOUS														
Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Energy (kWh/year)	221	241	245	208	253	259	268	268	328.5	401.5	207	319	218	226
R600a	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes			Yes	Yes	Yes	Yes
Warranty	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor







Specifications



Mid-Size Refrigerators				Specialty Refrigerators			
	DPF074B2BSLDB	DBMF100B1SLDB	DFF101B1BSSDB	DFF142E1SSDB	DFF180E2SSDB	DFF092C1BSLDB	DFF101B1BSSDB
Capacity	7.4 cu. ft. (209.5 L)	10.0 cu. ft. (283 L)	10.1 cu. ft. (291.5 L)	14.2 cu. ft. (402 L)	18. cu. ft. (511 L)	9.2 cu. ft. (260 L)	10.1 cu. ft. (290 L)
Freezer Type/ Capacity	Top mount 1.3 cu. ft. (37.2 L)	Bottom mount 3.1 cu. ft. (86.7 L)	Top mount 2.4 cu. ft. (68.0 L)	Top mount 14.2 cu. ft. (402 L)	Top mount 4.1 cu. ft. (115 L)	Bottom mount 2.37 cu. ft. (67.1 L)	Top mount 2.37 cu. ft. (67.1 L)
Exterior Color							
Interior Color							
Reversible Hinge	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handle Type	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Full Shelves	3	2	2	2	3	2	2
Half Shelves	0	0	0	1	0	0	0
Door Shelves		3 full/3 full	4 full	4 full	2 full, 3 1/2 width	1 full, 2 3/4 width	4 full
Crisper	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Upright 2-Liter Bottle Storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CanStor® Beverage Dispenser	Yes	Yes	No	No	No	No	No
Defrost	Manual	Automatic	Frost Free	Frost Free	Frost Free	Automatic	Frost Free
Cord Length		63" 71"	63"	78"	63"	71"	63"
UNIT DIMENSIONS							
Width	21 13/16" (55.4 cm)	23 11/16" (60.2 cm)	23 3/4" (60.0 cm)	27 9/16" (70.0 cm)	29 1/2" (74.9 cm)	23 13/16" (60.5 cm)	23 7/16" (59.53 cm)
Height	56 5/16" (143.0 cm)	73 13/16" (187.5 cm)	58 5/8" (149.1 cm)	61 4/16" (155.5 cm)	64 7/8" (164.8 cm)	59 13/16" (151.9 cm)	59 1/2" (151.1 cm)
Depth	21 14/16" (55.5 cm)	23 10/16" (60.0 cm)	26 3/4" (68.0 cm)	28 12/16" (73.1 cm)	32 13/16" (83.3 cm)	26 7/16" (67.1 cm)	26 1/8" (66.36 cm)
Weight	83.78 lbs (38.0 kg)	124.3 lbs (56.4 kg)	135.0 lbs (61.2 kg)	137.0 lbs (62.5 kg)	176.37 lbs (80.0 kg)	125.7 lbs (57.0 kg)	121.25 lbs (55.0 kg)
CARTON DIMENSIONS							
Width	22 10/16" (57.5 cm)	25 3/16" (64.0 cm)	25 9/16" (65.4 cm)	29 5/16" (74.5 cm)	30 11/16" (78.0 cm)	25 9/16" (65.4 cm)	25 5/8" (65.09 cm)
Height	57 14/16" (147.0 cm)	76 5/16" (193.9 cm)	60 1/4" (153.0 cm)	63 9/16" (153.0 cm)	69 7/8" (177.5 cm)	62 3/8" (158.4 cm)	62 5/8" (159.07 cm)
Depth	23 4/16" (59.0 cm)	25 3/16" (64.0 cm)	29 1/4" (74.3 cm)	30 2/16" (76.5 cm)	32 11/16" (83.1 cm)	28 3/4" (73.0 cm)	27 15/16" (70.96 cm)
Weight	92.6 lbs/ 42.0 kg	138.9 lbs/ 63.0 kg	144.0 lbs/ 65.3 kg	154.32 lbs/ 70.0 kg	198.42 lbs/ 90.0 kg	138.9 lbs/ 63.0 kg	132.28 lbs/ 60.0 kg
MISCELLANEOUS							
Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Energy (kWh/year)	342	384	297	333	398	374	330
R600a	Yes	Yes	No	Yes	No	No	Yes
Warranty	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor

For more information, visit www.MicroFridge.com

























Specifications

Specialty Appliances						
	DER203BSS	DR202BSSGLP	DBC117A1BSSDB-6	DWC018A1BDB	DRC12B1DBD	DIC12B1DBD
Capacity	2.3 cu. ft. oven capacity	2.3 cu. ft. oven capacity	3.1 cu. ft./88 liters	16 (750ml) bottles	N/A	N/A
Temp. Range			2°C-10°C (35.6°F 50°F)	6°C-14°C (43°F - 57°F)		
Exterior Color						
Full Shelves	2	2	2	1	0	0
Half Shelves	0	0	0	1	0	0
Door handle	Integrated	Integrated	Side Pocket	Side Pocket	N/A	N/A
Interior Light	No	No	Yes	Yes	N/A	N/A
Reversible Door Hinge	No	No	Yes	Yes	N/A	N/A
Door Lock	N/A	N/A	Yes	No	N/A	N/A
UNIT DIMENSIONS						
Width	23 10/16" (60.0 cm)	19 3/4" (50.2 cm)	17 1/2" (44.5 cm)	17 1/2" (44.5 cm)	11 5/16" (28.8 cm)	11 5/16" (28.8 cm)
Height	32 1/2" (82.5 cm)	41 3/4" (106.0 cm)	32 13/16" (83.3 cm)	20 1/16" (51.0 cm)	2 1/16" (5.2 cm)	2 3/16" (5.6 cm)
Depth	22 13/16" (82.5 cm)	23 3/4" (60.4 cm)	19 11/16" (50.0 cm)	19 7/8" (50.5 cm)	20 1/2" (52.0 cm)	20 1/2" (52.0 cm)
CARTON DIMENSIONS						
Width	26 3/8" (67.0 cm)	22 5/16" (56.7 cm)	19 5/16" (49.0 cm)	18 1/8" (49.0 cm)	22 3/16" (56.3 cm)	22 3/16" (56.3 cm)
Height	35 7/16" (90.0 cm)	42 7/8" (108.8 cm)	35 13/16" (91.0 cm)	21 5/8" (54.9 cm)	4 5/16" (11.0 cm)	4 5/16" (11.0 cm)
Depth	26 3/8" (67.0 cm)	29 1/16" (73.8 cm)	22 1/4" (56.5 cm)	21 5/8" (55.0 cm)	13 3/4" (35.0 cm)	13 3/4" (35.0 cm)
Weight	78.26 lbs / 28 kg	69.7 lbs / 31.6 kg	72.75 lbs / 33.0 kg	51.81 lbs / 23.5 kg	11 lbs /5.0 kg	11 lbs /5.0 kg
MISCELLANEOUS						
Energy Star Rated	Yes	No	No	No	No	No
Warranty	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	36 months parts and labor	36 months parts and labor
Cord Length	No powercord supplied	No powercord supplied	61"	61"	43.3"	47.2"

Microwaves						
	DBMW0720BBB	DBMW0721BBS	DBMW0921BBB	DOM014401G1	DBMW1121BBB	DBMW1126BBS
Cook Power	700 watts	700 watts	900 watts	1000 watts	1000 watts	1000 watts
Capacity	0.7 cu. ft. (20 L)	0.7 cu. ft. (20L)	0.9 cu. ft. (25 L)	1.4 cu. ft. (38 L)	1.1 cu. ft. (31 L)	1.1 cu. ft. (31L)
Controls	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad
Power Levels	10	10	10	10	10	10
Simple One Touch Cooking	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Oven Light	Yes	Yes	Yes	Yes	Yes	Yes
Turntable	Yes	Yes	Yes	Yes	Yes	Yes
Exterior Color						
Cord Length	59"	41"	41"	39"	41"	41"
UNIT DIMENSIONS						
Width	17 5/16" (44.0 cm)	17 15/16" (45.5 cm)	18 5/8" (47.3 cm)	23 14/16" (60.6 cm)	20 3/8" (51.7 cm)	20 3/8" (51.7 cm)
Height	10 3/16" (25.9 cm)	10 3/16" (25.88 cm)	10 11/16" (27.2 cm)	17 8/16" (44.5 cm)	11 13/16" (30.0 cm)	11 13/16" (30.0 cm)
Depth	13 1/16" (33.1 cm)	13" (33.02 cm)	13 3/8" (34.0 cm)	16 11/16" (42.4 cm)	14 15/16" (38.0 cm)	14 15/16" (38.0 cm)
Weight	23.15 lbs/ 10.5 kg	23.81 lbs/ 10.8 kg	23.10 lbs/10.5 kg	51.81 lbs/ 23.5 kg	27.94 lbs/12.7 kg	27.94 lbs/12.7 kg
CARTON DIMENSIONS						
Width	19 3/16" (48.8 cm)	21 1/8" (53.6 cm)	20 1/16" (50.9 cm)	27 6/16" (69.5 cm)	22 1/2" (57.1 cm)	22 1/2" (57.1 cm)
Height	11 7/16" (29.1 cm)	13" (33.0 cm)	11 5/8" (29.5 cm)	21 4/16" (54.0 cm)	14 9/16" (37.0 cm)	14 14 9/16" (37.0 cm)
Depth	14 15/16" (38.0 cm)	16 5/16" (41.5 cm)	15 9/16" (39.5 cm)	20 4/16" (51.5 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)
Weight	23.15 lbs/ 10.5 kg	23.8 lbs/ 10.8 kg	27.5 lbs/12.5 kg	59.30 lbs/ 26.9 kg	34.76 lbs/15.8 kg	34.76 lbs/15.8 kg
MISCELLANEOUS						
Warranty	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor

Dishwashers		
	DDW2404EBSS	DDW1804EBSS
Capacity	12 place setting	8 place setting
Temp. Range	122°F(50°C),131°F(55°C), 140°F (60°C),149°F (65°C)	122°F(50°C),131°F(55°C), 140°F (60°C),149°F (65°C)
Exterior Color		
Full Shelves	N/A	N/A
Half Shelves	N/A	N/A
Door handle	Integrated	Integrated
Indicator Light	Yes	Yes
Reversible Door Hinge	No	No
Door Lock	N/A	N/A
UNIT DIMENSIONS		
Width	23 10/16" (60.0 cm)	17 11/16" (45.0 cm)
Height	32 1/2" (82.5 cm)	32 1/2" (82.5 cm)
Depth	22 13/16" (82.5 cm)	22 13/16" (82.5 cm)
CARTON DIMENSIONS		
Width	26 3/8" (67.0 cm)	20 11/16" (52.5 cm)
Height	35 7/16" (90.0 cm)	35 7/16" (90.0 cm)
Depth	26 3/8" (67.0 cm)	26 3/8" (67.0 cm)
Weight	78.26 lbs / 28 kg	66.14 lbs / 30 kg
MISCELLANEOUS		
Energy Star Rated	Yes	Yes
Warranty	24 months parts and labor	24 months parts and labor
Cord Length	Hard Wired	Hard Wired

Specifications

MicroFridge®			Danby® One Plug by MicroFridge®			
	2.3MF4-7B1	3.1MF7-7B1	2.6SMF4-7A1	3.1MF7-7A1	3.2MF4-7A1	3.3MF4-7A1
CAPACITY						
Refrigerator	2.3 cu. ft. /64.6 liters	2.2 cu. ft. /62.1 liters	2.6 cu. ft. /73.0 liters	2.2 cu. ft. /62 liters	3.2 cu. ft. /92liters	3.3 cu. ft. /93.5 liters
Freezer	N/A	0.87 cu. ft. /24.7 liters	N/A	0.90 cu. ft. /24.7 liters	N/A	N/A
Total Volume	2.3 cu. ft. / 64.6 liters	3.1 cu. ft. / 87.0 liters	2.6 cu. ft. / 73.0 liters	3.1cu. ft. / 87.0 liters	3.2 cu. ft. / 92liters	3.3 cu. ft. / 93.5 liters
FREEZER FEATURES						
Type	N/A	True Zero-Degree	N/A	True Zero-Degree	Ice Compartment	N/A
Defrost	N/A	Manual	N/A	N/A	N/A	N/A
Shelves	N/A	N/A	N/A	N/A	N/A	N/A
Door Shelves	N/A	1 full-width	N/A	N/A	N/A	N/A
Ice Cube Tray	No	No	No	No	No	No
REFRIGERATOR SPECIFICATIONS						
Exterior Color						
Interior Color						
Reversible Door Hinge	Yes	Yes	Yes	Yes	Yes	Yes
Tri-Panel Door	Yes	Yes	No	No	No	No
Handle Type	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed
Full Shelves	2	1	2	1	2	1
Half Shelves	0	0	0	0	0	3
Door Shelves	2 half-shelves	2 ¾ half-shelves	2 ¾ width shelves	2 ¾ width shelves	1 full, 2 ¾ width shelves	1 full, 2 ¾ width shelves
Crisper	No	Yes	No	Yes	No	No
Upright 2-liter	Yes	Yes	Yes	Yes	Yes	Yes
Defrost	Auto-defrost	Manual	Automatic	Manual	Automatic	Automatic
Leveling Legs	Yes	Yes	Yes	Yes	Yes	Yes
Width (W)	18 10/16" (47.3 cm)	18 11/16" (47.5 cm)	17 11/16" (44.9 cm)	18 11/16" (47.5 cm)	17 11/16" (44.9 cm)	17 11/16" (44.9 cm)
Height (H)	25" (63.5 cm)	33 7/16" (85 cm)	26 10/16" (67.6 cm)	33 7/16" (85 cm)	32 11/16" (83.1 cm)	32 11/16" (83.1 cm)
Depth (D)	19 13/16" (50.4 cm)	20 3/16" (51.1 cm)	20 1/16" (51 cm)	19 11/16" (50 cm)	18 1/2" (47 cm)	20 1/16" (51 cm)
Product Weight	44 lbs (20.0 kg)	56 lbs (25.4 kg)	46.34 lbs (21.0 kg)	55.1 lbs (25 kg)	48.7 lbs (22.08 kg)	51.81 lbs (23.5 kg)
Shipping Weight	49 lbs (22.2 kg)	67 lbs (30.3 kg)	50.33 lbs (22.83 kg)	59.5 lbs (27 kg)	53.1 lbs (24.09 kg)	56.84 lbs (25.78 kg)
MICROWAVE SPECIFICATIONS						
Power	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz
Cook Power	700 watts	700 watts	700 watts	700 watts	700 watts	700 watts
Capacity (cu. ft.)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)
Controls	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Exterior Color						
Interior Color						
Width (W)	18 2/16" (46.0 cm)	18 2/16" (46.0 cm)	17 13/16" (45.2 cm)	17 13/16" (45.2 cm)	17 13/16" (45.2 cm)	17 13/16" (45.2 cm)
Height (H)	10 9/16" (27.0 cm)	10 9/16" (27.0 cm)	10 5/16" (26.2 cm)	10 5/16" (26.2 cm)	10 5/16" (26.2 cm)	10 5/16" (26.2 cm)
Depth without handle (D)	14 7/16" (36.6 cm)	14 7/16" (36.6 cm)	13 14/16" (35.2 cm)	13 14/16" (35.2 cm)	13 14/16" (35.2 cm)	13 14/16" (35.2 cm)
Product Weight	26.5 lbs (12.0 kg)	26.5 lbs (12.0 kg)	23.1 lbs (10.5 kg)	23.1 lbs (10.5 kg)	23.1 lbs (10.5 kg)	23.1 lbs (10.5 kg)
Shipping Weight	28.2 lbs (12.8 kg)	28.2 lbs (12.8 kg)	25.4 lbs (11.5 kg)	25.4 lbs (11.5 kg)	25.4 lbs (11.5 kg)	25.4 lbs (11.5 kg)
MISCELLANEOUS						
Combination Dimensions H x W x D	35 5/16"(90.5 cm) H x 18 11/16"(47.3 cm) W x 19 13/16"(50.3cm) D	44"(111.76 cm) H x 18 11/16"(47.4 cm) W x 19 11/16"(50.0cm) D	36 15/16"(93.8cm) H x 17 11/16"(45.2 cm) W x 20 1/16"(50.9 cm) D	43"(111.1cm) H x 17 13/16"(45.2 cm) W x 19 11/16"(50.0 cm) D	43"(109.2 cm) H x 17 13/16"(45.2 cm) W x 20 1/16"(50.9 cm) D	43"(109.2 cm) H x 17 13/16"(45.2 cm) W x 20 1/16"(50.9 cm) D
Energy (kWh/year)	223	195	228	199	259	259
Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes
Warranty	7-Year with on-site service	7-Year with on-site service	7-Year with on-site service	7-Year with on-site service	7-Year with on-site service	7-Year with on-site service
Cord Length	66"	63"	63"	63"	63"	63"

For more information, visit www.MicroFridge.com

Specifications

Air Purifiers			
	DAPI43BAB-UV	DAPI43BAW-UV	DAP290BAW
Coverage Area (Sq. Ft.)	210	210	450
Filter Type	HEPA/ Active Carbon	HEPA/ Active Carbon	HEPA
Maximum Room Size	210	210	450
Number of Speeds	3	3	4
Remote Control	No	No	No
Type of Allergens Removed	Tobacco Smoke, Dust, Pollen	Tobacco Smoke, Dust, Pollen	Tobacco Smoke, Dust, Pollen
Tobacco Smoke CADR	135	135	290
Dust CADR	135	135	265
Pollen CADR	195	195	280
Decibels	1: 32dB, 2: 46dB, 3: 54dB	1: 32dB, 2: 46dB, 3: 54dB	1: 35dB, 2: 45dB, 3: 50dB, 4: 56dB
PM2.5	No	No	Yes
UNIT DIMENSIONS			
Width	6 14/16" (17.55 cm)	6 14/16" (17.55 cm)	12 3/16" (31.0 cm)
Height	26 9/16" (67.5 cm)	26 9/16" (67.5 cm)	26 12/16" (68.0 cm)
Depth	10 1/16" (25.6 cm)	10 1/16" (25.6 cm)	12 3/16" (31.0 cm)
Weight	12.79 lbs (5.8 kg)	12.79 lbs (5.8 kg)	21.83 lbs (9.9 kg)
CARTON DIMENSIONS			
Width	9 15/16" (25.2 cm)	9 15/16" (25.2 cm)	14 7/16" (36.7 cm)
Height	30.0" (76.2 cm)	30.0" (76.2 cm)	31 4/16" (79.4 cm)
Depth	13 1/16" (33.2 cm)	13 1/16" (33.2 cm)	14 15/16" (38.0 cm)
Weight	15.87 lbs/7.2 kg	15.87 lbs/7.2 kg	26.68 lbs/12.1 kg
MISCELLANEOUS			
Energy Star Rated	Yes	Yes	Yes
Warranty	24 months parts & labor	24 months parts & labor	24 months parts & labor

For more information, visit www.MicroFridge.com

PTACs					
	DPTA070HEB2WDB	DPTA090HEB2WDB	DPTA120HEB2WDB	DPTA150HEB2WDB	DP5L120B1W
Square Feet	250-300	350-400	450-500	550-700	Req. Ins.
Description	7000 BTU PTAC with heat pump	9000 BTU PTAC with heat pump	12000 BTU PTAC with heat pump	15000 BTU PTAC with heat pump	PTAC Sleeve; includes Stamped Grill
Type	PTAC	PTAC	PTAC	PTAC	PTAC
Cooling Capacity	7,200/7,100	8,800/8,500	12,000/11,800	14,700/14,500	Required for new installation
ERR	13.1	12.8	11.6	10.5	
Heating Capacity	7,800/6,300	7,800/7,500	10,800/10,500	13,500/13,200	
COP	3.6	3.8	3.4	3.2	
Net Weight	101	109	115	117	
Sound Pressure	50.5/51	51.5/52.5	51/51.4	52/53	
Air Circulation	321/356/387	321/356/387	304/355/398	312/345/374	
Dehum Function	Yes	Yes	Yes	Yes	
Power Supply	208-230/60/1	208-230/60/1	208-230/60/1	208-230/60/1	
Rated Amps (Cooling)	3.0/3.3	2.99/3.23	4.50/4.89	6.03/6.58	
Rated Amps (Heating)	2.6/2.7	2.64/2.82	4.05/4.36	5.38/5.82	
Cooling Power Input	550/540	680/665	1035/1020	1390/1370	
Heating Power Input	480/460	600/580	930/905	1237/1209	
UNIT DIMENSIONS					
Width	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)
Height	15.98" (40.6 cm)	15.98" (40.6 cm)	15.98" (40.6 cm)	15.98" (40.6 cm)	16.06" (40.8 cm)
Depth	20.94" (53.2 cm)	20.94" (53.2 cm)	20.94" (53.2 cm)	20.94" (53.2 cm)	14.8" (37.6 cm)
Weight	101.41 lbs (46 kg)	109.57 lbs (49.70 kg)	115.74 lbs (52.5 kg)	116.6 lbs (52.9 kg)	26.01 lbs (11.8 kg)
CARTON DIMENSIONS					
Width	44.49" (113.0 cm)	44.49" (113.0 cm)	44.49" (113.0 cm)	44.49" (113.0 cm)	43.5" (110.5 cm)
Height	19.29" (49.0 cm)	19.29" (49.0 cm)	19.29" (49.0 cm)	19.29" (49.0 cm)	6.30" (16.0 cm)
Depth	24.61" (62.5 cm)	24.61" (62.5 cm)	24.61" (62.5 cm)	24.61" (62.5 cm)	16.34" (41.5 cm)
Weight	110.23 lbs/50 kg	120.59 lbs/54.7 kg	126.77 lbs/57.5 kg	129.41 lbs/58.7 kg	31.09 lbs/14.1 kg

- Models have an optional fresh air intake to replace stagnant air.
- Regular operating temperatures for outside air 30 (86) cooling; 29 (84) heating
- Standard 208/230V, grounded receptacle 6-20p plug is supplied.

