







RFS 300x370
HORIZONTAL AUTO
BAND SAW MACHINE

*Photo may feature machine with optional accessories

RFS 300x370 HORIZONTAL AUTO BAND SAW MACHINE

CUTTING CAPACITY

	0°
	300 mm
	280 mm
	280 x 370 mm

TECHNICAL SPECIFICATIONS

<i>Main Motor</i>	: 2, 2kW
<i>Gearbox</i>	: Bevel Helical PKD 1390 High Efficiency
<i>Hydraulic Motor</i>	: 0, 37kW
<i>Hydraulic Tank Capacity</i>	: 8 Liters
<i>Coolant Motor</i>	: 0,12kW
<i>Coolant Tank Capacity</i>	: 25 liters
<i>Blade Speed</i>	: 25-90 m/min
<i>Blade Dimensions</i>	: 3.850 x 27 x 0,9 mm
<i>Machine Weight</i>	: 850kg
<i>Machine Dimensions</i>	: 1.200x 1.950 x 1.300 mm
<i>Table Height</i>	: 740 mm

STANDARD ACCESSORIES

Digital Control Panel

Only control panel without buttons
Error page
Alarm list
Easy language selection




Inverter

Provides to adjust blade speed up to
workpiece diameter, thickness and hardness.



Hydraulic Vise

Pressure, clamping period and
clamping time can be adjusted.




Hydromechanical Blade Tensioning

Blade does not relax
and curve cutting gets prevented.



Swarf Brush

Removes swarfs to keep clean the
wheels and blade.




1,4 m Roller Table



60 cm Long Material Stopper System



Blade Bedding with Carbide and Bearings



Adjustable Vise Pressure



Moveable Control Panel



Mechanical Top pressure




Transport Hooks



Levelling Foot Leg



Adjustable Bow Down Speed



Moveable Guide Arms



Bevel Helical Gearbox



Bow Switch




Tension Switch




Electric Cabinet Switch



Manometer



S.A.P (Italy) Brand Coolant Pump




Bearing Bedding at Wheels




Fast Down Speed Approach



Helical Channeled Feeder Bars



Material Move Support Roller




Automatic Stop When;

- The covers are open
- Blade is broken
- Blade tension is low

OPTIONAL ACCESSORIES


Laser Line Indicator




Micro Molecular Coolant System



Conveyor



SAFETY EQUIPMENT



01	Cover Switch	150 01 020
02	Bottom Limit Switch	150 01 254
03	Upper Limit Switch	150 01 022
04	Hydraulic Band Tension Sw.	150 01 050
05	Height Adjustment Switch	150 01 020
06	Vise Switch	150 01 020

TERMS

Delivery (After Receipt of written PO) :

Type of Delivery : **Exwork**

WARRANTY CONDITIONS

The machine is under the warranty of SAPHIR For a period of 2 years for mechanical parts, 1 year for electric and electronic parts from the date of purchase. This warranty is subject to all of the terms and conditions listed below:

1. This warranty is valid only if the **Warranty Registration Form** is filled in and returned to the manufacturer or its authorized dealer within **two months after the** date of purchase.
2. The obligation of the manufacturer under this warranty shall be limited to repairing or replacing components which proves defective and which our examination shall disclose to our satisfaction to be defective.
3. Defects due to improper operation, misuse, neglect, alteration, irregular voltage conditions, inadequate wiring, improper installation (**all electrical and electronic components, all electrical motors etc.**) and due to accidents or any damage caused by transportation, flood, fire, natural disasters, theft are not included in this warranty and are strictly the responsibility of the purchaser.
4. Any part returned to SAPHIR or its authorized dealer under the terms of this warranty shall be on the basis of transportation charges prepaid by the customer and must be accompanied by a record of the machine model code and serial number.
5. This warranty does not apply to the following components; band saw blade, blade pressure pads or brackets and blade guide bearings **because of being consumables**.
6. Manufacturer and authorized dealer cannot be blamed within maximum repair period for the material or moral damage. Apart from that act the period as Warranty Conditions and there will not be done any retroactive requirement.



SAPHIR BANDSAW MACHINES
Hanlı Merkez Mah. Hatip Sok. No:32
Arifiye/Sakarya/TURKEY
Phone: +90 264 276 59 16
Fax: +90 264 276 59 19
www.saphirbandsaw.com
sales@saphirbandsaw.com