

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WILSON ZERO (PESTICIDE TEST) (FLOWER) // PRODUCED: MAR 14, 2023

CLIENT: TREETOP CROPS OF MAINE, LLC. // BATCH: PASS



MATRIX: FLOWER
SAMPLE ID: NAL-230310-062
COLLECTED ON: MAR 10, 2023
RECEIVED ON: MAR 10, 2023
BATCH/SAMPLE SIZE: 3.5 G / 1 UNITS
SAMPLED BY: MARK MANCINI
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

CULTIVATOR INFO

CULTIVATOR
MARK MANCINI
91 AUBURN ST. #10210
PORTLAND, ME 04103

LICENSE
CGR29831
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

PESTICIDES PASS

PST.2: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS PREPARATION: MAR 13, 2023 // ANALYSIS: MAR 13, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ABAMECTIN	500 µg/kg	ND	145/194	PASS	METHIOCARB	200 µg/kg	ND	145/145	PASS
ACEPHATE	400 µg/kg	ND	145/194	PASS	METHOMYL	400 µg/kg	ND	145/194	PASS
ACEQUINOCYL	2000 µg/kg	ND	145/968	PASS	MGK-264	200 µg/kg	ND		PASS
ACETAMIPRID	200 µg/kg	ND	145/145	PASS	MGK-264 I		ND	88.6/88.6	N/A
ALDICARB	400 µg/kg	ND	145/194	PASS	MGK-264 II		ND	56.6/56.6	N/A
AZOXYSTROBIN	200 µg/kg	ND	145/145	PASS	MYCLOBUTANIL	200 µg/kg	ND	145/145	PASS
BIFENAZATE	200 µg/kg	ND	145/145	PASS	NALED	500 µg/kg	ND	145/194	PASS
BIFENTHRIN	200 µg/kg	ND	145/145	PASS	OXAMYL	1000 µg/kg	ND	145/484	PASS
BOSCALID	400 µg/kg	ND	145/194	PASS	PACLOBUTRAZOL	400 µg/kg	ND	145/194	PASS
CARBARYL	200 µg/kg	ND	145/145	PASS	PARATHION-METHYL	200 µg/kg	ND	145/145	PASS
CARBOFURAN	200 µg/kg	ND	145/145	PASS	PERMETHRIN	200 µg/kg	ND		PASS
CHLORANTRANIL-IPROLE	200 µg/kg	ND	145/145	PASS	PERMETHRIN CIS		ND	62.5/62.5	N/A
CHLORFENAPYR	1000 µg/kg	ND	145/484	PASS	PERMETHRIN TRANS		ND	82.8/82.8	N/A
CHLORPYRIFOS	200 µg/kg	ND	145/145	PASS	PHOSMET	200 µg/kg	ND	145/145	PASS
CLOFENTEZINE	200 µg/kg	ND	145/145	PASS	PIPERONYLBUTOXIDE	2000 µg/kg	ND	145/968	PASS
CYFLUTHRIN	1000 µg/kg	ND	145/484	PASS	PRALLETHRIN	200 µg/kg	ND	145/145	PASS
CYPERMETHRIN	1000 µg/kg	ND	145/484	PASS	PROPICONAZOLE	400 µg/kg	ND	145/194	PASS
DAMINOZIDE	1000 µg/kg	ND	145/484	PASS	PROPOXUR	200 µg/kg	ND	145/145	PASS
DIAZINON	200 µg/kg	ND	145/145	PASS	PYRETHRINS	1000 µg/kg	ND		PASS
DICHLORVOS	1000 µg/kg	ND	145/484	PASS	PYRETHRINS CINERIN I		ND	96.7/96.7	N/A
DIMETHOATE	200 µg/kg	ND	145/145	PASS	PYRETHRINS CINERIN II		ND	98.8/98.8	N/A
ETHOPROPHOS	200 µg/kg	ND	145/145	PASS	PYRETHRINS JASMOLIN I		ND	78.4/78.4	N/A
ETOFENPROX	400 µg/kg	ND	145/194	PASS	PYRETHRINS JASMOLIN II		ND	61.0/61.0	N/A
ETOXAZOLE	200 µg/kg	ND	145/145	PASS	PYRETHRINS PYRETHRIN I		ND	450/450	N/A
FENOXYCARB	200 µg/kg	ND	145/145	PASS	PYRETHRINS PYRETHRIN II		ND	266/266	N/A
FENPYROXIMATE	400 µg/kg	ND	145/194	PASS	PYRIDABEN	200 µg/kg	ND	145/145	PASS
FIPRONIL	400 µg/kg	ND	145/194	PASS	SPINOSAD	200 µg/kg	ND	145/145	PASS
FLONICAMID	1000 µg/kg	ND	145/484	PASS	SPIROMESIFEN	200 µg/kg	ND	145/145	PASS
FLUDIOXONIL	400 µg/kg	ND	145/194	PASS	SPIROTETRAMAT	200 µg/kg	ND	145/145	PASS
HEXYTHIAZOX	1000 µg/kg	ND	145/484	PASS					
IMAZALIL	200 µg/kg	ND	145/145	PASS					
IMIDACLOPRID	400 µg/kg	ND	145/194	PASS					

KRESOXIM-METHYL	400 µg/kg	ND	145/194	PASS
MALATHION	200 µg/kg	ND	145/145	PASS
METALAXYL	200 µg/kg	ND	145/145	PASS

SPIROXAMINE	400 µg/kg	ND	145/194	PASS
TEBUCONAZOLE	400 µg/kg	ND	145/194	PASS
THIACLOPRID	200 µg/kg	ND	145/145	PASS
THIAMETHOXAM	200 µg/kg	ND	145/145	PASS
TRIFLOXYSTROBIN	200 µg/kg	ND	145/145	PASS



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 MAR 14, 2023

RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 MAR 14, 2023

RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 MAR 14, 2023

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

