

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

INDICA BLEND (PRE-ROLL) // PRODUCED: MAR 24, 2023

CLIENT: TREETOP CROPS OF MAINE, LLC. // BATCH: PASS



MATRIX: PRE-ROLL
SAMPLE ID: NAL-230317-107
COLLECTED ON: MAR 17, 2023
RECEIVED ON: MAR 17, 2023
BATCH/SAMPLE SIZE: .5 G / 3 UNITS
SAMPLED BY: MARK MANCINI
RECEIVED BY: CLARA ELIZABETH LUND

CANNABINOID OVERVIEW

THCA:	17.4 %
Δ⁹-THC:	0.581 %
TOTAL CANNABINOIDS:	18.2 %

CULTIVATOR INFO

CULTIVATOR
MARK MANCINI
91 AUBURN ST. #10210
PORTLAND, ME 04103

LICENSE
CGR29831
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED

CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAR 21, 2023 // ANALYSIS: MAR 23, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.0434/0.217	N/A
CBCA		ND	ND	0.0434/0.217	N/A
CBD		ND	ND	0.0434/0.217	N/A
CBDA		ND	ND	0.0434/0.217	N/A
CBDV		ND	ND	0.0434/0.217	N/A
CBDVA		ND	ND	0.0434/0.217	N/A
CBG		ND	ND	0.0434/0.217	N/A
CBGA	0.235 %	2.35 mg/g		0.0434/0.217	N/A
CBL		ND	ND	0.0434/0.217	N/A
CBLA		ND	ND	0.0434/0.217	N/A
CBN		ND	ND	0.0434/0.217	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.0434/0.217	N/A
Δ ⁸ -THC		ND	ND	0.0434/0.217	N/A
Δ ⁸ -THCA		ND	ND	0.0434/0.217	N/A
Δ ⁹ -THC		0.581 %	5.81 mg/g	0.0434/0.217	N/A
Δ ¹⁰ -THC		ND	ND	0.0434/0.217	N/A
EXO-THC		ND	ND	0.0434/0.217	N/A
THCA		17.4 %	174 mg/g	0.0434/0.217	N/A
THCV		ND	ND	0.0434/0.217	N/A
THCVA		ND	ND	0.0434/0.217	N/A
TOTAL THC**		15.8 %	158 mg/g		N/A
TOTAL CBD**		ND	ND		N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC
Reported on an as received basis
1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 24, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 24, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 24, 2023

NOTES

ZACHARY SMITH
MAR 24, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND

END OF REPORT

