


# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**CHOCOLATE SPREAD (EDIBLE SOLID) // PRODUCED: JUL 23, 2021**

CLIENT: TREETOP CROPS OF MAINE, LLC. // BATCH: PASS



**MATRIX:** EDIBLE SOLID  
**SAMPLE ID:** NAL-210721-022  
**COLLECTED ON:** JUL 21, 2021  
**RECEIVED ON:** JUL 21, 2021  
**BATCH/SAMPLE SIZE:** 5 OZ / 141.747615625 G  
**RECEIVED BY:** ANDREW PATTERSON

## CANNABINOID OVERVIEW

<b>Δ<sup>9</sup>-THC:</b>	<b>0.380 %</b>
<b>Δ<sup>8</sup>-THC:</b>	<b>0.0462 %</b>
<b>TOTAL CANNABINOIDS:</b>	<b>0.473 %</b>

## CULTIVATOR INFO

**CULTIVATOR**  
MARK MANCINI  
91 AUBURN ST. #10210  
PORTLAND, ME 04103  
  
**LICENSE**  
CGR29831  
MEDICINAL - CAREGIVER

## MANUFACTURER INFO

**MANUFACTURER**  
MARK MANCINI  
91 AUBURN ST. #10210  
PORTLAND, ME 04103  
  
**LICENSE**  
CGR29831  
MEDICINAL - CAREGIVER

## BATCH RESULT: PASS

**POTENCY** TESTED

## CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JUL 22, 2021 // ANALYSIS: JUL 23, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	0.00638 %	0.0638 mg/g	0.00127/0.00634	N/A	
CBCA	ND	ND	0.00127/0.00634	N/A	
CBD	ND	ND	0.00127/0.00634	N/A	
CBDA	ND	ND	0.00127/0.00634	N/A	
CBDV	ND	ND	0.00127/0.00634	N/A	
CBDVA	ND	ND	0.00127/0.00634	N/A	
CBG	0.0165 %	0.165 mg/g	0.00127/0.00634	N/A	
CBGA	ND	ND	0.00127/0.00634	N/A	
CBL	< LOQ	< LOQ	0.00127/0.00634	N/A	
CBLA	ND	ND	0.00127/0.00634	N/A	
CBN	0.00876 %	0.0876 mg/g	0.00127/0.00634	N/A	

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA	< LOQ	< LOQ	0.00127/0.00634	N/A	
Δ <sup>8</sup> -THC	0.0462 %	0.462 mg/g	0.00127/0.00634	N/A	
Δ <sup>9</sup> -THC	0.380 %	3.80 mg/g	0.00127/0.00634	N/A	
Δ <sup>10</sup> -THC	0.0149 %	0.149 mg/g	0.00127/0.00634	N/A	
EXO-THC	< LOQ	< LOQ	0.00127/0.00634	N/A	
THCA	ND	ND	0.00127/0.00634	N/A	
THCV	< LOQ	< LOQ	0.00127/0.00634	N/A	
THCVA	ND	ND	0.00127/0.00634	N/A	
TOTAL THC **	0.380 %	3.80 mg/g		N/A	
TOTAL CBD **	ND	ND		N/A	

\*\* TOTAL THC = (THCA X 0.877) + THC  
\*\* TOTAL CBD = (CBDA X 0.877) + CBD  
Reported on an as received basis  
1000 µg/g = 1 mg/g



**RESULTS CERTIFIED BY:**  
BARRY CHAFFIN  
COO, NOVA ANALYTIC LABS  
JUL 23, 2021

**RESULTS CERTIFIED BY:**  
GREG NEWLAND  
CSO, NOVA ANALYTIC LABS  
JUL 23, 2021

**RESULTS CERTIFIED BY:**  
CHRIS ALTOMARE  
CEO, NOVA ANALYTIC LABS  
JUL 23, 2021

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**