



## LIFESTYLE

Lifestyle In-Wall Specification Sheet



### Product Overview

Videotree's Lifestyle range of in-wall televisions are designed and built in Britain with an IP66 rating to provide the ultimate protection against dust and moisture, whilst integrating the latest technology to provide the highest picture quality for perfect viewing in any setting.

The In-Wall televisions are easy to install and designed to fit fully flush to your wall for an elegant, sleek finish. Each Lifestyle television is designed and hand-built in our clean room right here in Britain to ensure complete protection against dust and moisture in the assembly process.

Each television maintains a high quality HD LED screen for incredible viewing in any environment and is supplied with a wide range of inputs including HDMI, PC, Component, RGB, RS232 and IR in and out - compatible with all leading home and professional integration systems.

The Lifestyle range of televisions feature a thin chrome bezel as standard and are available in a choice of black, white or mirrored glass to suit your decor. A range of bespoke frames and finishes are also available to complement your design requirements.

#### **Key Features**

- Fully sealed unit protected against moisture and dust
- IP66 protection rating
- Full HD LED screen

- Slimline Design
- Designed and manufactured in Britain
- Guaranteed for 2 years

#### What's Included

- Lifestyle Television
- Learning Remote
- Television Backbox
- Power Supply\*



\*12V for 19" & 27" screens / 24V for 32" - 55" screens












## Dimensions & Installation



1. VGA 6. DVBT/2

2. PC Audio 7. USB

3. HDMI 8. Headphones

4. SPDIF 9. Component

5. DVBS/2 10. Mini AV

Control	& In	puts

3 x HDMI Inputs

SCART CVBS / RGB

PC Input with Audio

Reverse Infra-Red Port

Terrestrial Tuner (DVB-T / T2)

Satellite Tuner (DVB-S / S2)


IPTV Connectivity (Optional Extra)

External Source Selection on TV

Each Videotree television comes with our very own control system, designed & built right here in Britain.

Built in to every Videotree television is our very own control system - patented technology, designed and manufactured in the UK by our expert team of technicians.

Each control system comes with a range of inputs and feeds, making every Videotree television ideal for both the home and professional environments where multi-room and multi-channel functionality is key.



### Videotree In-Wall Television's are quick & easy to install:

- 1. Note the correct measurements for your television using the guides on pages 5 & 6.
- 2. Select the most appropriate wall to install your television taking into account height, viewing angles, direct sunlight and access to the appropriate electrical points.
- 3. Using the 'cut-out dimensions' below as a guide, create the in-wall cut-out for your television in the wall of your choice. Ensure that there is access to the electrical points required.
- 4. Slot the back-box in to the wall and fix in place using bolts or screws as required (not supplied).
- 5. Ensure your television is correctly connected to the electrical points (this may require two people) then remove the magnet cover and slot the television in to the back-box. Seal the edges with a waterproof sealant and your television installation is complete.



Videotree Lifestyle In-Wall televisions do not require additional surrounding space for ventilation due to their unique design incorporating metal framework


\*Measurements are in millimetres (mm) unless otherwise stated.


In-Wall Cut-Out Dimensions					
Screen Size	19"	27"	32"	42"	55"
Width	454	637	743	981	1261
Height	283	387	448	584	743
Depth	44	44	61	61	61

Back Box & Televis	sion Screen Dimen	sions			
Key	19"	27"	32"	42"	55"
Α	452.5	635	741	980	1260.3
В	281.5	386	447	590	741.5
С	44	44	60	60	60
D	458	641.5	747	990	1266
E	287	391.5	451	590	747
F	44	44	60	59	59
Packing Dimension	ons				
Width	553	735	820	1200	1500
Height	497	550	520	650	1200
Depth	180	180	100	100	200
Weight	11kg	16kg	22kg	29kg	40kg

Measur unless

Measurements are in millimetres (mm) unless otherwise stated.





# Lifestyle Range Product Codes

General Information	
Temperature	
Operating Storage	0°C to 50°C -10°C to 60°C
Humidity	
Operating Storage	5% to 80% RH (Non-condensing) 5% to 80% RH
5.01450	(Non-condensing)
Installation	In-Wall Installation, Indoor use.
OSD Language	English, French, German, Spanish, Italian, Russian, + 16 Languages
Usage Life	Up to 60,000 hours
Screen	
Screen Contrast Ratio	5000:1
	5000:1 16:9
Contrast Ratio	
Contrast Ratio Aspect Ratio	16:9
Contrast Ratio Aspect Ratio Driver Element	16:9 a-Si TFT active matrix
Contrast Ratio Aspect Ratio Driver Element Colour Depth	16:9 a-Si TFT active matrix 10 Bit Standard: 1360 x 768 (19")
Contrast Ratio Aspect Ratio Driver Element Colour Depth Number of Pixels	16:9 a-Si TFT active matrix 10 Bit Standard: 1360 x 768 (19") Full 1920 x 1080 (27"-55")
Contrast Ratio Aspect Ratio Driver Element Colour Depth Number of Pixels Brightness	16:9 a-Si TFT active matrix 10 Bit Standard: 1360 x 768 (19") Full 1920 x 1080 (27"-55") 350 - 800 NIT Up/Down 88° / 88°
Contrast Ratio Aspect Ratio Driver Element Colour Depth Number of Pixels Brightness Viewing Angle	16:9 a-Si TFT active matrix 10 Bit Standard: 1360 x 768 (19") Full 1920 x 1080 (27"-55") 350 - 800 NIT Up/Down 88° / 88°
Contrast Ratio Aspect Ratio Driver Element Colour Depth Number of Pixels Brightness Viewing Angle Audio Out	16:9 a-Si TFT active matrix 10 Bit Standard: 1360 x 768 (19") Full 1920 x 1080 (27"-55") 350 - 800 NIT Up/Down 88° / 88° Left/Right 88° / 88°

File Formats				
Video	.mp3 / .wma / .m4a / .aac			
Photo	.jpg / .jpeg / .bmp / .png			
USB	Supports photo, music & video files			
Controls & Feeds				
Hospitality Port				
Reverse Infra-Red Port				
Touch Tile (Optional Extra)				
IPTV Connectivity (Optional	l Extra)			
External Source Selection o	n TV			
3 x HDMI Inputs				
SCART CVBS / RGB				
PC Input with Audio				
YPbPr Input (Mini-Jack)				
Terrestrial Tuner (DVB-T / T	2 / DVB-C)			
Satellite Tuner (DVB-S / S2)				
File Formats				
220V / 240V AC Requiremen	nts			
12V (19" - 27") or 24V (32" - 55") to Screen				
Low Power Standby Mode (				
12V Trigger Out (Optional E	xtra)			
Movies				
.avi (DivX, Xvid, MPEG-4)	.mp4			
.mpg MPEG-1 MPEG-2	.ts			
.dat MPEG-1	.dat			
.mov mkh H.264	.rmbv .rm			

Screen Size	Installations	Finish	Product Code
19"	In-Wall	Black	VTL19i-B
27"	In-Wall	Black	VTL27i-B
32"	In-Wall	Black	VTL32i-B
42"	In-Wall	Black	VTL42i-B
55"	In-Wall	Black	VTL55i-B
Screen Size	Installations	Finish	Product Code
19"	In-Wall	White	VTL19i-W
27"	In-Wall	White	VTL27i-W
32"	In-Wall	White	VTL32i-W
42"	In-Wall	White	VTL42i-W
55"	In-Wall	White	VTL55i-W
Screen Size	Installations	Finish	Product Code
19"	In-Wall	Mirror	VTL19i-M
27"	In-Wall	Mirror	VTL27i-M
32"	In-Wall	Mirror	VTL32i-M
42"	In-Wall	Mirror	VTL42i-M
55"	In-Wall	Mirror	VTL55i-M

Audio Out 2 x 8W @ 8Ω THD <10%

Noise Reduction 3D

**Dolby Liscensed** 

Videotree Technical Specifications are subject to changes at anytime. Any measurements provided are given as a guide and should not be used for installation purposes. Please refer to your instruction manual or contact Videotree for more information.

Dolby® and the Dolby® logo are registered trademarks of Dolby Laboratories.

DVB is a registered trademark of the DVB Project. HDMI®, the HDMI® Logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI®.

<sup>\*\*</sup> Optional internal heater available for operating temperatures below -5°C and optional fans for temperatures above 50°C.



Representative in the Philippines Sales@hospitalityInnovation.com.ph

Unit 1 Ember Centre Hersham Trading Estate Lyon Road Walton-On-Thames Surrey, KT12 3PU United Kingdom



Telephone: 01932 267 797 Overseas: +44 (0)1932 267 797 Email: sales@videotree.com Web: www.videotree.com